WAR DEPARTMENT

STAFF OFFICERS' FIELD MANUAL

ORGANIZATION, TECHNICAL
AND
LOGISTICAL DATA

June 15, 1941

ARMY MEDICAL LIBRARY FOUNDED 1836



WASHINGTON, D.C.

21

RESTRICTED

FM 101-10

STAFF OFFICERS' FIELD MANUAL

ORGANIZATION, TECHNICAL, AND LOGISTICAL DATA

Prepared under Direction of the ASSIFICATION CHANGED

Chief of Staff

TO UNCLASSIFIED

AUTH FO 10501

DATE 5 NOV 53

SECURITY OF SICER

UNITED STATES
GOVERNMENT PRINTING OFFICE
WASHINGTON: 1941

W2 A2 8W2 f 8 No.101-10

WAR DEPARTMENT,

WASHINGTON, (June 15, 1941).

FM 101-10, Staff Officers' Field Manual, Organization, Technical, and Logistical Data, is published for the information and guidance of all concerned.

This manual and FM 101-5, Staff Officers' Field. Manual—The Staff and Combat Orders, are compilations of information and data to be used as a guide for the operations in the field of the general staff or a similar staff group of all units in peace and war.

Much of the data herein are not exact values as they represent the average of widely varying conditions of field service and troop training. A constant fluctuation in the value of approximated data should be expected to conform to the changes which develop in field conditions. In cases where experience has not indicated the limits of variation to be expected, a reasonable factor of safety should be allowed.

(A.G. 062.11 (6-15-41).)

BY ORDER OF THE SECRETARY OF WAR:

G. C. MARSHALL, Chief of Staff.

OFFICIAL:

E. S. ADAMS,

Major General,

The Adjutant General.

DISTRIBUTION:

D (15); B (10); R (10); B (5). (For explanation of symbols, see FM 21-6.)

TABLE OF CONTENTS

	PARAGRAPHS	PAGES
CHAPTER 1. — ORGANIZATION.	1-34	1-76
SECTION I. — Organization of Field Forces	1- 41/2	1-7
II. — Division Organizations.	5-19	8-47
III. — Army Corps, Armored Corps, and Field A	rmy 20-24	48-53
IV. — GHQ Reserve and Army Air Force Units.	25–28	54-61
V. — Data Pertaining to Supply and Evacuation		62-78
CHAPTER 2. — TROOP MOVEMENTS	25_67	79-148
SECTION I. — General		79–123
II. — Infantry Division (Square)		124-131
III. — Infantry Division (Triangular)		132-140
IV. — Cavalry Division (Horse)		141-143
V. — Armored Division and GHQ Tanks.		143-148
MODEL TO THE PROPERTY OF THE P		
CHAPTER 3. — SUPPLY.		149-218
SECTION I. — General		149-180
II. — Infantry Division (Square)		180–188
III. — Infantry Division (Triangular)		188-190
IV. — Infantry Division (Triangular, Motorized)119-120	190-191
V. — Armored Division		192-202
VI. — Cavalry Division (Horse)	134-140	202-208
VII. — Army Corps.	141-145	209-211
VIII. — Field Army.	146-149	211-213
IX. — GHQ Reserve Units	150-153	214-218
X. — Air Force Units		
CHAPTER 4. — EVACUATION, REPLACEMENTS, AND		
PRISONERS OF WAR.	154_170	219-237
SECTION I. — Evacuation		219-228
II. — Replacements		229-235
III. — Prisoners of War		236-237
		200-201
CHAPTER 5. — MILITARY MAPS.		238-249
CHAPTER 6. — CHARACTERISTICS OF MATERIEL	180-191	250-272
		AT and 15
CHAPTER 7. — FIELD ENGINEERING DATA	192–198	273-288
CHAPTER 8. — SIGNAL COMMUNICATION DATA	199-237	289-321
SECTION I. — General		289-291
II. — Message Center		291-293
III. — Airplane Messengers and Pigeons.		293
IV. — Radio Communication		293-309
V. — Visual Communication		309-310
VI. — Wire Communication		311-316
VII. — Tables of Signal Equipment.	236–237	317-310
		KE-RO
CHAPTER 9. — CAMPS AND BIVOUAC AREAS.	238-242	322-324
CHAPTER 10.—MOVEMENT BY AIR TRANSPORT	243-256	325-337
CHAPTER 11.—MISCELLANEOUS DATA	257-268	338-358

LIST OF FIGURES

FIGURE	PAGE
1 — Corps Area boundaries and National Guard Division areas	SATE AD
2 — Army, Corps, Division, and Coast Artillery District assignments	
3 — Defense command areas — continental United States	7
4 — Average time-lengths of cavalry, men on foot, and animal-drawn field artillery columns.	81
5 — Forced march graph	85
6 — Brake wheel clearance	91
7 — Securing light and medium tanks	93
8 — Securing half tracks.	95
8 — Securing half tracks. 9 — Securing four-wheel trucks and passenger cars.	97
10 — Securing six-wheel trucks	99
11 — Securing 37, 75, 90, and 105-mm mounted gun or howitzer	101
12 — Securing 155-mm gun M-1 — 8" howitzer carriage	103
13 — Securing 3-inch antiaircraft gun 14 — Securing 37-mm antiaircraft gun	105
14 — Securing 37-mm antiaircraft gun	107
15 — Securing one or more two-wheel motorcycles	109
16 — Securing one or more three-wheel motorcycles.	111
17 — Patterns for blocks used in securing vehicles.	113
18 — Average road space of motor columns at various speeds — close column	117
19 — Average time-length of motor columns at various speeds — close column	118
20 — March route	121
21 — March graph	122
22 — Class I supplies obtained by daily telegram	158
23 — Distribution of Class I supplies. 24 — Graph of tonnage requirements of Class I and Class III supplies.	159
24 — Graph of tonnage requirements of Class I and Class III supplies	161
25 — Graph of conversion of tons to trucks or trucks to tons.	162
26 — Requisition and shipment of Class II and Class IV supplies.	163
27 — Requisition and shipment of Class III supplies.	165
28 — Graph of estimated gasoline consumption.	168
29 — Call and shipment of Class V supplies. 30 — Graph of small-arms ammunition tonnage.	170
30 — Graph of small-arms ammunition tonnage	171
31 — Allocation of ammunition	
32 — Ammunition reports	178
83 — Medical service of a square division	223
34 — Medical service of a triangular division	224
35 — Evacuation and hospitalization of personnel 36 — Evacuation and hospitalization of animals.	225
36 — Evacuation and hospitalization of animals	226
37 — Personnel replacement system.	235
38 — Evacuation of prisoners of war	237
39 — Trench nomenclature	283
40 — Simple standing trench	284
41 — Triangular antitank ditch and log hurdle	288
42 — Trapezoidal antitank ditch and log hurdle	288
43 — Side hill antitank ditch	205
44 — Type radio nets, square division	290
45 — Type radio nets, triangular division.	290
46 — Type radio nets, cavalry division — antiaircraft-antitank warning net	207
47 — Type radio nets, cavalry division — division command net.	200
49 — Type radio nets, cavalry division — division artillery	200
50 — Type radio nets, cavalry division — reconnaissance squadron, mechanized	200
50 — Type radio nets, cavarry division — reconnaissance squadron, mechanized	
51 — Type radio nets, army corps (less field artillery brigade, and cavalry regiment, horse and mechanized	302
52 — Type redie not ermy corns — field extillent brigade	304
52 — Type radio net, army corps — field artillery brigade	305
54 - Type wire note govern division	214
54 — Type wire nets, square division. 55 — Type wire nets, triangular division.	315
56 — Type wire nets, triangular division.	216
57 — Layout of a tent camp.	322
58 — Movement by air transport.	326
59 — Latitude and longitude, North America	
WWW.WAL WILL IVILLIVATE ATVA VAG BALSIVATVE CONCENSION CONTROL	necessary didd


Chapter 1 ORGANIZATION

		PARAGRAPHS
SECTION I.	Organization of field forces	1-41
	Division organizations.	5-19
III.	Army corps, armored corps, and field army	20-24
IV.	GHQ Reserve and Air Corps units	
V.	Data pertaining to supply and evacuation units	29-34

SECTION I


ORGANIZATION OF FIELD FORCES

1. ORGANIZATION OF FIELD FORCES:




12


2. TRAINING, AND SUPPLY CHANNELS:




3. Corps Area Boundaries and National Guard Division Areas:




4. ARMY, CORPS, DIVISION, AND COAST ARTILLERY DISTRICT ASSIGNMENTS:




■ 4½. DEFENSE COMMAND AREAS—CONTINENTAL UNITED STATES.






SECTION II DIVISION ORGANIZATIONS

■ 5. Infantry Division (Square) (1)(5)—Diagram:



INFANTRY DIVISION (SQUARE) (Continued):



NOTES

1 Strength shown includes attached medical personnel and chaplains.

Car Company, Quartermaster Regiment furnishes transportation for Division Headquarters.
 In tactical situations, each Infantry Battalion has attached to it:

Bn. Sec., Com Plat, Regt. Hq. Co. O-1 EM-17 Bn. Sec., Trans. Plat, Serv. Co. O-1 EM-17

In the diagram, the above are included in the strength shown for the Headquarters Company & Service Company, and not in those for the Battalion.

1 Includes Division Surgeon's Office.

Based on War Department tables dated November 1, 1940 (Field Artillery, Infantry Regiment and Quartermaster Truck Company, tables dated October 1, 1940.)

66 Moves by organic transport.

■ 6. Table of Organization No. 7, (November 1, 1940):

INFANTRY DIVISION (SQUARE)

Designation: (1)......Division

		ORGANIZATIO	N		
13	Aggre- gate	11 111 51 60 60 252 390 178	946	12	65 139 89 89 275 1,845 1,970 5,787 11,140 (16) (84)
13	Atchd	9	20		
11	Atchd	25 38 8 25 38 8	71		22 22 173 355
10	Total	111 511 522 205 354 354	855	12	65 139 81 1,840 1,948 5,614 10,785 (16) (84)
03	QM Regt (T/O 10-271)	113 10 10	35		20 20 20 20 20 20 20 20 20 20 20 20 20 2
90	Med Regt & Div Surg's Office (T/O 8-21)	22 39 39	70	-	10 3 29 73 46 294 527 (1)
2	Engr Regt (T/0 5-11)	1122417	39	1	200 200 261 480 (1) (5)
9	FA Brig (T/0 6-10)	11 11 19 62 76 30	202	3	21 36 22 52 52 374 439 1,096 2,118
2	Enigs (T/0)	20 20 20 200 200 128	452	4	22 74 34 102 1,230 1,230 3,524 6,810
*	Sp Trs (T/0 7-3)	2 14 0	27	2	288 50 50 39 (204 (381 (26)
62	Div Hq (T/0 7-1)	1 13 5 9	30		
65	Sp Rat- ings (class)				1st 2d
I	Unit	Major general Brigadior general Colonel Lieutenant colonel Major Captain First lieutenant.	TOTAL COMMISSIONED.	Warrant officer.	Master sergeant. First sergeant. Technical sergeant. Staff sergeant. Sergeant. Corporal. Private, first class including. Specialist.
	-	23450~80	10	1	22445978082

TABLE OF ORGANIZATION No. 7 (November 1, 1940) (Continued):

g s 4 5 6 7 8 9 10 11 18 1 4th (55) (246) (172) (34) (42) (42) (684) (684) (42) (42) (684) (43) (57) (58) (41) (57) (58) (41) (58) (58) (41) (685) (129) (58) <th></th> <th></th> <th></th> <th></th> <th>ORGANIZATION</th>					ORGANIZATION
g 3 4 5 6 7 8 9 10 11 1 3d 4th (55) (246) (172) (34) (42) (43) (592) (71) 5th (30) (1,140) (696) (1,140) (695) (129) (227) (188) (2,459) (88) 6th (30) (1,144) (43) (279) (229) (278) (289) (178) 6th (30) (1,144) (41) (389) (74) (43) (489) (178) (178) (278) (289) (178) (278) (289) (278) (289) (280) (178) (178) (289) (280) (178) (280) (178) (280) (2	13	(2, 142) (2, 547) (2, 547) (8, 939) (1, 873)	21,314	262,212	00 00 00 00 00 00 00 00 00 00 00 00 00
g 4 5 6 7 8 9 10 4411 (57) (246) (177) (34) (48) (48) (569) 5th (130) (170) (34) (184) (172) (34) 6th (130) (144) (365) (150) (25) (150) (150) 6th (167) (686) (1,161) (279) (27) (38) (38) 6th (167) (686) (1,161) (29) (25) (122) (8,760) 6th (167) (6 806) (1,161) (29) (74) (80) (1,817) 7 7 7 7 7 7 7 7 8 8 8 4,158 908 986 861 20 20 8 9 1,158 1,158 1,159 20 20 20 8 4 8 96 24 8	12		8	R	
g g f f f f f f g	11	(43) (155) (179) (56)	589	000	
g 3 4 5 6 7 8 4th (55) (246) (172) (34) (42) 5th (130) (1,61) (695) (184) (172) 6th (130) (1,141) (695) (129) (225) 6th (157) (1,144) (161) (279) (225) 7 7 13,086 4,158 908 986 8 13,542 4,363 948 1,057 8 1 1 1 1 8 1 1 1 1 8 1 1 1 1 8 1 1 1 1 8 1 1 1 1 8 1 1 1 1 8 1 1 1 1 8 1 1 1 1 8 1 1 1 1 8 1 1 1 1 8 1 1 1 1 8 1 1 1 1 1 1 1 1 1 1	10	(684) (1,987) (2,459) (8,760) (1,817)	20,725	280,12	00 00 00 00 00 00 00 00 00 00
g g f	0	(43) (201) (188) (122) (80)	861	160	584
3d (55) (246) (172) (644) (644) (655) (624) (624) (624) (624) (644) (657) (1,140) (695) (1,161) (695) (1,161) (695) (1,161) (695) (1,161) (695) (1,161) (695) (1,161) (695) (1,161) (695) (1,161) (695) (1,161) (695) (1,161) (695) (1,161) (695) (1,161) (695) (1,161) (695) (1,161) (695) (1,161) (1,144) (695) (1,161) (1,144) (695) (1,161) (1,144) (695) (1,161) (1,144)	00	(42) (80) (172) (227) (225) (74)	986	1,004	
3d 3d 4b 6 6 4th (57) (302) (1140) 6th (180) (1,140) (676) (676) 6th (167) (6,806) (1,1144) (37) (1,144) (37) (1,144) (37) (1,144) (37) (1,144) (37) (1,144) (37) (1,144) (37) (27) (1,144) (37) (4,144) (37) (1,144) (37) (4,144) (38) (39) (4,144) (4,144) (39) (4,25) (13,542) (4,34) (48) (48) (48) (48) (48) (48) (48) (48) (48) (48) (48) (48) (48) (48) (48) (48) (48) (48) (48) (48) (48) (48) (48) (48) (49) (49) (49) (49) (40) (40) (40) (40) (40) (40) (40) (40) (40) (40) (40) (40) (41) (40) (40) (40) (41) <	7	(34) (184) (129) (279) (79)	908	940	20 1 1 1 1 1 4 4 24 24 730 7
3d (55) 4th (57) 5th (130) 6th (80) (167	9	(172) (167) (624) (695) (1,161) (383)	4,158	4,000	96 138 14, 363 4, 363
3d 4th 5th 6th 6th 6th	õ	(246) (302) (676) (1,140) (6,806) (1,144)	13,086	10,042	1 500
ad 4th 5th 6th	4	(55) (130) (167) (167) (57)	726	cc	2562 101 1 1 1 4 4 1 1 2 2 2 2 2 2 2 2 2 2 2 2 2
	ಿ		OG	00	
Specialist Specialist Specialist Specialist Specialist Specialist Specialist Curated Basic Agenegar Agenerate Agenerate Assult boat Sherric lighting set Sherric lighting set Autor purification unit, portable Autor form, antitank Autor, machine, eal .50 Bun, machine, light, cal .30 Bun, antitank Iowitzer, 105-mm Iowitzer, 105-	05	3d 4th 5th 6th			
	1			- 1	Air compressor, motorized Assault boat Blectric lighting set Power earth auger, motorized Trailer, map reproduction Water purification unit, porta Gun, machine, eal. 30. Gun, machine, light, cal. 30. Gun, 75-mm, antitank Gun, 75-mm, antitank Howizer, 105-mm Howizer, 105-mm Mortar, 60-mm Mortar, 60-mm Mortar, 81-mm Pistol, cal. 45 Rifle, cal. 30 Rifle, cal. 30 Rifle, cal. 30 Tractor, medium with bulldon Tractor, artillery repair. Truck, artillery repair. Truck, artillery repair. Truck, machine shop. Truck, machine shop.

TABLE OF ORGANIZATION No. 7 (November 1, 1940) (Continued):

		ORGANIZATION
13	Aggre	200 200 200 200 200 200 200 200 200 200
123	Atchd	
11	Atchd	6 6 19 19 19 12 12 10 10 10
10	Total	2002 201 201 201 202 202 202 202 202 202
6	QM Regt (T/O 10-271)	10 10 199 188 18 18 244 6
00	Med Regt & Div Surg's Office (T/O 8-21)	60 60 2 2 2 2 2 13 13 11 11 11 11 11 11 11 11 11 11 11
2	Engr Regt (T/O 5-11)	111 111 111 16 172 7
9	FA Brig (T/0 6-10)	1 193 193 117 115 68 435 32
9	## Inf Brigs (T/0 7-10)	6 622 112 622 434 182 182
7	Sp Trs (T/0 7-3)	44 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
93	$Div \\ Hq \\ (T/0) \\ 7-1)$	
65	Sp Rat- ings (class)	
1	Unit	Truck, spare parts Truck, tool and bench Truck, welding Truck, welding Truck, wereking Ambulance, cross country Car, light, 5-passenger sedan Motorcycle, solo. Motorcycle, with sidecar. Trailer, 1-ton, cargo. Truck, ½-ton, cargo. Truck, ½-ton, pick-up Truck, ½-ton, radio.
1	y=4	15 2027888002084800000000000000000000000000

Column 14 — Remarks

(1) Insert number of division.

[A.G. 320.2 (11-1-40).]

■ 7. NORMAL USE, ORGANIC TRANSPORTATION, INFANTRY DIVISION (SQUARE):

	1	2	3	1 4	5	6	17	18
1	Load	Hq Sp Troops	DHQ & Hq Co	MP Co	Sig Co	Ord Co (M Maint)	Inf Brig Hq & Hq Co	Inf Regt
2	Ambulance, field				1	1		
3	Cars, L, 5-passenger. CARS, PASSENGER AND TRUCKS, 1/2-1	ON		1	1	1	1	1 1
4	Command	1	1	4		1	3	
5	Command & Reconnaissance				3 6			33
6 7	Pick-up or cargo		2		13	4		
8 9	Radio & Com		00000000		5			107
10 11	Atchd Med (Cmd) (& Cmd & Rcn)							12
12	SUB-TOTALTRUCKS, 1½-TON	1	3		27	5	9	1157
13	KitchenTRUCKS, 1½-TON	,	1 2	1 1	1		1	1 15
14	Motor Maintenance			1	1		1	5
15 16	Organization Equipment Personnel			1 9	1	********		3
17	Personnel & tools				********	*******		
18 19	Personnel & baggage Command & Operations	1	1	*******	3		1 1	2
20	Signal Communications		********	*******			2	
21 22	AmmunitionSpecial Equipment					*********	00500000	13
23	Atchd Medical	1			00			2
24	Sub-Total				26		5	45
25 26	Kitchen Motor Maintenance					1 1		
27	Organization Equipment.					4		
28 29	Supplies							
30	Personnel							
31 32	Personnel & Baggage							
33	Signal Communications							
34 35	Ammunition Prime Movers							
36	Atchd Medical							
31	SUB-TOTAL TRUCKS, 4-TON				1	0		
38 39	Prime movers							
40	Motor Maintenance							
41	SUB-TOTALMOTORCYCLES							
42	Motorcycle, solo							
43	Motorcycle, with side car	1		29	2	1	4	26
45	SUB-TOTAL.	2		29	2	1	4	27
46	Air compressor, Mtzd			1				
47	Power earth auger, Mtzd							
48 49	Tractor, Mtze, w/bulldozer Tractor, truek, 1 2-ton							
50 51	Trailer, 1-ton		5	2	10	1	1	15
52	Trailer, with tank, 250-gallon.					1	1	
53	Trucks, miscellaneous		5	2	10	17	1	15
55	Sub-Total. Totals	5	13	47	66	31	19	244
	13							_

NORMAL USE, ORGANIC TRANSPORTATION, INFANTRY DIVISION (SQUARE) (Continued).

		(5)	QUAI	(E)	100)11 (11	nuec	IJ.										
9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27
Hq & Hq Co & Band (Regtl)	Serv Co	AT Co	Bn	Bn Hq Det	Hq Wpns Co	Rifle Co	FA Brig Hq & Hq B ry	Regt — 105-mm How	Hq & Hq Btry (Rectl)	FA Bn — 105-mm	Hq & Hq Etry (Bn)	Serv Etry	How Btry 105-mm	Regt — 155-mm How	Hq & Hq Btry (Regii)	FA Bn — 155-mm	Hq & Hq Etry (Bn)	Serv Btry
2								2	AMBU	LANCE (1)	(1)			2		(1)	(1)	
4						CA	RS, PA		GER A	ND TRU				4		(1)	1 (1)	
							1	0.5		/15)	(0)	(9)	(0)	40	(5)	(10)	100	(0)
5 (6)	(2)	(4)	(7)	(2)	(5)		4	35	(5)	(15)	(0)	(3)	(2)	43	(5)	(19)	(6)	(3)
6																		
8 (1)		(1)					1	4		(2)	(2) (2)			6		(2) (3)	(2)	
9 (10)	(4)	(21)	(24)	(2)	(16)	(2)		18		(9)	(9)			18		(9)	(9)	
10 (2)				(4)				3	$\begin{pmatrix} (1) \\ (1) \end{pmatrix}$	(1)	(1)			3	(1) (1)	(1)	(1)	
$\frac{11}{12}$ (20)	1 (6)	1(26)	(4)	-	(21)	(2)	1 8	65	(7)	(29)	(20)	1 (3)	(2)	75	(7)	(34)	(20)	(3)
12) (20)			, , , ,			,	,	T	RUCK	S. 11/4-TO	N	1					-1	, ,
13 (1)	(1)																	
15																		
16															1 1		1	
17 18 (2)																		
19 (1)																		
20	(13)																	
22																		
23 (2)	-		(4)		(1)	(1)											1	
24 (6)	(23)	(4)	(4)		(1)	(1)		тв	UCKS	, 2½-TO	4							
							1	11	(1)	(5)	(1) (1)	(1)	(1)	13	(1)	(6)	(1)	(1)
26 27						,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	1	17 11	(1) (1)	(8) (5)	(1)	(4)	(1) (1)	17 13	(1) (1)	(8) (6)	(1)	(3)
				*******				4						4		(2)	(1)	(2)
29 30								2	(2)					2	(2)			
31								4			*******							
32							3	12	(2)	(5)	(2)		(1)	12	(2)	(5)		
33							3	21 36	(3)	(9) (18)		(12)	(2) (2)	21 40	(3)	(9) (20)		(12)
35								30		(15)			(5)	16		(8)		
36		1					9	147	(1)	(1)	(1)	(20)	(13)	3	(1)	(1) (65)	(1)	(19)
3/		******					8			(68) S. 4-TON		1(20)	(13)	141	(11)	(00)	(9)	(19)
38																		
39 40												*******		6 2		(3) (1)		(1)
41											1			32		(16)		(1)
121	1	1	f	1	1		1		4	CYCLES	i i	1			1		1	1
42 (4)	(6)	(4)	(4)	(2)	(2)	******	2	20	(2)	(9)	(4)	(2)	(1)	30	(2)	(14)	(4)	(2)
44 (1)						******					1							
45 (5)	(6)	(4)	(4)	(2)	(2)		2	20	(2)	(9)		(2)		30	(2)	(14)	(4)	(2)
46						1160	CAS,	MISCI	LLAN	EOUS, A	TUN	RAILE						
47																		
48																		
50	/2 =:							0.4		(00)		(10)	(0)		(0)	(00)		(10)
51 52	(15)						4	61	(3)	(29)	(4)	(16)	(3)	67	(3)	(32)	(4)	(16)
53																		
54	(15)						4	61	(3)	(29)		(16)			(3)	(32)		(16)
55 (31)	(50)	(34)	(43)	(10)	(24)	(3)	23	295		(136)	(38)	(41)	(19)	347	(23)	(162)	(38)	(41)
									1	4								

NORMAL USE, ORGANIC TRANSPORTATION, INFANTRY DIVISION (SQUARE) (Continued).

	(12	QUA	RE)	(0	onti	nue	a).										
28 29	30	31	32	33	34	35	36	37	38	39	40	1 41	42	43	44	45	46
How Biry— 155-mm AT Biry	Engr Regt	Hq & Hq & Sero Co (Regul)	Engr Bn	Lettered Co	Med Regt & Div Surg's Off	Hg & Hg & Serv Co & Band	Coll Bn	Amb Bn	Clr Bn	QM Reg	Hq & Hq Co	Serv Co (less 1 Plat)	L Maint &	Truck Bn	Bn Hq	Truck Co	Total
2	1	1						(60)	ULAN	CE	1	}	l				66
64					CA	RS, P.	ASSEN			TRUC	KS, ½	-TON			-0******		00
3 (2) (4) 5	111	(1)	(3)	(1)	2 17	(2)	(4)	(4)	(7)	10 18	(1)		(10)	(1)	(1)	(1)	20 176 135
6 7 8 (1)	16	(4)				(2)	~~~~~		(3)		(2)			*************		(3)	6 76 32
9	1	(1)		47874444				a o operino b		1	(1)			**********		-0000000000	490 19 51
12 (2) (5	1 29	(11)	(9)	(3)	30	(6)			(10)		(8)	(1)	(20)	(9)	(1)	(4)	1005
13	.1 7	(1)	(3)	(1)	1 7	(1)		rruci	KS, 11			1	ı		1		80
14 15 16	16 4	(4) (4)	(6)	(2)	6		(3)	(3)					*******	000000000000000000000000000000000000000			28 36 25 42
18 19	74		(21)														15 6 24
21 22 23	8 3	(1) (8) (1)	(1)	******	7	(1)	(6)	0000000	*******	0000000	0000000	00000000				************	53 15 12
24	.] 81	(19)	(31)	(10)	20	(2)	(12)	(6)		1		l					336
25 (1) (1) 23 (1) (1) 27 (1) (1) 28	2	(2)			3 5 18 5	(2)			(3)	TON 8 20 8 21 192	(1) (1) (18)	(2)	(10) (2)	(4) (2)	********	(1) (2) (1) (48)	48 80 66 38 192
30										1	(1)				******		6 2 39 66
34 (2) (2) 35 (8)										1	(1)						112 76 10
37 (8) (13)	2	(2)			31	(7)		l	(24)	251	(22)	(4)	(17)	(104)		(52)	735
38 (4)	.1 7	1 (1)	(3)	(1)			1	RUC	KS, 4-7	ION		1	1	1		1	31
39 (1)																	6
40]									1	2			(2)				4
41 (5)	. 7	(1)	(3)	(1)	J	1					1		(2)	1]		41
42 43 (1) (5)	14 8 1	(2) (2) (1)	(6) (3)	(2) (1)	7 12	(1)	(4) (3)		(1) (3)		(4)	(1)	(27)	(6)		(3)	21 281 6
45 (1) (5	-	(5)	(9)	(3)	19	(4)	(7)	(4)	(4)	44	(4)	(1)	(27)	(6)	1	(3)	308
					TRI	UCKS,		ELLA	NEOU	S, ANI	TRA	ILERS			/		
46	$\begin{vmatrix} 7 \\ 1 \end{vmatrix}$	$\begin{pmatrix} (1) \\ (1) \end{pmatrix}$	(3)	(1)												*********	7
48 49 50	7 1 1	(1) (1) (1) (1)	(3)	(1)							4 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	*******		-0440000000			7 1 1
51 (3) (3) 52		(22)	(9)	(3)	25 13	(1) (1)	(3) (3)	(3) (3)		200	(18)	(4)	(10)	(84)		(42)	538 14 17
54 (3) (3)	157	(27)	(15)	(5)	1 38	(2)	(6)	(6)	(24)	1200	(18)	(4)	(10)	(84)		(42)	-
55 (19) (26)														(203)			
		, , _ /	- / 1			, ,	/ !		15		/		/		. (-)	, ,/	

NORMAL USE, ORGANIC TRANSPORTATION, INFANTRY DIVISION, (SQUARE) (Continued):

NOTES


Above tables are based on T/O November 1, 1940.

Car Company Quartermaster Regiment furnishes following transportation for movement of Division Headquarters:

6 Cars, light, 5-passenger 20 Motorcycles w/s/c 1 Trailer, 1-ton 8 Trucks, ½-ton, command


For passenger capacity of vehicles, see Chapter 2, Section 1, paragraph 46, this manual.

8. Infantry Division (Triangular) —Diagram:



ORGANIZATION

INFANTRY DIVISION (TRIANGULAR) —Diagram (Continued):



NOTES

- ① Based on WD T/Os dated Oct. 1, 1940. (Consolidated T/O dated November 1, 1940.)
- 2 Totals include attached medical personnel and chaplains. (a) Transportation furnished by Quartermaster Battalion.
 (b) Includes Division Surgeon's Office.
- 66 Moves by organic transportation.

9. Table of Organization No. 70 (November 1, 1940):

INFANTRY DIVISION (TRIANGULAR)

Designation: (1)......Division

	15	Aggre- gate	2 30 38 152 260 135	624	9	41 90 60 173 1,373 3,957 7,630 (53)
	14	Atchd	23 16	43		14 111 1111 2332
ı	13	Atchd	4 2	11		
	12	Total Div	2 6 80 34 125 237 135	570	9	41 56 1,286 1,359 3,846 7,398 (53)
ı	11	QM Bn (T/0 10-15)	11422	16		20 20 177 161 (2) (16)
	10	Med Bn & Div Surg's Office (T/0 8-65)	1 14 16 3	00		112 22 31 31 17 155 259 (2)
	6	Engr Bn (T/0 5-75)	1 1 1 2 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	18		3 44 42 42 48 166 334 (2)
	00	Div Arty (T/0 6-80)	1126 30 20 20 20 20	121	1	11 22 14 30 232 270 270 664 1,320
	7	S Inf Regts (T/O 7–11)	112 115 147 147	330	3	115 544 224 22,607 2,607 5,037 (15)
	9	Div Sig Co (T/0 11-67)	1 146	00		111 114 118 688 136
	20	Recon Tr (T/0 2-67)	2 3 3 1	9		1 11 16 37 74
	4	Div Hq & Co (T/0 70-2)	1128	7		1 2 3 4 6 9 6 9
	ø2	Div- Hq (T/0 70-1)	111000041	26	2	6 8 8 11 11 (2) (10)
	95	Spe- cial- ists' ratings (class)				1st 2d
	1	Unit	Major general Brigadier general Colonel Lieutenant colonel Major Captain First lieutenant.	TOTAL COMMISSIONED	Warrant officer	Master sergeant First sergeant Technical sergeant Staff sergeant Sorgeant Corporal Private, first class including Private Specialist Specialist
1		-	19	10		2224756776677

TABLE OF ORGANIZATION No. 70 (November 1, 1940) (Continued):

		ORGA	NIZ	ATI	ON
15	Aggre- gate	(386) (1,306) (1,688) (6,378) (1,297)	14,615	15,245	10 10 11 122 122 122 777 777 88 80 80 80 80 80 80 80 80 80 80 80 80
14	Atchd Med	(4) (28) (100) (61) (112) (38)	380	423	
13	Atchd			11	
18	Total Div	(382) (1,206) (1,627) (6,266) (1,259)	14,235	14,811	10 10 11 122 122 122 122 123 123 123 123 123
111	QM Bn (T/0 10-15)	(25) (19) (51) (51) (51) (28)	296	312	
10	Med Bn & Div Surg's Office (T/0 8-65)	(16) (30) (118) (442) (42)	482	520	
6	Engr Bn (T/0 5-75)	(18) (114) (205) (205) (56)	616	634	801114 81
00	Div Arty (T/0 6-80)	(104) (100) (376) (434) (723) (239)	2,563	2,685	24 8 8 12 12
7	\$ Inf Regts (T/0 7-11)	(174) (216) (483) (831) (5,079) (846)	9,687	10,020	36 36 36
9	Die Sig Co (T/0 11-67)	\$2000 B	253	261	
B	Recon Tr (T/0 2-67)	(25) (25) (21) (13) (13)	141	147	16 32 32 35 35
4	Div Hq Co (7/0 70-2)	1286555	123	130	
60	Div- Hq (T/0 70-1)	(15)	74	102	
es	Spe- cial- ists' ratings (class)	3d 4th 5th 6th			
I	Unit	Specialist Specialist Specialist Specialist Unrated Basic	TOTAL ENLISTED	AGGREGATE	Air compressor, motorized Assault boat. Electric lighting set. Power earth auger, motorized Water purification unit, portable. Car, scout. Gun, machine, lay, cal .30. Gun, machine, light, cal .30. Gun, machine, light, cal .30. Gun, submachine, cal .45. Gun, 37-mm, antitank Gun, 75-mm Howitzer, 105-mm Mortar, 60-mm Mortar, 60-mm
	Н	282522	1 % 20	29	012884888889444444

Table of Organization No. 70 (November 1, 1940) (Continued):

										GA										
15	36 7,199	6,942	04	10	25	143	797	-1	- 60	212	38	22	407	194	53	365	ಣ	2	19	63
14			4			က				12			37	00		20				
13																				
128	7,199	6,942	36	10	25	140	260	1-1	- «	200	38	22	370	186	53	360	ಣ	22	19	7
11	262	50		20		20	53		0	13	9					63		7		7
10			36	-	က		41	2	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	00	9			21		15	က			
6	118	516	2		10	4	23		0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	5	10	~		***********	53	_		A	က	
00	2,685		4 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	1	9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	43	123		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	69	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	10	46		0 0 0 0 0 0 0 0 0 0	276			16	
7	3,543	6,297		က		00	45		0 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	66	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	9	321	129	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	8 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0			3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	
9	261		b 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	3 3 3 4 4 4 4 7	0 0 0 0 0 0 0 0 0 0 0	2	10	-	ę	000	15	9		30	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	-			0.000	
5	147	32	1	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	12	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1	-	-		0 0 0 0 0 0 0 0 0		0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	# P # 0 B B B B B B B B B B B B B B B B B B	41		***********	4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	
*	800	47	1 0		0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	00 (23		0 0 0 0 0 0 0 0	7	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	က	9	200000000000000000000000000000000000000					
00	100		b 6 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1 0 0					0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	4 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		* * * * * * * * * * * * * * * * * * * *	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	-	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	
05	1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		***********	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9		1 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5		000000000000000000000000000000000000000	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	8 4 8 5 8 8 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9			2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	
I	Mortar, 81-mm. Pistol, automatic, cal. 45.	hille, automatic, cal .30	Ambulance, 1/5-ton, cross-country.	Car, 5-passenger sedan	Motorcycle, solo.	Motorcycle, with side car.		Trailer, tank, water, 250-gallon	Truck Laton corresoll	Truck, 1%-ton, command		· sees		Truck, 11/2-ton, cargo	Truck, 11%-ton, dump	Truck, 21/2-ton, cargo	Truck, 21/2-ton, cargo, winch equipped	ker	Truck, 4-ton, cargo.	Truck, 4-ton, heavy-duty wrecker
	46	49	51	-	-	54		200			09		62			65		67	89	69

Remarks:

(1) Insert number of division.

[A. G. 320.2 (11-1-40).]


■ 10. NORMAL USE, ORGANIC TRANSPORTATION, INFANTRY DIVISION (TRIANGULAR):

(TRIANGULAR):													
	1	2	3	4	5	6	7	8	9	10	11	12	
		e P CC					0)			3			
1	Load	& MI	Tr	co	r Bn	30	Le"ered	Bn	Co	Clearing	Bn	3	
*	2,000	Din	Ren	Sig	Engr	Hq Co	Len	Med	Coll	Clea	MO	Hg (
0.1		MBUL						0.0	1/10)	,			
2	Ambulance, field	36 (12) 8, 5-PASS AND TRUCKS, ½-TON											
3	Cars, 5-passenger		1100					1			5	(5)	
4	Command and Reconnaissance	2	1			(0)	(1)		(1)	(9)	13	(12)	
5	Command Pick-up				5 10		(1) (3)	8	$\begin{pmatrix} (1) \\ (1) \end{pmatrix}$	(3)	6	(3)	
7	Radio			6					1 ' '				
8	Weapons carrier			1.6						******			
10	Cargo	3		15	1								
11	Atchd Med (Pick-up)					(-)							
12	SUB-TOTAL	5	2	24		(4)	(4)	15	(2)	(4)	24	(20)	
13	KitchenTR	UCKS.	11/2-T	ON		1 (1)	1 /1 \	=	(1)	1 /1 \			
14	Motor Maintenance	2	*******		4	(1)	(1)	5	$\binom{(1)}{(1)}$	(1)			
15	Organization Equipment	1			9		(3)	1					
16	Supply				20	(2)	(0)	4					
17 18	Personnel & Baggage.	3		11	30	(3)	7 4 5	8					
19	Command and Operations			3			, ,	*******					
20	Signal Communications												
21 22	Ammunition				7	(7)							
23	Atchd Medical				1	(1)					1	(1)	
24	SUB TOTAL	6		36	54	(12)	(14)	21	(4)	(1)	1	(1)	
25	KitchenTR	UCKS,	21/2-T	ON		,	1 1			f.	. 9	(1)	
26	Motor Maintenance.		1	1	1	(1)		5		(3)	2 4	$\begin{pmatrix} (1) \\ (2) \end{pmatrix}$	
27	Organization Equipment							1		(1)	3	(2)	
28 29	Supplies										48	(4)	
30	SurplusPersonnel												
31	Command & Operations												
32 33	Signal Communications												
34	AmmunitionPrime Movers												
35	Special Equipment							12		(12)	4	(4)	
36 37	Combat		1					u=======					
38	Atchd Medical	OWNERS OF THE PERSON			The Person of the Party of the	NAME AND ADDRESS OF THE OWNER, WHEN	THE RESERVE AND ADDRESS OF THE PERSON NAMED IN	110		1(16)	65	(13)	
90	SUB-TOTAL TI	RIICKS	A.TC	N	,	(1)							
39	Prime Movers						(1)						
40	Ammunition										2	(2)	
42	Motor Maint						(1)				THE RESERVE OF THE PARTY OF THE	(2)	
14	MOTORCYC	TES	AND	RICY	CLES				1	1		(21	
43	Motorcycle, solo		12		10	(1)		3				(0)	
44 45	Motorcycle, with side car	8	7	2	4	(1)	(1)				5	(2)	
46	Atchd Med (MC, w/s/c)												
47	SUB-TOTAL.	8	19	2	14	(2)	(4)	3			5	(2)	
	TRUCKS, MISCE				TRAI	4				1			
48	Air Compressor, Motorized		16		3		(1)				0000000		
50	Tractor, Mtzd, w/bulldozer		10		3		(1)						
51	Trailer, 1-Ton	2		10	23	(11)	(4)	4	(1)		53	(11)	
52 53	Power, Earth, Auger				1	(1)		7					
54	Trailer, with tank, 250-gallon SUB-TOTAL	1 2	16	1 10	30	(12)	(6)	111	(1)		53	(11)	
55	Totals	-	1 41		1118	-	(29)	1	-	(21)		(49)	
-00	TOTALS	1 41	1 11	10	1110	1(01)	(200)	ITO X	1(20)	(22)	1200	1(20)	

NORMAL USE, ORGANIC TRANSPORTATION, INFANTRY DIVISION (TRIANGULAR) (Continued):

_						-				1 0 5			1 222						
-	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
1	Trk Co	Inf Regt	Hq, Hq Co	Serv Co	AT Co	Bn Hg	Hv Wpns Co	Rifle Co	Hg & Hg Biry & Band, Div Arty	rA Bn-	Hq Btry	Serv Biry	How Biry- 105-mm	FA Bn- 155-mm	Hq Btry	Serv Btry	How Btry- 155-mm	AT Biry	Totals
01				1			1	1	AMBU	LANC 1	ES								40
41.]		1		*******	CA	RS, 5-	PASS AN		UCKS,	3/2-TO	Ň	1	(1)				40
3	(1)	33	(1)	(2)	(4)	(2)			1										10 118
5			(0)							15	(6)	(3)	(2)	19	(6)	(3)	(2)	(4)	82
6	(3)	2	(1)		(1)				1	2	(2)			3	(2)			(1)	23 22
8		107	(10)	(4)	(21)	(2)	(16)			9	(9)			9	(9)				357
10		2	(2)						2 1	2	(2)			2	(2) (1)				28 12
11		12				(4)			1										37
12	(4)	157	(20)	(6)	(26)	(8)	(21)	(2)	TRUCK:	29	(20)	(3)	(2)	34	(20)	(3)	(2)	(5)	689
13		15	(1)	(1)															56
14.		5 4		(5) (4)															18 23
16					*******				***********										4 42
17		3 2	(2)																28
19		1	(1)				1												6 22
21		13			(1)	(4)													39
22 23		2	(2)																7 8
24		45		(10)	(5)	(4)	(1)	(1)		1									253
25	(1)			1					TRUCK	S, 2½	TON	(1)	(1)	6	(1)	(1)	(1)	(1)	26
26	(1) (2)								1	8	$\begin{pmatrix} (1) \\ (1) \end{pmatrix}$	$\begin{pmatrix} (1) \\ (4) \end{pmatrix}$	(1)	8	$ \begin{array}{c c} (1) \\ (1) \\ (1) \end{array} $	$\begin{pmatrix} (1) \\ (3) \end{pmatrix}$	(1) (1)	$\begin{pmatrix} (1) \\ (1) \end{pmatrix}$	44
27	(1)								1	5 2	(1)	(1) (2)	(1)	6 2	(1)	(1) (2)	(1)	(1)	26 13
29	(48)											(2)							48
30									2 3	5	(2)		(1)	5	(2)		(1)		2 23
32					7444444				3	9	(2) (3)	(40)	(2)	9	(3)	(10)	(2)	(0)	39
33						*****				18 15		(12)	(2) (5)	20		(12)	(2)	(2)	74 53
35		*******																	16 1
36						*******			1	1	(1)			1	(1)				5
38	(52)						1		1 12		(9)	(20)	(13)	65	(9)	(19)	(8)	(13)	370
39							[TRUCE					12			(4)		15
4 0														3		(1)	(1)		3
Same a		1							1	1	1			1 16		(1)	(5)		21
-		-	1		,				CYCLES	AND	TRIC	YCLE	3		4	1	, (-)		OW
43	(3)		(4)	(6)	(4)	(2)	(2)		2	9	(4)	(2)	(1)	14	(4)	(2)	(1)	(5)	25 140
45		1																	7 3
46	(3)	27	(1)	(6)	(4)	(2)	(2)	1	2	9	(4)	(2)	(1)	114	(4)	(2)	(1)	(5)	175
	(0)	1		1					SCELLA						(=)	, (=)	(4)	, (0)	
48																			3 16
50	(40)	15		(15)							(4)	(10)	(0)	90	(4)	(10)	(2)	(2)	3
51 52	(42)	15		(15)		*******			4	29	(4)	(16)	(3)	32	(4)	(16)	(3)	(3)	260
53																			7
54	(42)	-	1(21)	(15)	(34)	(10)	1 (94)	1 (2)	1 (20)	29		(16)		32		(16)	(3)	(3)	290
55	(101)	244	1(31)	(00)	(34)	(10)	(24)	(3)	(29)	J136	(38)	(41)	(19)	102	(38)	(41)	(19)	(20)	1999

■ 11. INFANTRY DIVISION (TRIANGULAR, MOTORIZED)—Diagram:



NOTE

¹ Includes attached medical personnel and chaplains.

ORGANIZATION

12. Table of Organization No. 77 (November 1, 1940):

INFANTRY DIVISION (TRIANGULAR, MOTORIZED)

Designation: ①....... Division

1		\$ 00	0000000	4	9	100000000000000000000000000000000000000
	15	Aggregate	30 30 38 38 152 260 135	624		41,279 90 60 1,279 1,463 4,212 8,142 (62) (62)
	14	Atchd	4 23 16	43		144 144 117 235 235 (4)
	13	Atchd	4 7	11		
	12	Total Div	2 6 8 30 34 125 237 135	220	9	41 90 56 1,274 1,449 4,095 7,907 (62) (445)
	I	QM Bn (T/0 10-15)	11450	16		20 20 101 161 (25) (25)
	10	Med Bn & Surg's Off (T/0 8-65)	1 14 16 33	38		112 112 31 117 1155 259 (16)
	6	Engr Bn (T/0 5-75)	1 1 1 2 3 3 3 3	18		15 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4
	00	Div Arty (T/0 6-80)	1 1 2 3 8 9 5 1 1 5 1 5 1 5 1 5 1 5 1 5 1 5 1 5 1	121	-	11 22 14 30 232 270 270 664 1,320 (104)
	7	\$ Inf Regts (T/0 7-61)	12 12 15 147 147	330	33	15 24 24 108 108 1,053 2,853 5,541 (24) (237)
	9	Die Sig Co (T/0 11-67)	1 1 4 2	00		3 11 11 14 18 68 136 (15)
	9	Ren Tr (T/0 2-67)	7 3 3 1	9		1 11 16 37 74 (10)
	*	Div #4 #7 (T/0 70-2)	3 2 1 1	7		1 3 7 9 9 37 74
	© Э	Div Hq (T/0 70-1)	11-10:0:44-1	26	2	6 8 11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
	65	Spec- iul- ists' rating (class)		0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		1st 2nd 3d
	1	Unit	Major general Brigadier general Colonel Lieutenant colonel Major Captain First lieutenant.	TOTAL COMMISSIONED.	Warrant officer.	Master sergeant First sergeant Technical sergeant Staff sergeant Corporal Private, first class Specialist Specialist Specialist
			264701-80	10	11	221 100 100 100 100 100 100 100 100 100
			25			

TABLE OF ORGANIZATION NO. 77 (November 1, 1940) (Continued):

15	Aggre-	(1,141) (1,382) (1,704) (6,315) (1,297)	15,499	16,129	101 116 603 777 777 215 60 60 60 88 88 112 812 88 112 88
14	Atchd	(28) (106) (64) (112) (38)	389	432	
13	Atchd			111	
12	Total Div	(1,113) (1,276) (1,640) (6,203) (1,259)	15,110	15,686	101 1164 1172 1172 1172 1172 1173 1173 1173 1173
11	QM Bn (T/0 10-15)	(13) (47) (51) (28)	296	312	
10	Med Bn & Bn Surg's Surg's (T/0 8-65)	(30) (144) (118) (42)	482	520	
8	Engr Bu (T/0 6-75)	(18) (114) (87) (205) (56)	919	634	81 81
90	Div Arty (T/0 6-80)	(100) (376) (434) (723) (239)	2,563	2,685	00 00 57 30 30 8 8 1 2 2 1 2 2 1 2 2 1 2 2 1 2 2 1 2 2 1 2 2 1 2 2 1 2 2 1 2 2 1 2 2 1 2 2 1 2 2 1 2 2 1 2 2 1 2 2 1 2 2 1 2 1 2 2 1 2
7	3 Inf Regts (T/0 7-61)	(882) (549) (840) (5,016) (846)	10,554	10,887	603 36 72 72 180 36 81
8	Die Sig Co (T/0 11-67)	88.60.60.60.60.60.60.60.60.60.60.60.60.60.	253	261	
0	Ren Tr (T/0 2-67)	(25) (21) (21) (13)	141	147	17 17 32 32 35 35 35 35 35 35 35 35 35 35 35 35 35
4	Die Hq Co (7/0 70-2)	(12) (8) (13) (8) (8) (8)	131	138	
95	Div Hq (T/0 70-1)	929	74	102	
Of	Spec- ial- ists* rating (class)	4th 5th 6th			
1	<i>Onit</i>	Specialist. Specialist. Specialist. Unrated. Basic.	TOTAL ENLISTED.	AGGREGATE	Air compressor, motorized Assault boat Electric lighting set Power earth auger, motorized Power parification unit, portable. Car, scout Carrier, pers, half-track, w/armament. Gun, machine, cal 50, flexible. Gun, machine, light, cal 30. Gun, machine, light, cal 30. Gun, submachine, cal 45. Gun, 75-mm, antitank Howitzer, 105-mm Mortar, 60-mm.
	-	22822	28	29	0.0000000000000000000000000000000000000

Table of Organization No. 77 (November 1, 1940) (Continued):

	ORGANIZATION
91	7,252 258 7,584 10 10 10 10 268 365 365 365 365 365 365 365 365 365 365
14	21 21 21 12 21 28 28 28 28 28 28 28 28 28 28 28 28 28
13	
18	2522, 7 2528, 7 2528, 10 10 10 10 10 10 10 10 10 10
111	262 53 63 63 63 63
10	36 44 31 31 38
6	118 53 53 53 74 10 10 10 10 10 10 10 10 10 10 10 10 10
00	2,685 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
2	2,588 6,939 108 422 422 432 129 129 129
9	261 10 10 10 10 10 10 10 10 10 10 10 10 10
20	147 12 12 1 1 1 4
	91 8 10 10 14 14
60	100
<i>6</i> %	
1	Mortar, 81-mm. Pistol, automatic, cal .45 Rifle, cal .30 Motorcycle, solo Motorcycle, with side car. Trailer, 1-ton, cargo. Trailer, 1-ton, cargo. Truck, ½-ton, carry-all. Truck, ½-ton, carry-all. Truck, ½-ton, radio. Truck, ½-ton, radio. Truck, ½-ton, radio. Truck, ½-ton, radio. Truck, ½-ton, argo. Truck, ½-ton, cargo. Truck, ½-ton, cargo.

Remarks:

① Insert number of division.

(A. G. 320.2 (12-9-40).)


■ 13. NORMAL USE, ORGANIC TRANSPORTATION, INFANTRY DIVISION (TRIANGULAR, MOTORIZED):

	(Triangular, Motorized):										
	1	2	3	1,	5	6	7 1	8	9	10	11	12
1		PCo					Co			3		
		9 B	Tr		Bn		D pa	Ln	0	ng (Bn	
1	Load	& Ho	n T	Co	Engr	Co	Lettered	Med I	Coll Co	Clearing (A B	Co
		Di	23	S.	En	Hq	2	74	13	5	MO	Hg
2	Ambulance, field		LANCI	E					26	1/191		
4	Ambulance, neid											
3	Cars, 5-passenger		1110	LUCE	10, 79		1	1			5	(5)
4	Command & Reconnaissance	2	1	3							13	(12)
5	Command				5	(2)	(1)	8	(1)	(3)		
6	Pick-up				10	(1)	(3)	6	(1)	(1)	6	(3)
7 8	Radio			6	*******							
9	Weapons carrier											
10	Atchd Medical (Command).	0		10	1	(1)						
11	Atchd Medical (Weapons carrier)					(-)						
12	SUB-TOTAL.		100	AND DESCRIPTION OF THE PERSON NAMED IN	16	(4)	(4)	15	(2)	(4)	24	1(20)
	TR	UCKS,	11/2-T	ON		((\			
13	Kitchen	2			4	(1)	(1)	5	(1)	(1)		
14	Motor Maintenance						(0)	3	(1)			
15 16	Organization Equipment Supply	1			9		(3)	1 4				*******
17	Personnel				30	(3)	(9)	*2				
18	Personnel & baggage			11	3	(0)	(1)	8	(2)			
19	Command & Operations			3		******						
20	Signal Communications			22				******	******			
21	Ammunition											
22 23	Special Equipment				7	(7)			*******	******	1	*******
Andrews Williams	Atchd Medical			1 11/3	-	(1)	(1.4.)	01	1 (4)	1 (1)	1	
24	SUB-TOTAL		21/2-T		54	(12)	(14)	21	(4)	(1)	1	(1)
25 1	Kitchen	UCKS,	2/2-1	ON 1		, (1	1	1 2	(1)
26	Motor Maintenance				1	(1)		5		(3)	2 4	(2)
27	Organization Equipment							1		(1)	3	(2)
28	Supplies										4	(4)
29	Surplus										48	
30	Personnel.											
31 32	Command & Operations											0.0000000
33	Ammunition								*******	0000000		********
34	Prime movers.											
35	Special Equipment				*******			12		(12)	4	(4)
36	Combat		1									
37	Gas and oil											
38	Atchd Medical				NAMED OF SEC.	(7)		10		1/10)	1 0 =	(10)
39	SUB-TOTAL.		4.	1	1	(1)		18	1	(16)	65	(13)
40	Prime movers	TUCK	S, 4-T(JIN	3	1	(1)		1	1	1	1
41	Ammunition						(1)		-			
42	Motor Maint										2	(2)
43	SUB-TOTAL				3		(1)				2	(2)
	MOTORCYC	CLES.		TRICY	CLES							
44	Motorcycle, solo		12		10	(1)	(3)	3				(0)
45	Motorcycle, with side car			2	4	(1)	(1)				5	(2)
46 47	Atchd Med (MC, w/s/e)		7									
48		()	10	2	1 14	(6)	(4)	3		1	1 5	(2)
10	SUB-TOTAL TRUCKS, MISCE	B LLAN	19 FOUS		TRAT	(2)	(4)	0	1		1 0	(4)
49	Carrier, pers, half-track, w/armament			LIND	I AAI.	DENO			1		1	
50	Air compressor, Mtzd				3		(1)					
51	Cars, scout		16									
52	Tractor, Mtzd, w/bulldozer			4.0	3	/4 -	(1)	********	44		***	/24
53	Trailer, 1-ton	2		10	23	(11)	(4)	4	(1)		53	(11)
54	Power, earth, auger				1	(1)		7				
55		2	1 10	1 10	1 90	1/10	1 (6)		1 (1)	1	1 59	1 (11)
56	SUB-TOTAL		16	10	1110	(12)	(6)	11	(1)	1	53	(11)
57	Totals	29	41	73	1118	(31)	(29)	104	(19)	(21)	1190	(49)


NORMAL USE, ORGANIC TRANSPORTATION, INFANTRY DIVISION (TRIANGULAR, MOTORIZED) (Continued):

	(1	KIA.	NGU	LIAR	by 11	101	ORIZ	ED) ((001	11111	ueu,							
13	14 1	5 1	6 1	7 .	18	19	20	21	22	23	24	25	26	27	28	29	30	31
Trk Co	Inf Regt	& Band	Sera Co	AT' Co	Bn Hq	Hr Wpns Co	Rifle Co	Hq & Hq Btry & Band Div Arty	FA En- 105-mm	Hq Btry	Serv Biry	How Biry-	FA Bn- 155-mm	Hg Biry	Serv Biry	How Biry- 155 mm	AT Biry	Totals
2		1	-	1				AMBU					1	(1)				40
		(4.)			(ARS,	5-PAS	SENGER		TRUC			1 1	(1)		1		
3(1)	1	(1)						1										10
5		(6)	(2)	(4)	(2)	(6)	(5)	5	15	(6)	(3)	(2)	19	(6)	(3)	(2)	(4)	325
6 (3)		(1) (5)		(1)		(1)	(1)	1	2	(2)			3	(2)			(1)	62 34
8		10) (1	19) (2	21)					9 2	(9)			9 2	(9)				186 28
10	5	(2)			(1)			2	1	(2)			1	(2)				21
11 (4)	9	07 11/6	23 \ (76	2011	(3)	/400	1 (0)	1	1.00	1.(00)	1 (0)	10	1.0.4	1/(00)	(0)	(0)	(5)	28
12 (4)].	100 (25 (25)	21)](2	26)	(6)	(7)	(6)	TRUCK	S. 11/2	(20)	(3)	(2)	34	(20)	(3)	(2)	(5)	713
13		(1)	(1)										ļ					56
15	5		145												*******	********		18 23
16	6		(3)	(3)								******						4 65
18				(0)														16
19																		3 22
21	13			(1)	(4)													30
22 23	5	(2)			(1)													7 17
24	48	(3) (1	13)	(5)	(5)	(1)	(1)]					270
25 (1)	-	- 1	1	1	-			TRUCK 1		TON (1)	(1)	(1)	1 6	(1)	(1)	(1)	(1)	26
26 (2)								1	5 8 5	(1)	(4) (1)	(1) (1)	8 6	(1) (1)	(3)	(1)	(1)	44
27 (1)						*******		1	5 2	(1)	$\begin{pmatrix} (1) \\ (2) \end{pmatrix}$	(1)	6 2	(1)	(1) (2)	(1)	(1)	26 13
29 (48)																		48
30								2 3	5	(2)		(1)	5	(2)		(1)		2 23
32	10 (10)				******		3	9 18	(3)	(12)	(2) (2)	9 20		(12)	(2) (2)	(2)	69 74
34								**********	15		(12)	(5)	8		(14)	(4)	(8)	53
35																		16 1
37	15	(1)	(1)	(1)		(1)	(1)								*******			45
38 (52)	25 (11) (1) ((1)		(1)	(1)	1 12 [68	(9)	20	(13)	1 65	(0)	(19)	(8)	(12)	5 445
	20 1 (11)1 (1/1 (1/		(1)	(1)	TRUCE	KS, 4-T	ON		(10)		(0)	(10)		(10)	
40													12 3			(4) (1)		15
42													1		(1)			3
43									4.3773	CED YO	TYOT D		16		(1)	(5)		21
44	36				(4)[(2)	(2)	CYCLES		******						[133
	14 24	(4)	(6)	(4)	(4)	(1)	(1)	2	9	(4)	(2)	(1)	14	(4)	(2)	(1)	(5)	104
47	1	(1)																3
48 (3)	75	(5) (6) (4)	(8)	(3)	(3)	2	9		(2)			(4)	(2)	(1)	(5)	319
49 2	201				(3)	$\frac{\text{RUCK}}{(16)}$	(16)	SCELLAN	VEOU!	AND	TRA	LERS						603
50																		3 16
52															(1.0)	(6)	(0)	3
53 (42) 54	15	(1.	5)					4	29	(4)	(16)	(3)	32	(4)	(16)	(3)	(3)	260
55)															7
56 (42) 2		(1				(16)		4	29	(4)	(16)	(3)	32			(3)		893
57 (101) 5	29 (4	4)(5	0) (3	6) (2	(2)	(28)	$(27)_{1}$	29	136	(38)	(41)	(19)	102	(38)	(41)	(19)	(20)	2701

■ 14. CAVALRY DIVISION (Horse) —DIAGRAM:



CAVALRY DIVISION (Horse) —DIAGRAM (Continued):



NOTES

① Based on T/O dated 1 Nov 40. ② Includes attached medical personnel and chaplains.

■ 15. Table of Organization No. 2 (November 1, 1940):

CAVALRY DIVISION, HORSE

Designation: 1. Cavalry Division

		ORGANIZATION			
17	Aggre- gate	26 26 148 224 106	549	5	76 76 76 195 854 854 5,8871 (13) (57) (482)
16	Atchd	5	2		
15	Atchd	28 19	52		185 155 157 185 185 (5)
17	Total	22 6 226 31 115 205 106	492	5	42 76 46 1777 839 930 2,994 5,686 (13) (477)
13	QM Sq QM (77/0 116)	22 6 6 6 5 5	20	0 0 0	298 298 298 298 34) (32)
12	Med Sq & Sq Off (T/0 8-85)	1 4 6 17	28		24 10 10 17 199 199 (20)
111	Engr Sq (T/0 5–115)	1-1200	14	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	2 3 4 11 29 33 119 240 (23)
10	Ord Co (T/0 9-7)	P 60 C1	9	6 0 0 0 0 0	11 24 40 79 (9) (11) (15)
6	Sig Tr (T/0 11-48)	1 1 1 8	9	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	2 1 1 1 1 3 4 9 97 (11)
00	Div Arty (T/0 6-110)	19 23 36 19	888	1	6 116 129 151 178 510 999 (4)
2	2 Cav Brigs (T/0 2-10)	2 6 16 116 116 622	268	4	18 40 14 84 84 502 502 503 1,764 3,318 (218)
9	Recon Sq (T/0 2-25)	1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	31	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1 2 2 2 58 76 164 327 (51)
9	AT Tr (T/0 2-37)	181	4	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1 11 115 40 81 (6)
4	$H_{m{r}}^q$ $(T/0)^{g-2}$	1 3	ō.		34 88 88 88 (7)
62	$\begin{array}{c} Div \\ Hq \\ (T/0 \\ 2-1) \end{array}$	1 11 3 2	22	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	7 8 8 7 7 (11) (11) (13)
65	Spe- cial- ists' ratings (class)			0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1st 22d 33d
1	Unit	Major general Brigadier general Colonel Lieutenant colonel Captain First lieutenant Second lieutenant	TOTAL COMMISSIONED	Warrant officer	Master sergeant. First sergeant. Technical sergeant. Staff sergeant. Sergeant. Corporal Private, first class including Private. Specialist. Specialist.
-	=	010041001-00	10	=	221220222222222222222222222222222222222

32

ORGANIZATION

				ORGANIZATION
17	(715) (946) (1,713) (4,058) (975)	11,122	11,676	101 1145 1145 1165 1172 1173 1173 1173 1173 1173 1173 1173
91			2	
15	(38) (46) (77) (26)	332	384	
14	(677) (859) (1,667) (3,981) (949)	10,790	11,287	10, 28, 48, 502, 44, 502, 10, 34, 48, 502, 10, 34, 48, 502, 10, 34, 48, 502, 10, 34, 44, 502, 102, 102, 102, 102, 102, 102, 102, 1
13	(40) (95) (114) (89) (52)	531	551	451 100 9
128	(28) (59) (68) (24)	336	364	
111	(17) (85) (65) (137) (40)	441	455	10 10 10 3 368 87 87 87 87 87 87 87 87 87 87 87 87 87
10	(15) (15) (18) (12)	140	146	877 87 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
0	(20) (33) (10) (16)	177	183	88
00	(75) (244) (282) (638) (177)	1,899	1,988	36 38 11,988 11,988
7	(350) (190) (940) 2,830) (546)	6,298	6,570	76 60 60 60 164 226 6,570 3,948
9	(105) (105) (56)	637	899	49 3 - 4 111 1132 - 140 140
2	(28) (14) (14)	152	156	17 1 1 1 1 1 2 1 1 2 1 2 6 2 6
*	6,12,00,00	117	122	204 204 10 10
62	63	62	84	
65	4th 5th 6th			
1	Specialist Specialist Specialist Unrated Basic	TOTAL ENLISTED	AGGREGATE.	Air compressor, motorized Assault boat Blectric lighting set Power earth auger, Mtzd Vater purification unit, port Carisson, 75-mm field how Car, scout, half-tr, w/arm. Carriage, Mort, M, w/arm. Gun, machine, eal .50 Gun, machine, eal .45 Gun, submachine, cal .45 Gun, 37-mm, field Howitzer, 75-mm, field Limber, 75-mm, field Limber, 75-mm, field Mortar, 81-mm, field Limber, 75-mm, field Limber, 37-mm, field Tractor, w/bulldozer & trailer Tractor, w/bulldozer & trailer Truck, automotive repair. Truck, artillery repair. Truck, emergency repair.
	22222	28	29	818 818 818 818 818 818 818 818 818 818

TABLE OF ORGANIZATION NO. 2 (November 1, 1940) (Continued):

		ORGANIZATION
17	Aggre- gate	6, 409 202 202 203 203 204 409 160 160 135 135
91	Atchd Atchd Med Ch	
15	Atchd	268 268 4
14	Total	11
13	QM Ssq & Div QM (T/0 10- 115)	80 80 6177 717 448 628 628 628
12	Med Sq C Div Off (T/O 8-85)	41 4 21 888 400
11	Engr Sq (T/0 5-115)	200
10	Ord Co (T/O 9-7)	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
6	$\begin{array}{c} Sig \\ Tr \\ (T/O \\ II-48) \end{array}$	10
00	Div Arty (T/0 6–110)	1 5000 656 658
7	2 Cav Brigs (T/0 2-10)	764 5,442 82
9	Recon Sq $(T/0)$ $2-25)$	90
٥٤	AT Tr (T/0 %-37)	11 12
4	H_{r}^{Hq} T_{r}^{Tr} $(T/O$	70 80 E0 TO
63	Div Hq (T/0 2-1)	
93	Spe- cial- ists' ratings (class)	
1	Unit	Truck, machine shop— Truck, small arms repair— Truck, tank maintenance— Truck, welding— Truck, welding— Truck, welding— Truck, welding— Truck, weeking Ambulance— Car, light, 5-pass sedan— Horse, draft— Horse, pack— Horse, pack— Machete, 18-inch blade, with saddle sheath— Motorcycle, solo— Motorcycle, with side car.— Mule, pack— Mule, pack— Mule, pack— Mule, pack— Mule, riding— Semitrailer, 4-ton, cargo— Trailer, 1-ton, cargo— Trailer, 2-horse van— Trailer, water tank, 250-gal.
	П	34

1) Insert number of division.

17	72 20 20 20 20 11 10 11 48 48 22 24 48 48 48 48 48 48 48 48 48 48 48 48 48	8, 10344 4592 15
91		vehicle
15	1 2 4	nted on
17	47 90 00 11 44 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Summary of armament, including weapons mounted on vehicles. IG, 1, cal. 30 327 Pistol, cal. 45 166, hy, cal. 45 166, cal. 45 166, cal. 30 167 167 167 167 168
13	20 20 10 10 84 88 4 88 4 2 2 2 2 2 2 3 3 3 3 3 3 3 3 3 3 3 3 3	ing wea 5 R. R. 7 7 R. 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8
12	10 6 25 4	, includir 327 327 356 490 265 265 265 249 249 249 249 249 249 249 249 249 249
11	8 1 80	mament
10	111	Summary of ar. MG, 1, cal. 30 MG, h, cal. 30 Sub MG, cal. 45 MG, howitzer.
6	151 8 8 19 19 19 19 19 19 19 19 19 19 19 19 19	Summary of an MG, I, cal .30
00	31 31 114 114	SANARCH S
7	14 6	NOTES
9	4 4	k: In 30 cal .45
20	1 1	Light Tank: 137-mm gun 5 MG, I, cal .30 1 Sub MG, cal
4	2 1 0 0 7	Each Light Tank: 1 37-mm gun 5 MG, J, cal., 1 Sub MG, ca
90		
95		half-track;
1	Truck, ½-ton, command— Truck, ½-ton, pick-up— Truck, ½-ton, radio— Truck, 1½-ton, cargo— Truck, 1½-ton, dump— Truck, 1½-ton, dump— Truck, 1½-ton, cargo— Truck, 2½-ton, cargo— Truck, 2½-ton, gasoline— Truck, 2½-ton, tractor— Truck, 2½-ton, tractor— Truck, 2½-ton, tractor— Truck, 2½-ton, tractor— Truck, 2½-ton, wrecker— Wagon, mountain, 4-horse—	Armament of Vehicles: Each Mortar Carriage: 1 MG, hv, cal. 30 1 MG, cal. 50 1 Sub MG, cal. 45 Each Car, Scout, and Car, h 2 MG, hv, cal. 30 1 MG, cal. 50 1 Sub MG, cal. 45
	88 99 99 89 89 89 89 89 89 89 89 89 89 8	i

■ 16. NORMAL USE, ORGANIC TRANSPORTATION, CAVALRY DIVISION:

-	16. NORMAL USE, ORGANIC	INA	10/11	UKI	AII	JIN,	JAV	ALK:	DI	V121	UN:				
	1	2	13	1 4	5	6	17	8	9	10	11	12	13		
1	Load	Div Hq Troop	T Troop	ig Troop	Ren Sq	Mtd Tr	Arnd Tr	Ren Tr	Engr Sq	Hq & Serv Tr	dtered Tr	Brig Hq & Hq Tr	Brig Wpns Tr		
		A	MBUL	ANCE	S								1 100 100		
2															
3	Cars, light, 5-passenger			TRU	CKS, ;	Ĺ		ſ	2(1)	1		1 1			
4	Command & Reconnaissance	5	2	2	4	(1)		(1)		(3)	(1)	1	2		
5	Weapons carriers	1	1	15	4	(1)	(1)	(1)	8	(9)	(3)		1		
7	Radio.	1	1 -	-	4	(1)	(1)	(1)	0	(2)	(6)		1		
8	Atchd Medical, (Tr, ½-ton)				2										
9	SUB-TOTAL	11		25	10	(2)	(1)	(2)	15	(5)	(4)	1 2	3		
10	Organ Equip	TR	UCKS,	. 1⅓-T !	ON	1	ſ	1	6	(2)	(2)	l			
11	Kitchen 3 (1) (1)														
12	Motor Maint 2 2 (3) (9)														
13	Special Equip.			17		a,-000000	0.0000000		40	(8)					
15	Supply									(0)					
16	Atchd Medical								1						
17	SUB-TOTAL								41	(14)	(13)				
18	TRUCKS, 21/4-TON														
19	Kitchen 2 1 1 4 (1) (1) (1) 1 1 1														
20 21	Motor Maint	1	1	1	4	(1)						1	1		
22	Special Equip	T													
23	Supply														
24 25	Combat	1	1		5 2	(2)						1	1 1		
26	Cmd & Opns.		1		4								1		
27	Sig Com														
28 29	AmmunitionPrime movers														
30	Stock rack body														
31	Tractor														
32	WreckerAtchd Medical				1										
34	SUB-TOTAL			2	-	(4)	(3)	(4)	1	(1)		3	4		
9.4	TRUCKS, M	IISCE	LLANI	EOUS	AND '	TRAIL	ERS			(1)		0	-		
35	Trucks, 4-ton, (prime movers)								3	(1)	(1)				
36	Trucks, 4-ton (wreckers)		17		49	(6)		(20)				6	18		
38	Cars, S, half-truck w/armament				3										
39	Carriage, Mort, Mtzd w/armament				19		(19)						6		
40	Tank, light, w/armament Semi-trailer, 4-ton	4			13		(13)								
42	Truck, Misc.			1					*******				******		
43	Trailer, 1-ton			10					20	(12)	(4)	*******			
44 45	Trailer, water tank, 250-gallon Trailer, Van, 2-horse				*****										
46	Air compressor, Mtzd		.,,,,,,,,		*******			********	3	(1)	(1)				
47	Power, earth auger, Mtzd								1	(1)	(1)				
48	Tractor, w/bulldozer	7	17	11	65	(6)	(10)	(20)	30	(1)	(1)	6	24		
19	SUB-TOTAL. MOTO						(19)	(20)	90	(10)	(8)	0	21		
50	Motorcycle, solo	3	11		90	(38)	(4)	(22)	7	(1)	(3)	5	14		
51 52	Motorcycle, with side car	5	2		42	(36)	(2)	(1)	3	(1)	(1)	2	3		
53	Atchd Medical		2		34	(36)	(2)	(1)				2	0		
54	SUB-TOTAL	1 8	13		132	(74)	(6)	(23)	10	(2)	(4)	7	17		
55	Total	34	37		224		(29)	(49)	97	(38)	(28)	18	48		
a	1 for Atchd Med. b 1 Trk Tr is provided with	48 trks.	tract.	w/semi	-trlr: o	ther Tr	k Tr ha	s 48 tr	ks. 21/2	ton, w	stock r	ack bo	dv.		

a 1 for Atchd Med.


b 1 Trk Tr is provided with 48 trks, tract, w/semi-trlr; other Trk Tr has 48 trks, 2½-ton, w/stock rack body, and 42 Trailers, 1-Ton.

36


NORMAL USE, ORGANIC TRANSPORTATION, CAVALRY DIVISION (Continued):

1	NOR.	MAL	US.	E, U	RGA	NIC	1 RA	INS	PURT	ATI	UN,	CAI	ALR	YD	IVIS	IUN	(0	ontir	iuea):
Section Sect	14	15		17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33
ABBULANCES 24 (24) 33 32 33 34 34 34 34 34	Cav Regt	Hq & Serv Tr	Div Arty Hq	FA Bn 76-mm	Hq & Hq Btry	Serv Biry	How Btry 75-mm	FA Bn 105-mm	Hq & Hq Btry	Serv Biry	How Btry 105-mm	Med Hq	Coll Tr	Cir Tr	Vet Tr	QM Sq	Maint Tr	1 Truck Tr	Ord Co (M Maint)	Total
CARR, S-PASS AND TRUCKS, 3-PTON 1	2 1			1 1					A	MBUI	ANCE		(24)						1	32
5 1 2 9 (9)		1	1 1					CARS	, 5-PA	SS AN	D TR	UCKS,	1/2-TO	N			1	1		
5 1 1 2 9 9 9 11 11 11		(2)			(1)	(3)		15				10	(3)	(3)	(1)	4	(1)	(1)	1	
7		(1)	2	9	(9)				(11)			6					(3)	(3)	4	
Section Sect	7		2	4	(4)			2	(2)											20
TRUCKS, 1½-TON	9 6	(3)	1 10	17	(14)	(3)			(19)	(3)	(2)	1 17	(4)	(6)	(2)	20	(4)	(4)	1 5	
14	-	1 ()		1 20	1 (/				TR	UCKS	, 11/2-T	ON					, , ,	, , ,		
14												4	(1)	(1)	$\begin{pmatrix} (1) \\ (1) \end{pmatrix}$					9
14		******					******				*******	5	(1)	(3)						5
17		4					********	*******		*******	*******		(2)	(6)	(2)	*******				37
17	15				******		********		00000000			3						*******		3
18	17				00000000							25	(5)	(11)	(4)					
20 1 (1) 1 1 1 (1) 8 (1) (4) (1)	101		1.0		[(1)	(1)	/1)	5			, 2½-T	ON	,			9	1	(1)		1 10
21 2 (2)	19 10	(10)	1	5		(1)	(1)	5	(1)	(1)	(1)					4		(1)	1	73
223	20 1	(1)	1	1		(1)		8	(1)	(4)	(1)					14	(12)	(1)		
24 11 (11)	22		******			4000000		********			********		00000000		00000000		*******	0000000000	10	10
25		(11)		2				2		(2)	******								********	55
28	25							e	(0)											15
28				1	(1)				(3)		(2)									14
30				6		(6)				(12)	(2)									30
32								10				4			(4)					52
33																		(48) b		48
TRUCKS, MISCELLANEOUS AND TRAILERS 3 3 3 3 3 3 3 3 3			1	1												1				6
35	34 24	(24)	8	21	(3)	(11)									(4)	131	(15)	(52)	11	405
37	35		ļ	ļ															[3
38		(7)														2	(2)			145
48 (48)7 52 43 2 16 (1) (9) (2) 29 (4) (16) (3) 4 (1) (1) (1) (62 (9) (42) b 1 160 (44 44 44 45 45 48 48 48	38	1		1										********						3
41																				12
43																48		(48)7		52
45 46 47 48 48 49 7 (7) 2 16 (1) (9) (2) 29 (4) (16) (3) 12 (2) (4) (4) 112 (11) (69) 21 426 50 11 (11)			2	16	(1)	(9)	(2)	29	(4)	(16)	(3)	4	(1)	(1)	(1)	62	(9)	(42) b	1	160
46												6	(1)	(3)	(1)				1	1
$\begin{array}{c c c c c c c c c c c c c c c c c c c $	46														(2)					3
$ \begin{array}{c c c c c c c c c c c c c c c c c c c $				0010000	0444000					+0000000	+0000000	4000000		********	******	~~~	******	*********	******	1
MOTORCYCLES AND TRICYCLES SOLUTION TRICYCLES TRICYCLE	-	(7)	2	16	(1)	(9)	(2)	29	(4)	(16)	(3)	12	(2)	(4)	(4)	112	(11)	(69)	21	-
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$						1	1					TRICY	CLES				1			202
52		(11)	******	6	(4)	(2)	******	9	(4)	(2)	(1)			(1)			(3)	(3)	1	37
54 30 (29) 6 (4) (2) 9 (4) (2) (1) 6 (1) (1) (2) 15 (3) (3) 1 374		(18)											******							
	Spinish residence of the last	(29)		6	(4)	(2)		9	(4)	(2)	(1)	6	(1)	(1)	(2)	15	(3)	(3)	1	- Annual Control of the Control of t
	55 68	(63)	20	61	, ,	,					, ,				, , ,		, , ,	,	1	
a 1 for Atchd Med. b 1 Trk Tr is provided with 48 trks, tract, w/semi-trlr; other Trk Tr has 48 trks, 2\frac{1}{2}-ton, w/stock rack body, and 42 Trailers, 1-Ton.	a 1 for	Atchd	Med.						18 trks,			-trlr; of	ber Trl	Tr has	s 48 trk	8, 21/2-1	on, w/s	tock rac	k body	,


17. ARMORED DIVISION—DIAGRAM:



ARMORED DIVISION—DIAGRAM (Continued):



ARMORED DIVISION—DIAGRAM (Continued):



NOTES

- Data based on T/O dated 15 November 1940.
 Strength shown includes attached medical and chaplains.

18. Table of Organization No. 17 (November 15, 1940):

ARMORED DIVISION

Designation: ①.....Armored Division

			ORGANIZATION			
	16	Aggre- gate	32 32 46 165 179 180	612	7	58 73 73 73 1,100 858 3,315 6,296 (37) (121) (1,153)
	15	Atchd	1 4 1	9		
	14	Atchd Med	5 27 15	47		16 6 16 97 195
	18	Total	32 8 82 440 1163 1163 1180	559	7	58 79 67 67 283 1,094 842 3,218 6,101 (37) (121) (121)
	ĩĩ	Engr Bn (T/O $5-215$)	1110000	25		3 19 48 48 194 384 (30)
	11	Med Bn & Div Surg's Of (T/0 8-75)	17 17 17	25		2 3 2 2 33 21 95 171 (15)
	10	Ord Bn (T/0 9–65)	11400	20		20 20 20 20 20 20 20 20 20 20 20 20 20 39 39 39 39
	6	QM Bn (T/0 10-35)	111924	19		20 20 20 243 243 (6) (6) (77)
	90	FA Bn, 105- mm How (T/O 6-165)	11 12 13 13	36	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	20 668 70 70 218 429 (2) (46)
	2-	$Inf \\ Regt \\ (T/O) \\ 7-21)$	16 22 31	22	1	5 11 10 27 184 183 565 1,072 (61)
	9	Armd Brig (T/0 17-10)	1 13 222 66 74 100	280	4	24 42 21 165 615 371 1,562 2,961 (789)
	9	Recon Bn (T/0 17-35)	1 1 12 13	34		2 8 8 655 711 193 383 (61)
TOTAL STORY	net	Sig Co (T/0 11-57)	1226	9		22 119 170 126 (23) (23)
	*	Div Hq Co (T/0 17-2)	+ e	6		1 1 3 3 15 60 119 (11)
	@3	$egin{array}{c} Div \ Hq \ (T/O \ 17-1) \end{array}$	100	28	2	6 9 9 9 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
	I	Unit	Major general Brigadier general Colonel Lieutenant colonel Major. Captain First lieutenant. Second lieutenant.	TOTAL COMMISSIONED	Warrant officer.	Master sergeant. First sergeant. Technical sergeant. Staff sergeant. Corporal. Private, first class including. Private. Specialist (1st class) Specialist (2d class). Specialist (3d class).
		7	100450500	10		100450C0000000

ORGANIZATION

ORGANIZATION

Table of Organization No. 17 (November 15, 1940) (Continued):

	1	0100	11	1	1
16	Aggre-	(2,005) (1,672) (1,365) (2,310) (948)	12,078	12,697	0271111441440001444764
15	Atchd			9	
14	Atclid	(38) (106) (37) (29) (29)	336	353	
1.3	Total	(1,967) (1,566) (1,328) (2,234) (919)	11,742	12,308	0811114414880184466
100	Engr Bn (T/0 5-215)	(137) (148) (114) (92) (55)	704	729	2011114414000 404400
11	Med Bn & Div Sury's Off (T/0 8-75)	(24)	333	358	
10	Ord Bn (T/0 9-65)	(54) (25) (32) (32) (32)	398	418	9
0	QM Bn (T/0 10-35)	(52) (68) (62) (39) (39)	428	447	
oc	FA Bn, 105- mm How (T/0 6-165)	(122) (99) (208) (72)	803	839	Ø %
8	Inf Regt (T/0 7-21)	(311) (87) (121) (924) (130)	2,057	2,135	99 8
00	Armd Brig (T/0 17-10)	(1,065) (906) (674) (571) (484)	5,761	6,045	296 19
10	Recon Bn (T/0 17-35)	(134) (58) (58) (211) (53)	729	763	6 84
4	Sig Co (T/O 11-57)	(30) (58) (52) (12) (17)	243	249	8
0;	Div Hq Co (T/0 17-2)	(38) (38) (29) (60) (11)	208	217	12
0	Div Hq (T/0 17-1)	(9) (3) (2)	78	108	
1	Unit	Specialist (4th class)	TOTAL ENLISTED	AGGREGATE	Boat, assault Boat, power, utility Bridge, portable (H-20) Bridge, portable (H-20) Bridge, portable, steel (H-10) Compresor, air, motorized, 2½-ton Crane, portable Earth, auger, power, motorized Erric; lighting set, 2-3 KVA Ferry, portable, 30-ton, unit Motor, outboard, 8 hp Motor, outboard, 8 hp Motor, outboard, 8 hp Emilier, boat Truck, crane Water purification unit, portable Water purification unit, portable Car, scout, with armament
1		28888	28	29	022222222222222222222222222222222222222

42

	ORGANIZATION
91	20 445 4497 7693 7693 88 802 1,980 1,980 108 83 83 83 83 84 84 84 84 84 84 84 84 84 84
15	
71	115
13	2002 2003 2003 2004 2005
12	388 311 177 211 3 310 419 7 7
11	20 30 30 1 1 1 2 1 3 1 3 1 3 1 3 1 3 1 3 1 3 1 3
10	ක් සිදුම් ක් සි
6	8 386 386 386 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9
00	25 25 839 839 128 652 126 128 652 128 652 128 652 128 128 128 128 128 128 128 128 128 12
7	93 677 177 191 1,047 1,047 1,076 1,055
9	27.9 142.444 8 8 8 8 260 108.0452 148.260 108.0 108.0 108.0 108.0 108.0 108.0 109.0
0	212 212 232 133 133 131 131 141 177 177 177 177 177 177 177 177 17
*	249 249 288 289 249 249 249 289 289 289 289 289 289 289 289 289 28
62	193 38 38 38 33 33 33 5
95	104
1	Carrier, 81-mm mortar, half-track, blur, bers, half-track, wlarmament Gun, machine, cal .30, light Gun, machine, cal .45. Gun, machine, cal .45. Gun, abanachine, cal .45. Gun, 37-mm Gun, 75-mm Gun, 75-mm Solum, 75-mm Hortar, 60-mm Mortar, 60-mm Mortar, 60-mm Mortar, 81-mm By Rifle, automatic, Browning Rifle, automatic, Browning Rifle, automatic, Prowning Rifle, automatic, Prowning Rifle, automatic, Browning Rifle, automatic, Prowning Track, medium, with armament Gan, 15-mm Truck, antillery repair Truck, antillery repair Truck, antillery repair Truck, small arms repair Truck, small arms repair Truck, small arms repair Truck, spare parts Truck, tool and bench Truck, water, 250-gallon Trailer, water, 250-gallon Trailer, water, 250-gallon Truck, gasoline and oil, 600 gallons Rivck, gasoline and oil, 600 gallons

Table of Organization No. 17 (November 15, 1940) (Continued):

Total Atchd Atchd Aggre-	100 10 118 13 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9
Total Atchd.	
Total	
	1000 133 134 134 141 177 177 177 177 177 177 177 177 17
1 200	
Engr Bn (T/0 5-215)	9 48 3 41 1 1
Med Bn & Div Surg's Off (T/0 8-75)	2 27
Ord Bn (T/0 9-65)	49
QM Bn (T/0 10-35)	13 84 3 4
FA Bn, 105- mm How (T/0 6-165)	40
Inf Regt (T/0 7-21)	2 58
Armd Brig (T/0 17-10)	416
Recon Bn (T/0 17-35)	24
Sig Co (T/0 111-57)	13
Div Hq Co (T/O 17-2)	211
$\begin{array}{c} Div \\ Hq \\ (T/O \\ 17-1) \end{array}$	
1 Unit	85 Truck, ½-ton, pick-up 86 Truck, ½-ton, radio. 87 Truck, ½-ton, weapons carrier 88 Truck, 1½-ton, cargo. 89 Truck, 1½-ton, panel delivery. 90 Truck, 2½-ton, cargo. 91 Truck, 2½-ton, wrecker. 92 Truck, 4-ton, tractor. 93 Truck, 4-ton, tractor. 94 Truck, 4-ton, wrecker.
	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$

1 Insert number of division.

NOTES

2. Sudmary of A MG, 1, cal. 3 MG, 1, cal. 30 MG, hy, cal. 1 37-mm gun 1 37-mm gun 1 75-mm gun... 1 75-mm gun... 1 75-mm gun 1 75-mm gun 1 37-mm morta 2 Sub MG, cal. 45 Riffe, auto, cal. 48

Each Carrier, personnel, half-track: 1 MG, hv, cal .30 1 Sub MG, cal .45 Each Carrier, 81-mm Mortar, half-track:

MG, hv, cal .30 MG, cal .50 Sub MG, cal .45

Each Scout Car & Car, half-track: 2 MG, hv, cal .30 1 MG, cal .50 1 Sub MG, cal .45

1. ARMAMENT OF VEHICLES:

 2. Summary of Armament, Including Weapons Mounted on Vehicles:

 MG, J, cal. 30
 2294

 MG, h, cal. 30
 1353

 MG, cal. 45
 847

 Sub MG, cal. 45
 2017

 37-mm gun
 411

 75-mm gun
 411

 75-mm gun
 116

 105-mm mortar
 20

 81-mm mortar
 20

 Pistol, cal. 45
 9902

 Ride, cal. 30
 12

 Ride, cal. 30
 1980

■ 19. NORMAL USE, ORGANIC TRANSPORTATION, ARMORED DIVISION:

	19. NORMAL USE, ORGANIC TRAI						CO I	0	0		44
	1	2	3	4	5	6	7	8	9	10	11
		ಲಿ	g Co	Rest							Regt
1	Load	Нд	g Hq	pu	Co	Co	00	00			nd 1
		Div	Brig	Armd (L)	Hq	Serv	Ren	DW	Bn	3	Armd (M)
01		BULAN	ICES						1 /45		
2	Ambulance, field		DITOIT	3					(1)		2
31	Cars, 5-passenger		RUCK	5, 1/2-1	ON	(1)	[1
4	Command		4	10	(1)	(9)					7
5	Pick-up		1	21	(2)	(8)	(1)	(1)	(3)	(1)	15
6	Weapons carrier					************					
7 8	Radio				(1)				(1)		9
9	Attached medical			36	(4)	(10)	(1)	(1)	(1)	(1)	26
9	SUB-TOTAL.		7 134-TO		(4)	(10)	(1)	(1)	(4)	(1)	40
101	Chaplain										[
11	Signal communication										
12	Attached medical								(1)		2
13	SUB-TOTAL	1		3		************			(1)		2
1.41	Personnel	KS, 23	6-TON		(9)			1			0
14	Personnel Combat	15	5	17	(2)	(2)	(1)	(2)	(3)	(1)	$\begin{vmatrix} 2\\10 \end{vmatrix}$
16	Kitchen		1	17	(2)		(2)		(3)	(1)	9
17	Motor maintenance		1	21	(1)	(9)			(3)		
18	Gas and oil										86
19	Signal communication			1	(1)						
20 21	Baggage										
22	AmmunitionPersonnel and baggage										
23	Dump										
24	Supply										
25	Surplus										
26	Wrecker										
27	Attached medical					(0.8)					
28	SUB-TOTAL.		4-TON		(10)	(65)	(4)	(5)	(9)	(3)	123
29	Prime movers	I LAS,	4-101							l	
30	Wrecker										
31	Tractor, w/semi-trailer										
32	SUB-TOTAL										
991	Wrecker		10-TO			(9)					1 0
991	COME	AT VI	EHICL	ES		(4)			*******		0
34	Car, scout, with armament	[12	7	2	(1)						2
35	Tank, light, with armament		2	129	(3)				(42)	(13)	
36	Tank, medium, with armament				(0)	(4)	(10)	(10)	(10)	(0)	108
37	Car, half-track, with armament Carrier, 81-mm, half-track, w/armament				(6) (6)	(1)		(18)		. /	48
39	Carrier, personnel, half-track, w/armament	******			(0)						
40	Sub-Total.	12	9	210	(16)	(2)	(18)	(18)	(52)	(16)	1158
	MOTORCYCI	ES Al	ND TE	RICYC	LES						
41	Motorcycle, solo	33	14	98	(15)	(10)	(17)	(8)	(16)	(4)	49
42			6					(3)			-
43	Sub-Total						(28)	(11)	(23)	(6)	75
44	Ordnance TRUCKS, MISCELL						1	f	1	1	1
45	Air compressor									********	*******
46	Earth augur, power.										
47	Crane										
48	Tractor, medium, w/angle dozer, trailer										
49	Trailer, 1-ton										
50 51	Trailer, boat										
52	Trailer, mobile, PA system		1					1			
53	Truck, 600-gallon, gas and oil			l							
54	SUB-TOTAL	1	1								1
55		1102	43	514	(52)	(106)	(51)	(35)	(90)	(26)	1389
					/	/	, \ _ /	1)	()	,

NORMAL USE, ORGANIC TRANSPORTATION, ARMORED DIVISION (Continued):

NORMA	AL UR	E, OR	UAL	110 .	LIVI	NSPO	ORTA	1110.	N, A	T LY TAT (JREL	ועו	VISI) MO	Con	umu	leu)	•
12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
Hq Co	Serv Co	Bn	Co	FA Regt 105-mmHow	Hq Btry	Serv Biry	Am Tn	How Biry 105-mm	Engr Bn	Hq Co	Lettered Co	Bridge Co	Inf Regt (Armd)	Hq Co	Serv Co	AT Co	Ho W pns Co	Rifle Co
2	1	(1)		2	(2)			AMBU		ES (1)			1	1				
4/10000000		(*/				CARS	5-PA	SS AN	DTR	UCKS.	1/2-TO							
3 4 (1) 5 (2)	(1) (6) (7)	(3)	(1)	1 4 7	(1)	(4) (1)	(1)	(1)		(1) (4) (3)	(3)			(1)	(4)	(1)	(1)	0000000
7										~~~~~	(1)	(0)						
8 (1).	(14)	(1) (4)	(1)	3 15	(3)	(6)		(1)1	20	(2)	(4)1	(7)	10	(2)	(6)	(1)	(1)	(1)
-	. /1		(1)	19	(4)	(0)		RUCKS		TON					(0)	(1)	(4)	(1)
10																		
		(1)		2	(2)				1	(1)			2	(2)				
		(1)		2					1	(1)				1 /				
14. (0)				. 0			T	RUCK	5, 21/2	TON				1 (0)				
14 (2) 15 (2) 16 (1) 17 (1) 18	(2) (2) (7) (86)	(3) (3) (3)	(1)	19 7 8	(2)	(1)	(5)	(1)	3		(1)	(2)	15 17 15 9	(2) (1) (1) (1)	(1)	(1) (1) (1)	(1) (1) (1)	(1) (2) (1)
20 21 22				30			(30)											
24																		
27 (1)				1	(1)				1.401	(*0)			1.50	1				1
28 (8)	(97)	(9)	(3)	68	(4)	(19)		RUCE		(18)	(5)	(15)	1 58	(5)	(20)	(3)	(3)	(4)
29 30 31									3						(2)			
32											(1)		2		(2)			
							T	RUCK	S, 10-	TON								
33							(10)	MIDATE	XZXDXXI	DST TOO				ļ				
34 (1) 35							(2)		3	(3)				(2)				
36 (2) 37 (5) 38	(1)	(21)	(17) (6)	102	(18)	(4)		(20)	9	(3)			8		(2)			
39									38	(5)	-		93	(5)				(14)
40) (8)	(2)	(74)	(23)	108	(21)					(11) TRIC	(13)		198	(18)	(3)	(17)	(19)	(19)
41 (13) 42 (3)	(10) (9)	(13) (7)	(3)	25 26	(10) (3)	(3)			14	(4)	(2)		55 36	(10) (8)	(7) (11)	(4) (1)	(4) (1)	(3)
43 (16)	(19)	(20)	(5)	51	(13)	(7)	(7)	(6)	21	(4)		(8)			(18)	-	-	
44			, ,		TRI	UCKS,	MISC	ELLA	NEOU	SANI	TRA	ILERS	3	ı		,		1
45		*******	********	********	*********				4	(1) (1)	(1)			*******	*******	******		0000000
47		***********	*******	*******	*******		*******	******	4 3		(1)	(4)	********		******			
49 50				12				(3)				(0)						
51 52 53						******	*******		2	*******		(2)						
54		4090090444		12				(3)	14	(2)	(2)	(6)						
55 (36)	(135)	(109)	(32)		(46)	(38)	(45)							(46)	(49)	(26)	(29)	(28)


NORMAL USE, ORGANIC TRANSPORTATION, ARMORED DIVISION (Continued):

NORM	AL (USE,	, OR	GAN	10 1	KAL	ISPC	RTA	TIOI	N, A	RMC	KED	יות	VISION	I (Co	onti	nuec	1):
31	32	33	34	35		37	38	39	40	41	42	43	44	45	46	47	48	49
Ren Bn	Hq Co	Ren Co	Armd Co	Rifle Co	F.4 Bn 105-mmHow	IIq Biry	Serv Biry	How Biry 105-mm	AT Btry	Med Bn	Coll Co	Cir Co	QM Bn	Trk Co	L Maint Co	Sig Co	Ord Bn (Armd)	Totals
								A	MBUI	ANCI 30	ES L(20)							
2 3					T	(1)	CARS.	5-PAS	SANI	TRU	JCKS,	1/2-TO	V.					45
3 1	(1)				1		(1)			1	[1 1	/4 \	(1)		2	22
4 1 5 3	(1)	(1)	(1)		2	(1)	(1)	(1)	(1)	12 2	(4) (1)	(5)	13	(1) (3)	(1) (5)	5	3	106 100
6																		9
7 8 1	(1)				2	(2)							1	*********		13	1	13 31
9 (6)		(1)	(1)		11		(4)	(1)	(1)	15	(5)	(5)		(4)	(6)	24	6	281
10		1		ī				TR	UCKS	11/2-	TON	,					1 1	1
11																2		$\frac{1}{2}$
12					The same of the sa					-			1				1	15
13									UCKS	914.	FON		1			2	1 1	18
14										16	(1)	(14)	2		(2)			28
15 12 16 7	(8)	(1)	(1) (1)	(1) (2)	9 7	(1) (2)	(4) (1)	$\begin{pmatrix} (1) \\ (1) \end{pmatrix}$	(1) (1)	1 4	(1)	(2)	2 3	$\begin{pmatrix} (1) \\ (1) \end{pmatrix}$	(1)	11 2	3	166 101
17 5	(1)	(2) (1)	(1)	(1)	4		(4)			3	(1)	(1)	10	(1)	(8)	1		107
18				*******	8			*******				3				3		210
																_		6
													10		(1)			42
														***********	(1)			10 7
24											(1)			(40)	(9)		46	58
25 26						1							48	(48) (1)	(2)			48
	(1)					(1)												6
28 25	(10)	(4)	(3)	(4)	41	(4)	(29)	(2)	RUCK	27	(4)	(18)	87	(52)	(23)	17	49	793
29					ļ													3
30													4		(4)			7 41
31		1	1	1	1								The same of the same of		(4)	1		51
								T	RUCK	3, 10-7	ON							
33					1	J	(1)		ИВАТ		CLES						9	18
34 48	(4)	(22)			3	(3)										3	6	97
35 13 36			(13)															273 108
37 9	(1)		(3)	(5)					(19)									497
38 39 14			(14)															20 145
40 84	(5)	(22)	(30)		92	(17)	(5)	(17)	(19)				-			1 3	6	1140
		1					MOT	ORCY	CLES	AND	TRIC	YCLES				-		
41 51 42 26	(6)	$\begin{pmatrix} (19) \\ (11) \end{pmatrix}$	(4) (2)	$\begin{pmatrix} (3) \\ (1) \end{pmatrix}$		$\begin{pmatrix} (10) \\ (4) \end{pmatrix}$	(3)	$\begin{pmatrix} (3) \\ (3) \end{pmatrix}$	(5)	20	(14)	(4)	12	(3)	(4)	18 10	$\begin{vmatrix} 12 \\ 6 \end{vmatrix}$	520 290
43 77		(30)	(6)		A STATE OF THE PERSON NAMED IN	(14)			(12)		(14)	(4)	-	(3)	The state of the s	Spine To	18	810
				1	,	TRU	JCKS,				SAND	-			,			
44	*******										-						79	79 4
46																		1
47																		3
49			-		16			(4)	(4)		(4)	(0)	56	(42)	(14)			84
50										3	(1)	(2)					3	6 2
52																		1
53	7	1		1	110	1	1	[(4)	1 (4)	[]	1 (1)	(9)	1 50	(40)	[(14)	l	3	3
55 195	1/95)	1(57)	(40)	(12)	1214	1(30)	1(AG)	(4)			(1)		1187	(42)	$\frac{ (14) }{ (51) }$		85	187
99 199	1(40)	(01)	(20)	(10)	1212	1(00)	(30)	1(00)	1/00)	1 30	1(02)	(43)	1101	(101)	1(01)	1 12	17 6 %	OTTO


SECTION III

ARMY CORPS, ARMORED CORPS, AND FIELD ARMY

■ 20. Corps Troops, Type Army Corps—Diagram:



CORPS TROOPS, TYPE ARMY CORPS—DIAGRAM (Continued):




21. CORPS TROOPS, TYPE CORPS—CONSOLIDATED TABLE:

1	,				
15	Aggre- gate	819 9 15,468	16,296	574	252 242 256 368 388 1460 900 900 1800 1800 1800 1800 1800 1800
14	Atchd Med & Ch incld in totals	(57)	(390)	0 0	
13	QM = (T/O) = 10-27, 57, 67, 77)	15	761		551
129	Ord Bn (T/0 9-75)	25	465		1222 188
11	$Engr (T/O 5-171), \\ 5-171, \\ 5-167)$	97 2,647	2,746		72 36 638 2,016 2
10	Avn (T/0 1-255) i	108	774		06 6 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8
03	AA Arty (T/0 4-11, 4-155)	113 1 2,658	2,772		24 280 280 2,261 2,261 20 2
00	FA Brig (T/0 6-50)	254 3 5,306	5,563		32 24 48 48 102 5,403
2	Med Bn (T/0 8-65)	34	510		88 88
9	Sig Bn (T/0 11-15)	23	576		2992
2	Cav Regt (T/O 2-61)	70 1 1,520	1,591	574	6 81 1175 1,530 532 2 2 2 2 88 114
4	MP Co (T/0 7-7)	202	207		159
62	Hq Co (T/0 100-2)	6 115	121		81 101 5
95	Hq (T/0 100-1)	69 2 139	210		192
1	Unit	Officers. Warrant officers. Enlisted men.		Animals	Gun, 75-mm, AT. Gun, 155-mm Gun, AA, mobile Gun, AA, 37-mm Gun, AT, 37-mm How, 155-mm MG, al. 50 MG, AA, cal. 30 MG, AA, cal. 30 MG, Aireraft, cal. 30 MG, Aireraft, cal. 30 MG, Aireraft, cal. 30 MG, Aireraft, cal. 30 MG, Sub, cal. 45 Rife, auto Airplane, Observation Airplane, Observation Airplane, with armament Car, scout, with armament Motorcycle, solo
1		10004	150	1 9	28222 2220011000001

CORPS TROOPS, TYPE CORPS—CONSOLIDATED TABLE (Continued):

15	169 15 16	506 10 77 74	270 19 188 559	2 2 2 2 C	894 488 70	77.920.00	00004100	2000
14								
13	16	167	9		154			
18	2	ကက	13 3	55	19			
11	19	68	25 24 25 25 25 25 25 25 25 25 25 25 25 25 25	202	100	2 9 G	09	000
10	က	9	က က က		18	က	ကကက	9
9	15	17	40 63 133		149	15	49	5 9 1 6 8 1 6 8 1 6 8 1 6 8 1 7 8 1 8 8 1
00	88	246	153 15 3		475	55	00	1
7		47	7 50 20		821			1 0 0 1 0 0 0 0
9		00 (0	22400	24	12			1 9 9 1 1 3 1 1 4 1 0 0 1 1 0 1 0
2		63	15		45			
4	29	2	4 21					* • • • • • • • • • • • • • • • • • • •
63	∞	9	1 89		8 8 6 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0			1
65					1			1
1	Motorcycle, with side car. Searchlight, mobile Tractor, medium, with bulldozer.	Trailer, 1-ton Trailer, water tank, 250-gallon Tricycle, motorized Tricycle, motorized Truck, tractor, semi-trailer Truck fractor, semi-trailer	Truck, A-ton, command Truck, A-ton, radio Truck, A-ton, pick-up	Truck, 1/2-ton, dump Truck, 1/2-ton, Ordnance, misc. Truck, 1/2-ton, Telephone Const. Truck, 1/2-ton, Tractor		Truck, 7½-ton Compressor, air, motorized Grader and shovel Truck, ½-ton, weapon carrier Water purification unit Trailer, water, 250-gallon	Truck, field servicing, 500-gallon Truck, 1½-ton, panel delivery. Truck, 1½-ton, special body. Truck, 2½-ton, sound and flash Assault parts	Electric light set. Power earth auger, motorized. Trailer, 1-ton.

■ 22. ARMORED CORPS.—Diagram:



■ 23. Type Field Army.—A field army consists of an army headquarters, two or more army corps (normally 3) temporarily assigned, and certain organic army troops.

Other troops temporarily attached to an army may be retained as army troops, or be reallotted to its corps in accordance with their needs.

The Army Headquarters includes Headquarters of army Artillery, Antiaircraft Artillery, Aviation, Chemical Warfare Troops, Engineers, Medical Service, Ordnance, and Quartermaster Service.

One or more cavalry or armored divisions may be allotted to each army from GHQ reserve.

■ 24. ARMY TROOPS, TYPE FIELD ARMY:

ARMY TROOPS, TYPE	FIELD ARMY	T/O No.	Total Strength	Motor Vehicles
	Headquarters, Field Army	200-1	764	
	Hq Co, Field Army	200-2	296	39
	Special Troops, Field Army	200-3	790	45
Army AA	- 1 AA Brig (3 Regts)	4-10	5860	944
Army AT Force	- 3 AT Bns (ea 3 Cos)	7-115	2130	429
Army Aviation	- 1 Army Ren Sq	1-217	315	15
	3 Decontamination Cos	3-217	612	57
	1 Depot Co		182	10
	1 Laboratory	3-97	86	7
Cml Warfare Units	- 1 Impregnating Co		159	8
	1 Maintenance Co	3–47	116	11
	3 Gen Serv Regts		3918 443	351
	2 Heavy Ponton Bns	5-90 5_975	964	56 248
	6 Separate Bns		7464	390
Army Engineers	- 1 Topographic Bn	5-55	1045	135
The state of the s	1 Water Sup Bn	5-65	440	132
	1 Depot Co		178	7
	2 Dump Truck Cos		250	98
	4 L Ponton Cos	5-87	884	236
	1 Shop Co (mobile)	5-157	175	29
	3 Medical Regts		3177	474
	1 Conv Hosp.		217	19
Army Medical Serv	10 Evac Hosps	9. 991	4170 1540	80
Army Medical Serv	1 Medical Lab.		56	106 8
	1 Supply Depot		214	12
	1 Vet Co, Sep		191	28
360				
Army MP	1 Military Police Bn (4 Cos)		729	158
	2 Ammunition Bns (ea 6 Cos).	9-115	2330	122
0.10	1 Ord Bn (Maint & Supply)		738	155
Army Ord Serv	2 Ord Cos (MM)		292	58
	1 Ord Co (MM)	9-9	3223	81
	1 Ord Co (Depot)		186	9
	6 Service Bns		5652	102
	1 Truck Regt	10-51	1506	749
AOM C	1 Gas Supply Bn		490	128
Army QM Serv	- 3 Light Maint Bns	10 175	2364	462
	1 Sterilization & Bath Bn		694	37
	1 Car Co 1 Depot Co (Supply)		137 152	93 5
	1 Depot Co Motor Transport.		304	18
	2 Signal Bns (Constr)	11-25	1128	186
	1 Depot Co	11-107	132	6
	1 Photo Co	11-37	163	27
	1 D: C-	11-39	142	21
Army Sig Serv	1 Pigeon Co 1 Radio Int Co	200000 4 4 00	222	#L

SECTION IV

GHQ RESERVE AND ARMY AIR FORCE UNITS

■ 25. GHQ RESERVE.—The GHQ Reserve comprises a pool of combat and service units held available by GHQ for temporary assignment to armies, groups of armies, or the communications zone, according to their needs. It may include units of the types organically assigned to field armies, army corps, and divisions, and also may include units of the following types:

Infantry:

Units trained for special purposes, such as mountain and arctic warfare, and parachute troops.

Tank battalions and groups.

Field Artillery:

Pack artillery regiments (75-mm How). Horse-drawn artillery regiments (75-mm Gun). 8-inch, 155-mm, and 240-mm howitzer regiments. 155-mm gun regiments. Antitank Battalions.

Coast Artillery:

Railway artillery units.

AA Regiments, semi-mobile.

Mobile AA gun battalions, separate.

Army Air Force units.

Armored corps and divisions.

Motorized divisions.

Cavalry divisions.

Medical Department units.

Engineer units.

Ordnance units.

Quartermaster units.

Signal Corps units.

Chemical Regiments.

■ 26. Table of Organization No. 7-35 (March 29, 1941):

INFANTRY BATTALION, PARACHUTE

Designation: 1 Infantry Battalion

	1	2	3	4	5	6	7	8	9
1	Unit	Spe- cial- ists' ratings (class)	Hq (T O 7-36)	Hq Co (T/O 7-36)	3 Para- chute Cos (T/O 7-37)	Total Bn	Atchd Med (for details see page 2)	Aggre- gate	En- list- ed ca- dre
2 3 4 5 6	Lieutenant colonel Major Captain First lieutenant Second lieutenant		1 3 1	1 3	3 12 9	1 1 7 16 9	2	1 1 9 16 9	
7	TOTAL COMMISSIONED		6	4	24	34	2	36	
8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23	Master sergeant First sergeant Technical sergeant Staff sergeant Sergeant Corporal Private, first class including Private Specialist Basic	1st 2d 3d 4th 5th 6th	{ 3 (a 3)	(a 1) 2 1 (a 3) 4 4 (a 3) 10 (a 12) 19 43 24 (a 5) (1) (9) (9) (11) (8) (13) (11)	a 3 a 9 a 33 a 27 285 (a285)	2 4 4 13 43 46 331 24 (293) (1) (9) (9) (11) (8) (13) (11)	a 1 a 1 13 (a13)	2 4 4 14 43 47 344 24 (306) (1) (9) (9) (11) (8) (13) (11)	
24	TOTAL ENLISTED		3	107	357	467	15	482	92
25	AGGREGATE		9	111	381	501	17	518	92
26 27 28 29 30 31 32 33 34	Parachute Gun, machine, cal .30, M1919A4 Pistol, automatic, cal .45 Rifle, cal .30 c Mortar, 60-mm Submachine gun, cal .45 Car, 5-passenger Truck, ¼-ton, reconnaissance Truck, 1½-ton, cargo		9 3	3	381 36 381 300 9 39	b 460 36 436 390 9 41 4 3 7	17	477 36 436 390 9 41 4 3 7	

¹ Insert number of battalion.

a Parachutists, specialists, first class.

b Total includes 10 percent additional for entire battalion.

c Rifle, carbine, to be substituted when standardized.


ORGANIZATION

TABLE OF ORGANIZATION No. 7-35 (March 29, 1941) (Continued): MEDICAL DETACHMENT, INFANTRY BATTALION, PARACHUTE

	1	2	3	4
1	Unit	Spe- cial- ist's ratings (class)	Battal- ion section	Remarks
2	Captain		2	1 Insert number of battalion.
3	TOTAL COMMISSIONED		2	a Includes 3 company aid men per jump- ing company. b Litter bearers.
4 5 6 7 8 9 10 11 12	Staff sergeant Corporal Private, first class, including Medical (123) Surgical (225) Basic Total Enlisted Aggregate A Parachute c.	1st 1st 1st 1st	1 1 13 (a 10) (b 2) 15 17	c Each individual equipped with a parachute. All members of detachment are jumpers. Summary of Specialists' Ratings: 1st class

(A. G. 320.2 (3-22-41.)

27. PARACHUTE BATTALIONS.—Diagram (Tentative organization):



■ 28. Organization of Air Corps Units.—The Air Force Combat Command contains four air forces, organized geographically. All air force units above squadron are highly flexible, and may be modified at any time, both as to number and type of lower units contained. The organizations indicated for air force, command, wing and group, therefore, are type organizations only, and are included to indicate general relationships, and not fixed composition. ①②③

			1		1
Unit	T/O	0	EM	AP45	Remarks
Air Force					A type air force consists of a mobile echelon and a fixed echelon. The fixed echelon includes air bases and an air warning service. The mobile echelon contains a Hq and Hq Sqdn and one or more Bomber Commands and one or more Interceptor Commands.
Hq & Hq Sqdn, Air Force	1-800-1	78	605	6 SE 7 TE	Contains a Gen. Staff, Sp. Staff, Hq Sqdn. Has attached a Signal Co., Aviation.
Bomber Command					Contains a Hq & Hq Sqdn and one or more Bombardment Wings, Heavy, Medium or Light, or any combination of these.
Hq & Hq Sqdn, Bomber Command	1-100-1	28	154	1 SE 2 TE	0
Wing					Contains a Hq & Hq Sqdn and one or more Groups, Bombardment, (Hv, M, or L) (Pursuit Fighter or Interceptor Fighter).
Hq & Hq Sqdn, Wing, (Bombardment) (Interceptor) (Fighter)	1-10-1	14	130	1 SE 2 TE	(6)
Bombardment Group, Heavy (Medium) (Light)					Contains a Hq & Hq Sqdn and three bombardment sqdns and, as needed, one reconnaissance sqdn, (heavy, medium or light).
Hq & Hq Sqdn, Group, Bombardment, Heavy	1-112	24	267	3 FE	©®
Bombardment Sqdn, Heavy	1–117	38	237	8 FE	® Operates in 2 flights—A & B. Carries up to 4,800 lbs. of bombs (largest bomb 2,000 lbs.) and has range of operation up to 3,400 miles.
Hq & Hq Sqdn, Group, Bombardment, Medium	1-122	26	273	5 TE	©⑦

ORGANIZATION OF AIR CORPS UNITS (Continued):

Unit	T/O	0	EM	AP45	Remarks
Bombardment Squad- ron, Medium	1-127	52	254	13 TE	Operates in 3 flights— Flight A—5 airplanes; Flights B and C— 4 airplanes each. Combat crew of each airplane is: 1 officer, pilot 1 enlisted man, bombardier— gunner 1 enlisted man, armorer—gunner. Carries bomb load up to 4,500 lbs, and harrange of up to 3,000 miles.
Hq & Hq Sqdn, Group, Bombardment, Light	1-132	21	261	5 TE	(0)
Bombardment Sqdn, Light	1-137	26	219	13 TE	Operates in 3 Flights—A, B & C Flight A — 5 airplanes Flight B — 4 airplanes Flight C — 4 airplanes Combat crew each airplane 1 officer—pilot 1 officer—bombardier—gunner (a) 1 enlisted man—armorer—gunner. (a) Officer replaced by enlisted man in all except Squadron and Flight commander's planes. Carries bombs up to 2,400 lbs, and has range of operation up to 1,000 miles.
Reconnaissance Sqdn, Heavy	1-217	44	271	8 FE	Operates in 2 flights—A and B; 4 airplanes each. Combat crew for each airplane: 1 officer—pilot 1 officer—co-pilot—observer 1 officer—navigator—observer 1 officer—observer—bombardier—gunner 2 enlisted men—aerial engineer—gunner 2 enlisted men—radio operator—gunner 1 enlisted man—photographer—gunner Suitable for reconnaissance up to 3,400 miles
Reconnaissance Squadron, Medium	1-227	61	276	13 TE	Operates in 3 Flights—A, B and C Flight A—5 airplanes Flight B—4 airplanes Flight C—4 airplanes Combat crew for each airplane 1 officer, pilot 1 officer, co-pilot—observer 1 officer, navigator—observer 1 officer, observer—bombardier— gunner 1 enlisted man, radio operator— gunner 1 enlisted man, photographer— gunner 1 enlisted man, aerial engineer— gunner Suitable for reconnaissance up to 3,000 miles.

ORGANIZATION

ORGANIZATION OF AIR CORPS UNITS (Continued):

Unit	T/O	0	EM	AP(4)(5)	Remarks
Reconnaissance Squad- ron, Light	1-237	33	241	13 TE	Operates in 3 Flights, A, B & C Flight A—5 airplanes Flight B—4 airplanes Flight C—4 airplanes Combat crew for each airplane 1 officer, pilot 1 officer, observer—bombardier— gunner 1 enlisted man, gunner Suitable for reconnaissance up to 1,000 miles.
Interceptor Command					Contains a Hq & Hq Sqdn and one or more Interceptor Wings.
Hq & Hq Sqdn, Inter- ceptor Command	1-200-1	32	169	1 SE 2 TE	(0)
Pursuit Group					Contains a Hq & Hq Sqdn and 3 Pursuit, Fighter (Interceptor) Squadrons.
Hq & Hq Sqdn, Group, Pursuit	1-12	47	259	5 SE	®
Fighter Pursuit Squadron	1–37	34	287	25 TE	Operates in 3 Flights, A, B and C Flight A—9 airplanes Flight B—8 airplanes Flight C—8 airplanes Combat crew for each airplane 1 officer, pilot 1 enlisted man, gunner Long range airplanes, suitable for protecting bombardment or reconnaissance planes on relatively distant missions.
Interceptor Pursuit Squadron	1-27	42	218	25 SE	Operates in 3 Flights, A, B & C Flight A—9 airplanes Flight B—8 airplanes Flight C—8 airplanes Combat Crew 1 officer, pilot Short range airplanes, with high rate of climb. Suitable for protection of local areas or installation against hostile aircraft.
Observation Squadron	1-255	38	159	13 SE	3 per type Army Corps. Operates in 3 Flights, A, B & C Flight A—5 airplanes Flight B—4 airplanes Flight C—4 airplanes Suitable for observation missions of 2 hours, and to operate up to 500 miles.

Type airplanes are designated by a letter. The number following the letter is the model of that type-Example:

B-23=Bomber—twenty third model
P-40=Pursuit—fortieth model
C-50=Cargo—fiftieth model
O-52=Observation, etc.

ORGANIZATION OF AIR CORPS UNITS (Continued):

(2) Wings or Groups usually contain one type of aircraft. If necessary composite Wings or Groups may contain more than one type of aircraft.

3 Ranges and bomb loads are approximate—they vary with each type of aircraft. Where maximum ranges are desired, the minimum bomb load is carried and engines are operated at economical speeds.

(SE=Single Engine TE=Two Engine

FE = Four Engine (s) All combat units normally operate at approximately 75% airplane strength, i. e.

Pursuit Squadron operates 18 out of 25
Observation Squadron operates 9 out of 13
Bomb (Heavy) Squadron operates 6 out of 8
Bomb (Med) Squadron operates 9 out of 13
Bomb (Light) Squadron operates 9 out of 13
Reconnaissance (Hy) Squadron operates 6 out of

Reconnaissance (Hy) Squadron operates 6 out of 8 Reconnaissance (Med) Squadron operates 9 out of 13 Reconnaissance (L) Squadron operates 9 out of 13

(e) Hq and Hdqrs Squadrons of Commands, Wings or Groups contain command, communications, minimum administrative and transportation elements.

Liaison Officers might be drawn from these units.

Transportation, except ambulances, and all chauffeurs and other transportation personnel for the entire Group are included in the Hq and Hqs Squadron of the group.

Independent Squadrons have own transportation.

® Combat crew for Sq Commander and Flight Commanders consist of: 1 officer, pilot

1 officer, pilot 1 officer, co-pilot 1 officer, navigator 1 officer, bombardier

1 enlisted man, aerial engineer—gunner 1 enlisted man, asst aerial engineer—gunner 2 enlisted men, radio operators—gunner

For all other airplanes:

1 officer, pilot 1 officer, co-pilot 1 officer, navigator

1 enlisted man, bombardier—gunner

1 enlisted man, asst aerial engineer—gunner 2 enlisted men, radio operator—gunner 1 enlisted man, aerial engineer—gunner

SECTION V

DATA PERTAINING TO SUPPLY AND EVACUATION UNITS

■ 29. ENGINEER UNITS: ①

1	2	3	4	5
Unit	T/O No.	0	EM	Remarks
Engr Regt (C) (Corps)	5-171	46	1,266	2 per type corps. Hq & Hq & Serv Co, 2 Bns with 3 Cos of 3 Plats each: Engr service for corps. 2 sets infantry intrenching tools in regiment.
Engr Regt (C) Div	5–11	46	946	1 per infantry division (square). 6 sets of infantry intrenching tools in division. Regt consists of Div Hq & Serv Co, and 2 Bns with 3 Cos of 2 Plats each.
Engr Bn (C)	5–75	21	627	1 per infantry division (triangular or triangular motorized). Hq & Hq Co, 3 Engr Cos (C), of 3 Plats each. Transportation sufficient for organic personnel and material. 3 sets intrench- ing tools for infantry.
Engr Bn (Armd)	5–215	28	729	1 per armored division. Hq Co, 3 Engr Cos of 2 Plats ea, 1 Bridge Co. Transportation sufficient for organic personnel and equipment.
Engr Sq	5–115	16	451	1 per cavalry division. Hq & Hq & Serv Tr, 2 Engr Trs of 3 Plats ea. Engr service for cavalry division: 4 sets of intrenching equipment, cavalry. Transportation sufficient for organic personnel and equipment.
Engr Regt (Gen Serv)	5–21	46	1,259	3 per type army. Hq & Hq & Serv Co, 2 Bns with 3 Engr Cos (Gen Serv) each; 18 operating units. General engineer service and construction of all classes.
Engr Bn (Sep)	5–35	26	1,218	6 per type army. Hq & Hq & Serv Co, 4 Engr Cos (Sep) (ea of 2 Plats of 9 squads). Essentially a labor unit. Not trained for general construction work.
Engr Co (Dep)	5-47	4	174	1 per type army. 1 per type Air Force. Hq Plat, 3 Dep Plats. Operates engineer depot for general supplies. Depot stockages vary greatly. Maintenance requirements per type army per day: one depot co can furnish personnel to handle a depot of about 300,000 sq ft of storage area.
Engr Co (Dp Trk)	5–88	4	121	2 per type army. Hq Plat, 2 Transp Plats. Furnishes 45 1½-ton dump trucks for engineer hauling.
Engr Co (mobile shop)	5–157	5	170	1 per type army. Hq Plat, 3 mobile shop Plat. Executes 3d echelon maintenance for all equipment for which engineers have maintenance responsibility.

NOTES

¹ Includes attached medical and chaplains.

² For bridge and ferrying equipment, see Chapter 7, this manual.

ENGINEER UNITS (Continued):

1	2	3	-4	5			
Unit	T/O No.	0	EM	Remarks			
Engr Bn (W Sup)	5-65	22	418	1 per type army. Hq & Hq & Serv Co, 3 Engr Cos (W Sup). Receives, purifies and transports water. Transport capacity: 67,500 gallons per trip. Purification capacity: 37,800 gallons per hour. Under normal conditions the battalion can supply 1 type army, but in highly congested areas or where but little water is available locally, only 1 corps can be served adequately. Equipped with storage facilities. Not equipped for well drilling or construction of reservoirs. 90 trks, 2½-ton, tank, 750 gal, for water; 9 trks, water purification.			
Engr Bn (Cam, Army)	5–95	30	413	1 per type army. Hq & Hq & Serv Co, 4 Engr Cos (Cam, army). Primary mission is camouflage inspection, discipline and training. Supplies camouflage materials. Prepares plans for general or special camouflage installations.			
Engr Bn (Cam, GHQ)	5–135	24	414	1 per GHQ. Primarily a manufacturing unit. It also has sa functions as the army battalion.			
Engr Hq(Ry)	5-302	24	216	The manager MRS and 4 staff departments supervise operation and maintenance of all military railways in Theatre of Operations.			
Engr Hq (Ry, Div)	5-602	24	74	The general superintendent and 6 staff sections supervise a coordinate the operations of several railway divisions wattached shop and other troops to form a grand division.			
Engr Bn (Ry, Operating)	5-125	21	820	Com Z and GHQ units. Hq & Hq & Serv Co, 1 Engr Co (Maint of Equip), 1 Engr Co (Maint of Way); 1 Engr Co (Transportation). Operates and maintains a railway division up to 120 miles in length, without increase of personnel. The battalion can furnish crews for 20 to 24 trains each way per day, or a total of 40 trains per day.			
Engr Bn (Ry, Shop)	5-145	23	658	Com Z and GHQ units. Hq & Hq & Serv Co, 1 Engr Co (Erecting & Machine Shop), 1 Eng Co (Boiler & Smith Shop), 1 Engr Co (Car Repair). Operates heavy shops and executes assembly and major repairs of railway equipment. The bn can serve 2 or more engr ry operating bns.			
Engr Bn (Top, Army)	5–55	40	1,005	1 per type army. Hq & Hq & Serv Co, 1 Engr Co (Reproduction), 1 Engr Co (Photomapping), 2 Engr Cos (Surv). Map making, reproduction, and procurement.			
Engr Bn (Top, GHQ)	5–185	32	778	Hq & Hq & Serv Co, 1 Engr Co (Reproduction), 1 Engr (Photomapping), 1 Engr Co (Surv). Map making and reproductions.			
Engr Co (Top, Corps)	5-167	5	115	1 per type corps. Co Hq and 3 Plats (survery, photomapping and reproduction). Map making and reproduction.			
Engr Bn (Hv Pon)	5-275	14	468	2 per type army. Hq & Hq & Serv Co, 2 Engr Cos (Hv Pon), with 2 Plats each. A ponton bridge transport and maintenance unit. Four 250-ft bridges of 25-tons capacity, combined length up to 1,000 ft. Bridges will carry all loads of the field army. Construction is done by the battalion reinforced by general engineer units.			

ENGINEER UNITS (Continued):

1	2	3	4	• б
Unit	T/O No.	0	EM	Remarks
Engr Co (L Pon)	5–87	6	215	4 per type army. 1 Hq Plat, 3 Bdg Plats. Equipment for 3 bridges with combined length of up to 750 feet. Construction is done by general engineer units.
Engr Regt (Avn)	5–411	70	1,777	2 per type Air Force. Hq & Hq & Serv Co, 3 Bns with 3 Engr Cos (Avn) each. Provides for maintenance and construction of airdromes and routes thereto; assists in defense.
Engr Co, Avn (Sep)	5-427	5	176	Co Hq, Serv Plat and 2 Operating Plats. Organized for independent operations at a distance from other units. Additional hand labor attached when needed.

¹⁾ For bridge and ferrying equipment, see Chapter 7, this manual.

■ 30. MEDICAL UNITS:

1	2	3	4	5
Unit	T/O No.	0	EM	Remarks
Med Regt	8-21	66	980	3 per type army. 1 per infantry division (square). Hq & Hq & Serv Co, 1 Coll Bn, 1 Amb Bn, 1 Clr Bn. Division: collection, evacuation, temporary care, sanitation, and medical supply in division area. Army: same service for army troops. In addition the negiments perform all evacuation from division, corps, and army clearing stations to evacuation hospitals and reinforce divisions and evacuation hospitals. Temporary care for 750 patients, normally, 1,200 for not to exceed 24 hours. Equipment not suitable for definitive treatment hospitalization. One ambulance company can move 80 patients lying, or 200 patients sitting, per trip. Minimum space requirments: Under tents, 125 x 80 yards In buildings, 60,000 sq ft. 2 Bivouac area, 170 x 240 yds. Movement by rail requires 5 trains. Clearing station requires 1 hour to establish. Can be dismantled in 2 hours, but 1 to 3 additional hours are required to evacuate patients, if filled. The 60 motor ambulances available can move all personnel plus 100 patients.
Med Bn	8-65	34	476	1 per infantry division (triangular or triangular, motorized.) 1 per type corps. Hq & Hq Det, 3 Coll Cos, 1 Clr Co. 36 Amb; 15 trks, 2½-ton; 21 trks, 1½-ton. Can move organic personnel.

NOTE

⁽²⁾ The floor space requirements given refer to buildings constructed for hospital purposes. For converted buildings, such as hotels, the floor space requirements are approximately four times that required in buildings constructed for use as hospitals.

MEDICAL UNITS (Continued):

1	2	3	4	5
Unit	T/O No.	0	EM	Remarks
Med Bn (Armd Div)	8–75	25	333	1 per armored division. Hq & Hq Det, 1 Coll Co, 1 Clr Co. 30 Amb; 27 trks, 2½-ton. Can move organic personnel.
Med Sq	8-85	28	336	1 per cavalry division. Hq & Hq & Serv Det, 1 Coll Tr; 1 Clr Tr, 1 Vet Tr. 24 ambs. Can move organic personnel.
Evac Hosp	8-232	47 52-N	318	10 per type army. Receives all classes of cases and prepares them for further evacuation by rail. May be used for definitive hospitalization in an emergency. Capacity: 750 patients, normally; 1,200 for not to exceed 3 days. Set up 12 to 30 miles from the front, on a road from the front and on a railroad to the rear. Sewage facilities are desirable. Minimum space requirements: Under tents: 200 x 200 yds. In buildings: 80,000 sq ft. ② Requires 4 to 6 hours to establish and 8 to 10 hours to dismantle, when empty. Has a small number of organic motor vehicles. Usually moves by rail. Movement requires 2/3 train, type A, or 184 truck tons for equipment only.
Surg Hosp	8–231	50 60-N	275	4 per type army. 1 per army in GHQ Res. Operates surgical hospital in front line div areas, but remains under army or corps control. Cares for nontransportable casualties only. Capacity 400 patients. Organized into a mobile self-contained surgical unit available for reinforcing any other medical unit within the army, and 2 hospitalization units (capacity 200 each), one or both of which or 1 hospitalization unit (less a ward section), can be established at one or more points as required.
Conv Hosp	8-233	28	189	1 per type army. Receives convalescents from evacuation hospitals. Capacity: 3,000 patients, normally; 5,000 for not to exceed one week. Set up in rear of army area on roads and a railroad, preferably near the army replacement pool. Sewage facilities are desirable. Minimum space requirements: Under tents: 540 x 300 yards. In buildings: 120,000 sq ft. ② Has small number of organic motor vehicles. Movement requires ½-train, type A, or 232 truck tons additional for equipment only.
Med Lab (Army or Com Z)	8-234	11	45	1 per type army. 1 per section of Com Z. When the Com Z is not organized in sections, laboratories are located as required by the health situation. Conducts epidemiological investigations, surveys, and studies, with necessary laboratory work, including water analysis. Has small number of organic motor vehicles. Movement requires 1/6 train, type A, or 5 truck tons additional for equipment only.
Med Sup Dep (Army or Com Z)	8-235	15	198	operates medical supply depot in the Com Z. Operates medical supply depots of the army and the Com Z. T/O provides personnel for necessary labor. Stockage of army depot is usually limited to items and quantities essential to maintain combat efficiency for not to exceed 3 days. Space requirements: under tents, 40 x 50 yards. The army depot is mobile; the Com Z depot is immobile. Movement (supplies not included) requires ½-train, type A, or 90 truck tons additional for equipment only.

MEDICAL UNITS (Continued):

1	2	3	4	5
Unit	T/O No.	0	EM	Remarks
Vet Evac Hosp	8-236	6	89	A GHQ unit. Capacity: 150 animals, normally; 300 in an emergency. Established within one days' march for animal casualites from division veterinary clearing or aid stations, preferably on or near a railroad to the rear. Minimum space requirements: under tents, 125 x 100 yards. Small number of organic motor vehicles. Usually moves by rail. Movement requires \(\frac{1}{4} \)-train, type A, or 9 truck tons for equipment only.
Vet Conv Hosp	8-237	10	253	A GHQ unit. Receives convalescents from veterinary evacuation hospitals. Capacity: 1,000 animals, normally; 2,000 in an emergency. Movement requires ½-train, type A, or 24 truck tons additional for equipment only.
Hosp Tn	8–506	4 6-N	35	Requirements based on length of haul and expected casualties. In general, 1 per division engaged will be required in the Theatre of Opns. Evacuates casualties from evacuation to general hospitals, between general hospitals, from general hospitals to the Z of I, and within the Z of I. Within the Theatre of Opns, the Medical Dept is charged with care and treatment of patients transported and general administration. Movement into combat zone and out of it controlled by Regulating Officer. Classification — (1) type train; 22 cars, 20-ton box type, superstructure altered to meet M D requirements, average capacity 300 patients; (2) Improvised: one hosp unit car, 1 baggage car and a variable number of pullman, tourist sleeper, or chair cars, depending on availability; average capacity 500 patients.
Gen Hosp	8–507	73 120-N	500	The number of general hospitals in the Com Z or the Z of I depends on the expected demand and the policy of evacuation from the Theatre of Opns to the Z of I. Receives patients from the combat zone or from other hospitals in the Com Z. Provides definitive hospitalization for all classes of cases. Capacity: 1,000 patients per general hospital. Always located on a railroad or water-way. In the Com Z or the Z of I, a number of general hospitals may be grouped to form a hospital center. The general hospital is not mobile. Minimum floor space requirements: 120,000 square feet. ② Has a small number of motor vehicles, including ambulances, to supply itself and to move a few patients. Weight of equipment: 142 tons. Cubage: 15,936 cubic feet.
Sta Hosp (Com Z)	8-503	20 30-N	150	Operates station hospital in the Com Z whenever the number of troops in the area justifies its establishments. Does not receive patients from combat zone. Capacity: 250 patients each. Can be doubled or tripled in strength and capacity. Minimum floor space requirements: 32,000 square feet. 2 Not mobile. Has a small number of motor vehicles, including ambulances, to supply itself and move a few patients. Weight of equipment: 57 tons. Cubage: 7,051 cubic feet.
Vet Gen Hosp	8–509	11	269	Receives patients from the combat zone or from other veterinary hospitals. Capacity: 500 animals, normally; 1,000 in an emergency. Located in the Com Z or the Z of I only. Not mobile. Has a small number of motor vehicles for its own supply service. Weight of equipment: 8-tons. Cubage: 895 cubic feet.

MEDICAL UNITS (Continued):

1	2	3	4	5			
Unit	T/O No.	0	EM	Remarks			
Vet Sta Hosp (Com Z)	8–560	4	78	Establishes veterinary station hospital in the Com Z when justified by the number of animals in the area. Does not receive patients from the combat zone. Capacity: 150 animals, normally; 300 in an emergency. Not mobile. Has a small number of motor vehicles for its own supply service. Weight of equipment: 25-tons. Cubage: 1,461 cubic feet.			
Hosp Center	8-551	46 1-WO 2-N	310	Furnishes the overhead for a hospital center of from 3 to 10 general hospitals. Includes a convalescent camp with a capacity of 1,000. Convalescent camps at hospital centers have normally a total bed capacity equal to 20% of that of the center. Not mobile. General hospitals in the center have no transport. The center has sufficient ambulances to move patients between hospitals. The center requires motor transport, bakery, military police, finance, signal, postal, and laundry personnel in numbers depending upon the size and location of the center.			
Aux Surgl Gp	8-512	128 70-N	127	Held in Com Z and teams sent forward when required. Reinforces surgical, evacuation, and general hospitals in times of stress by additional operating teams. The group has a total of 250 operating teams. Not mobile. Has a small number of motor vehicles for its own supply service and to move a few teams.			
Gen Dispens- ary	8-502	12	29				
Med Lab (Gen)	8-504	26	98	1 per Theater of Opns, if the size of the force in the theater justifies it. Conducts extensive epidemiological studies, researches, technical inspections and investigations. Manufactures biologics. Weight of equipment; 7-tons. Cubage: 345 cubic feet. Not mobile. Has sufficient transportation for its own supply service.			
Hq Med Serv (Com Z)	8-500-1	26 2-N	92	1 per Theater of Opns, if the size of the force in the theater and the organization of the Com Z justifies it. Provides overhead for administration of all medical activities in the Com Z. Not mobile. Must be attached for rations and quarters.			
Med Dept Concentra- tion Center	8–505	5	24	1 per Theater of Opns, if the size of the force in the theater justifies it. Provides overhead for administration in the Com Z of medical units held as GHQ Res, those withdrawn from armies for rehabilitation, and those arriving from the Z of I. Weight of equipment: ½-ton. Cubage: 284 cubic feet. Not mobile. Has sufficient motor transportation for the supply of the units stationed at the center.			
Vet Co (Sep) 8-99 7 184			184	1 per type army. Evacuates animal casualties to veterinary evacuation hospitals from division, corps, and army veterinary aid stations and veterianry clearing stations. 15 trks, 2½-ton with stock rack body; each has capacity for 6 horses.			

MEDICAL UNITS (Continued):

1	2	3	4	5
Unit	T/O No.	0.	EM	Remarks
Med Examining Unit (Avn)	8–141	6	14	GHQ Res. Examines flying personnel assigned to air bases as required. Not mobile. Has a small amount of motor transport for its own supply.


31. ORDNANCE UNITS:

1	2	3	4	5			
Unit	T/O No.	0	EM	Remarks			
Ord Co (Am)	9–17	6	180	6 per army ord am bn. 1 per type air force. 2 required i Com Z for each 15 days of supply for each type arm served. Co Hq; Depot office; 1 Magazine Plat; 1 Serv Pla Operates ammunition depots and ammunition suppl points. For data on labor requirements, see paragraph 3 (Army QM service.)			
Ord Co (Dep)	9–18	6	180	1 per type army. 1 per type air force. 1 required in Com Z for each 15 days of supply for each type army. Co Hq, Depot Office, 1 Storehouse Plat, 1 Serv Plat, 1 Guard and Labor Plat. Operates ordnance depot for general supplies. The total daily maintenance for a type army is about 150 tons. The company requires 20 truck tons of additional transportation, but no additional labor, for daily maintenance. 3 days of supply for a type army requires about 20,000 square feet of storage space, of which about 15% should be covered.			
Ord Co Air Base	9–167	4	60	1 per air base. Co Hq, Ord Sec, Maint & Gen Supply Sec, Am Sec, Airdrome Sec, 2 tractor cranes & trailers. 6 bomb trailers, 6 bomb service trucks, misc ord trks.			
Ord Co (Avn) (Bomb or Pursuit)	9–157	6	181	1 Co per air group. Co Hq; 1 airdrome sec per Hq and Hq Sq; 1 Airdrome Plat per Air Corps Sq as prescribed for unit served. 20 trks, bomb service; 40 trailers, bomb, misc trks.			
Ord Co (M Maint)	9–7	6	140	2 per army ordnance maint battalion. 3 per type corps. 1 per AA brig of 3 regts. 1 per inf div, square. 1 per cav div. 1 air district or type air force Operates ord repair section, air force depot. Hq & Sup Sec, Serv Sec, Arty & Automotive Sec, Armory Sec, Instrument Sec. In the Com Z, 4 or 5 companies are required normally for each type army; usually employed in shops. Maint & supply of unit to which assigned or attached. Equipment varied according to assignment. Completely mobile.			

ORDNANCE UNITS (Continued):


1	2	3	4	. 5	
Unit	T/O No.	0	EM	Remarks	
Ord Co (Hv Maint)	9-9	8	215	1 per army ordnance maintenance battalion. Companies allotted from GHQ Res to heavy artillery and tanks as quired. 2 are required normally in the Com Z for each tarmy, to operate shops. Maintenance beyond the capaities of medium maintenance companies. Operate artill and automotive repair centers. Usually established in ar area, near ordnance depot. The company can operate in field, but buildings with machine tools and foundry equipment greatly facilitate its operation. Completely mobile.	
Ord Co (Maint Ry) Arty)	9-47	4	87	1 per ry arty regt. Co Hq, Serv Plat each Ry Bn. Maintenance, repair, inspections.	
Ord Bn (Maint), Armd Div	9-65	21	406	1 per armored div. Bn Hq, 2 Ord Cos, each with Hq Section, Service Section, Arty & Automotive Section, and Armament Section.	
Ord Bn (Am)	9-15	44	1,121	2 per type army. Each battalion includes 6 Ord Cos (Am).	
Ord Bn (Maint & Supply)	9–115	33	705	1 per type army. 1 Ord Co (Hv Maint), 2 Ord Cos (M Maint), 1 Ord Co (Depot).	
Ord Bn (Maint) (Corps)	9–75	25	440	1 per type corps. Hq Det, 3 Ord Cos (M Maint).	

■ 32. QUARTERMASTER UNITS:



QUARTERMASTER BATTALION QUARTERMASTER UNITS: (Continued)

TRIANGULAR DIVISION & TRIANGULAR DIVISION (MOTORIZED)



56-Trailers, 1-ton 7-Comd & Ren 1 (atchd Med.)

6-Mtcls

1-Car

12-Tricycles

13-Pick-up

BN TOTALS

8-21/2-ton wreckers

4-4-ton wreckers 84-21/2-ton trucks

9-MG cal 30 light For 8-MG cal 30 train 81-Mifee cal 30 de 866-Pistols cal 45 fense

vehicles included.


Administrative

1540 yards 11 minutes

160 tons 40 men

ATCHD 3-10 L MAINT PLAT Motor Main-tenance 3d Echelon (machine shops) MAINT SEC 00 ю L MAINT PLAT QUARTERMASTER BATTALION CO (L-MAINT) 186 ODGW Wrecker Service ARMORED DIVISION WRECKER SEC -63 BN HQ Administrative vehicles excluded SUP PLAT Spare parts, unit assem-blies, acce-sories, tools, etc. 00 9 Cargo transporta-CO (TRK) 8-110 40 48 160 QUARTERMASTER UNITS: (Continued) COM PLAT Com Radio & Messenger 03 DIV SUP SEC HQ C0 12-138 BN SEC SERV PLAT Labor Rations gasoline, and water 40 Major Functions 1/2-ton Comd & Ren 21/2-ton wrecker 1-g-ton pick-up Cargo tonnage 4-ton wrecker 11/2-ton cargo 21/s-ton cargo Men for labor Trailer, 1-ton Road spaces DATA Time length Tricycle Mtcl Car 72

QUARTERMASTER SQUADRON



1	2	3	4	5				
Unit	T/O No.	0	EM	Remarks				
QM Bn (Serv)	10-65	15	912	EM. 4 QM Cos (Serv) per Bn, each 3-O and 224-EM Forms general labor pool for handling supplies. Average rate of work: ½-ton per man per hour for ten hours. Emtcls; 1 trk, ½-ton, comd; 5 trks, ½-ton, p/up; 20trks, 2½-ton, cargo, 21 trailer, 1-ton, cargo.				
QM Regt (Trk)	10–51	57	1,449	1 per type army. 3 QM Bns (Trk) per regt, each 15-O an 461-EM, 4 QM Cos (Trk) per Bn. Constitutes the nuclet of the army strategic transport pool and operates trucks fe general use in the army area or in the Com Z. Each battalic has 192 trucks with a total capacity of 480 tons (640 wit trailers). Each truck company has 48 trucks available fe general use. Gas and oil are available in the regiment for movement of 300 miles. 56 mtcls; 18 trks, ½-ton, come 43 trks, ½-ton, p/up; 620 trks, 1½ to 2½-ton, cargo; 1 tks, 2½-ton wrecker.				
QM Co (Trk)	10-57	3	110	8 per type air force. 2 per type corps. 4 per inf div (square) 1 per inf div (triangular or triangular, motorized). Co Hq; 2 Trk Plats. The company has 48 trucks available for general use.				
QM Bn (L Maint)	10-25	21	767	3 per type army. Hq & Hq Det, 4 QM Cos (L Maint). Per forms third echelon motor maintenance for all QM motor vehicles of the troop units of the army or Com Z. Suppling parts and accessories for motor vehicles. The battalion conserve 4,000 vehicles. 18 motorcycles; 5 trucks, ½-ton, com 21 trks, ½-ton, pick-up; 8 trks, 2½-ton wrecker; trks, 4-ton, wrecker, 86 trks, 2½-ton, cargo.				
QM Co (L Maint)	10-27	4	185	1 per type corps. 3 per type air force. 4 per QM Bn (L Maint), 1 per QM regt, infantry division (square). Performs third echelon motor maintenance. 4 tricycles; 1 truck, ½-ton, comd; 5 trucks, ½-ton, pick-up; 2 trucks, 2½-ton, wrecker; 4 trucks, 4-ton, wrecker; and 21 trucks, 2½-ton, cargo.				
QM Co (Car)	10-87	4	133	1 per type army. Furnishes passenger car transportation and motorcycle messengers for the headquarters served. 29 mtcls; 24 cars, pass; 29 trks, ½-ton, comd; 5 trks, ½-ton, pick-up; 6 Trks, ½-ton.				
QM Regt (Hv Maint)	10-41	61	3,141	Com Z units. Hq & Hq Det, 3 QM Bns (Hv Maint) with 3 QM Cos (Hv Maint) and 1 Depot Co, each. Operates unit repair, overhaul, reconstruction, and salvage shops for motor vehicles and motor transport supply depots. Each company and battalion is capable of operating alone. They can operate in the field without properly equipped shops but only at considerably reduced efficiency.				
QM Co (Serv)	10-67	3	224	2 per type corps. Labor pool. Hq & 2 Plats. 160 men available for labor. Capacity 800 tons per day.				

1	2	3	4	5				
Unit	T/O No.	0	EM	Remarks				
QM Co (Gas Sup)	10-77	2	117	1 per type corps. Co H & Trk Plat. Distributes gas & oil and operates corps, army, or GHQ filling station. Capacity: 15,700 gallons gas & 300 gallons oil in 10 gallon cans.				
QM Bn (Gas Sup)	10–75	10	480	per type army. Hq & Hq Det, 4 QM Cos (Gas Supply Capacity: 62,800 gallons of gasoline and 1,200 gallons oil, transported in 10-gallon cans. 9 mtcls; 9 trks, ½-toomd; 5 trks, ½-ton, pick-up; 105 trks, ½-ton, care				
QM Co (Dep-MT)	10-48	4	300	Assigned as needed. Storage and issue of motor transport supplies for first, second and third echelon maintenance of 3,000 vehicles. Tear-down and disposition of evacuated vehicles.				
QM Sq (Rmt)	10-95	28	718	A GHQ unit. Hq & Hq Det, 4 QM Trs (Rmt). Operates remount depots with a combined capacity of 1,600 animals. Each troop is capable of operating separately up to a 400 animal capacity. 6 mtcls; 13 trks, 1½-ton; 32 wagons, escort.				
QM Co (Dep)	10–227	4	148	1 per type army. 2 per type air force. Furnishes enlisted specialists for technical supply operations of QM depots. Labor and transportation must be furnished from QM service units. Normal requirements for labor and transportation: 1 QM company (truck) and 1 QM company (service). 1 mtel; 1 trk, ½-ton, pick-up; 3 trks, 2½-ton.				
QM Bn (Bkry)	10-145	25	654	Normally established in the Com Z, but may be attached to army or corps. Bn Hq; 4 QM Cos (Bkry), each with 5-O and 158-EM. Supplies fresh bread. Capacity up to 96,000 men. Each company is capable of operating alone. Can be set up for operation within 3 to 4 hours and can furnish bread within 12 hours after being supplied. Has no transportation for movement. 6 mtcls; 1 trk, ½-ton, comd; 13 trks, 1½-ton, cargo.				
QM Bn (Steriliza- tion and bath)	10–175	31	663	A GHQ unit. Hq & Hq Det; 4 QM Cos (Sterilization & Bath). Conducts delousing, bathing and the issue of clean underwear. Operating capacity: 10,000 men per 10-hour day. Transportation requirements for movement: Bn, 48 trucks, 2½-ton. Co: 12 trucks, 2½-ton. Capable of separate operation to include sections. (4 sections per Co). 5 mtcls; 7 trks, ½-ton; 25 trks, 1½-ton, with trailers; 48 trailers, supply and sterilization and bath, 3-5 ton.				
QM Bn (Ldry)	10–165	23	1,196	Normally established in Com Z. Hq & Hq Det; 4 QM Cos (Ldry), with 4 Plats each. Operating capacity up to 160,000 men per week. Capable of decentralized operation by platoons. Transportation for movement must be provided. 9 mtles; 6 trks, ½-ton; 21 trks, 1½-ton; 192 trailers, 5-9-ton, laundry.				

1	2	3	4	. 5			
Unit	T/O No.	0	EM	Remarks			
QM Co (Graves Reg)	10-297	5	125	A GHQ unit. Supervises and handles all mortuary matters but does not furnish required labor or transportation to cemeteries. Labor for grave digging is furnished by service units. Operating capacity; 1 platoon per combat division; 1 company per corps of three divisions. 5 mtcls; 1 trk, 1½-ton; 4 trks, ½-ton, pick-up.			
QM Co (Sales Com	10-157	4	201	A GHQ unit. Co Hq and 3 Plats of 4 Secs each. Approximate capacity: 10,000 sales per day per section. Provides and distributes sales articles. Transportation must be provided for sales articles.			
QM Co (Salv Coll) QM Co (Refrigera- tion)	10–187	6		A GHQ unit. Co Hq, 3 Plats of 2 sec each. Sections capable of independent operations. Collection, classification, and disposition of abandoned or waste material. Does not operate a repair plant. Operating capacity up to 75,000 men. Additional transportation required during active operations. 4 mtels; 4 trks, 1½-ton, cargo; 1 trk, ½-ton, p/up. A Com Z unit. Operates cold storage and ice-making plant. Capacity: Meat storage—2,500 tons. Ice-making—200 tons. Plant is not mobile. Must be constructed unless local facilities are available. 1 mtel; 2 trks, 1½-ton, cargo; 2 trks, ½-ton, pick-up.			
QM Co (Rhd)	10–197	3	100	A Com Z and Combat Z unit. Co Hq; 2 Plats. Operates all supply functions at a Class I railhead. The company commander commands the railhead served. Capacity to handle the requirements of 2 divisions.			
Embarkation Center Command		88	557	Furnishes overhead for administration, technical and supply functions of all services in connection with the reception, holding, supply and preparation of organizations for overseas movements. Does not operate ports. Requires labor, transportation, and hospitalization facilities.			
Port Hq	10-260-1	68 2-WO	383	Furnishes overhead for administration, technical, and supply functions of all supply services in connection with the operation of ports of embarkation or debarkation. Necessary labor by civilians, QM service units, or port battalions must be provided in proportion to the amount of supplies handled.			
QM Bn (Port)	10-265	19	870	Bn Hq & Hq Det, 4 QM Cos (Port). Provides skilled labor for loading or unloading of vessels at ports. Unloading capacity: 6,000 ship-tons per day. Other labor is required to handle cargo to and from the pier or transit sheds.			
QM Co (Mo- bile Shoe & Textile Rep)	10-237	3	199	A GHQ unit. Capacity: Daily repair expectancies from 48,00 men.			
Hq, QM Salv Dep	10–250	13	193	Provides overhead for quartermaster salvage depot.			
Hq, MT Serv	10-500-1	26 3—WO		A GHQ unit. Transports supplies, including ammunition; moves troops by motor transport; 3d and 4th echelon maintenance of vehicles.			

1	2	3	4	5
Unit	T/O No.	0	EM	Remarks
Hq Co, MT Serv	10-500-2	3	131	A GHQ unit. Provides, administers, and maintains enlisted personnel, including operation of officers' mess for headquarters, motor transport service.
Utilities				Utility units for the operation of shoe repair shops, salvage plants, paint shops, carpenter shops, fire protection stations, baggage collecting depots, and other utilities are improvised as required.

33. SIGNAL UNITS.

1	2	3	4	5			
Unit	T/O No.	0	EM	Remarks			
Sig Bn (Construc- tion)	11-25	17	533	2 per type army. Hq & Hq Co, 2 Sig Cos (Construction). 16 trks, ½-ton; 18 trks, 1½-ton, cargo; 9 trks, 2½-ton, cargo; 32 trks, 1½-ton, telephone construction.			
Sig Co Dep	11–107	15	127	1 per GHQ. 1 per type army. Not mobile. 1 trk, ½-ton, cmd & rcn; 3 trks, ½-ton; 2 trks, 1½-ton.			
Sig Serv, GHQ	11-300-1 11-18 11-25 11-77 11-107	64 9 17 7 5		1 Hq, GHQ Sig Serv. 2 or more Opn Co. 1 or more Sig Bn, Cons. 1 or more Rad Int Co. 1 Sig Co, Dep. 1 Sig Photo Lab, GHQ Res. The number of units in the service will depend upon the organization of the Theater of Operations and its requirements for signal communication.			
Sig Bn	11–15	23	553	1 per type corps. H & Hq Co, 1 Construction Company, Operation Company. Transportation for construction an operating cos furnished by Hq Co,			
Sig Co, Photo	11-37	17	146	1 per type army. 1 Co Hq & Supply, 1 Laboratory Unit, 3 Corps Assignment Units, 9 Division Assignment Units, 2 Identifica- tion Units, 2 General Assignment Units (news type, sound).			
Sig Co, Pigeon	11-39	8	134	1 per type army. Hq Platoon and 3 Corps Platoons. Pigeons will be distributed to mobile lofts as required. Number computed on basis of 60 per mobile loft, plus 25 percent reserve. 24 mobile lofts, 1800 pigeons.			
Sig Co, Radio Int	11-77	7	215	1 per type army. Hq Platoon of administrative section, supply and transportation section, and intercept section and 3 oper- ating platoons each of a control section, an intercept section, and a position finding section.			
Sig Co, Repair	11-127	6	172	1 per air force; 1 GHQ Reserve.			

SIGNAL UNITS (Continued):

1	2	3	4	6			
Unit	T/O No.	0	EM	Remarks			
Hq Co, Army Sig Serv	11-200-1	16	64	1 per type army. Transport furnished from transportation pool at army headquarters.			
Sig Serv GHQ Avn	11-217 11-227 11-247 11-237 11-297 11-147 11-157	6 11 3 1 4 8	283 79	 Signal Co, Aviation, per GHQ Aviation and 1 per Air Force. Signal Co, Maint, Aviation, per Air Force. Signal Co, Air Wing, per Wing Hq. Signal Platoon, Air Base, per Air Base. Signal Section, Air Corps Depot, per air corps group, air depot. Signal Co, Operation, Aircraft Warning, per interceptor command. Signal Co, Aircraft Warning, per interceptor command. 			

■ 34. AIR CORPS UNITS:

Unit	T/O	0	EM	AP	Remarks
Air Base Group	1-411	42	658	6 SE	1 per field air base and air force depot. May be reinforced by one or more Materiel Squadrons. Depot may also be reinforced by additional Air Base Groups. Provide personnel and equipment to reinforce permanent Air Bases when serving an Air Force; establish and operate Field Air Bases and Air Force Depots. Perform 2d echelon Air Corps maintenance. Contains: Hq & Hq Sqdn, Air Base Gp, 1 Air Base Sqdn, 1 Materiel Sqdn. Air Base Squadron is non-mobile; is detached if Group is ordered into the field.
Hq & Hq Sqdn, Air Base Group	1-412	23	225	0	Operates all transportation in the Group, including vehicles assigned to Materiel Squadron. Has three ½-ton trucks for instrument landing.
Air Base Squadron	1-417	7	118	3 SE	Contains administrative overhead required to supplement the Corps Area Service Command troops at each permanent air base. Non-mobile unit.
Materiel Squadron	1-413	12	315	3 SE	Operates 5 DP sections based on 1 Hdqrs Sq 1 Reconn Sq 3 Combat Sqda Each DP section consists of 1 officer 18 enlisted men.

Chapter 2 TROOP MOVEMENTS

SECTION I.	General	35-53
II.	Infantry Division (Square)	54-58
III.	Infantry Division (Triangular)	59-64
IV.	Cavalry Division (Horse)	65-66
V.	Armored Division and GHQ Tanks	67

SECTION I

GENERAL


- 35. TROOP MOVEMENTS; INTRODUCTION.—a. Basic road spaces.—Troop movement data shown in basic tables of road spaces, rates and lengths of marches, and time-lengths of motor columns are averages from field experience.
- b. Examples.—The examples of tables of road spaces, troop movements by motor transport, and movements by rail for various types of divisions are based on Tables of Organization strength and are included as guides for the preparation of similar tables for units in the field. Tables for field use must conform to the variations of strength of units and the amount of transportation and equipment available. Regiments, separate battalions, and similar units should maintain tables showing road space requirements of their units based on actual strength and material on hand. Reports of subordinate units form the basis for tables of large units. However, a table based on actual strength of men and material may be worthless without proper evaluation of the weather, road conditions, hostile air or mechanized threats, or other variable factors affecting the troop movement. These basic figures are capable of great increase or decrease under extremes of the variable factors.
- 36. Basic Road Spaces.—The following values apply in computing road spaces except when greater dispersion is desired to reduce the effect of unfavorable factors mentioned in par. 35 b above:

a. Foot troops, (at halt or marching): a	** *
In column of twos, per man	Yards
In columns of threes, per man	8
In columns of fours, per man	
b. Animal elements, (at halt or marching): a	
C	Vando
Cavalry:	Yards
In column of fours, per anl	1.0
In column of fours, per anl In column of twos, per anl Single file, per anl	1.0 2.0 4.0
In column of fours, per anl In column of twos, per anl	1.0 2.0 4.0 1.5

FA,HD:		
	Per animal	3
c. Motor	elements, (at halt) b c	
	Bicycle	4
	Car, motor	7
	Mecz rcn vehicles	
	Motorcycle (solo or w/s/c)	
	Truck: ½ to 3-ton incl	
	1/2 to 3-ton incl, with cargo tlr, or weapon in	
	Over 3-tonOver 3-ton, with cargo tlr or weapon in tow _	
Thus	etor:	
1 ra	L or M	E
Tan		
	L or M	8
Oth	er mechanized vehicles:	
	including personnel carrier, combat car, an	d
	mortar carrier	10
Average	per vehicle for a mixed column of various type	es10
an time land	NOTES th of foot and animal elements in column see par. 37.	
or road space	th of 1000 and animal elements in column see par. 37. les for motor elements at various speeds see pars. 48 and th of motor columns at various speeds see pars. 48 and	d 49. 50.
d. Uses	of tables:	
(1)	A battalion of infantry with 800 men marchi	ing in column o
	threes: 800 x .8 (see a . above) = 640 yards	road space.
(2)	A regiment of cavalry with 1,200 animals in o	
4=4	$1,200 \times 1.5$ (see b. above) = 1,800 yards road	_
(3)	A battalion of field artillery, horse drawn,	
(4)	animals: 400×3 (see b. above) = 1,200 yard	is road space.
(4)	A mixed motor column consisting of: 20 motorcycles @ 5 yards each (see c above)	100 wanda
	30 mecz rcn vehicles @ 10 yards each	
	100 trucks (1½-ton) @ 10 yards each	1,000 yards
	50 trucks (2½-ton) with trailers @ 14	a, ou jaras
	yards each	700 yards
	40 tanks (M) @ 8 yards each	320 yards
		2,420 yards
Alte	rnate solution: (see c above)	
	240 vehicles (mixed) @ 10 yards each	2,400 yards

■ 37. AVERAGE TIME LENGTHS OF CAVALRY, MEN ON FOOT, AND ANIMAL-DRAWN FIELD ARTILLERY COLUMNS.

Figure 4



NOTES

This chart applies to columns of foot and animal elements.

This chart gives average time-length. Actual time-length may vary considerably, depending on conditions.

To use chart:

Determine the number of men on foot or animals in the column.

Locate this figure in vertical scale on left of chart.

Follow horizontal line to right to intersection with diagonal line indicating the proper foot or animal column and rate of travel.

From this intersection follow vertical line down to horizontal scale.

Read on horizontal scale average time-length of the column.

38. RATES AND LENGTHS OF MARCHES; FOOT, ANIMAL, AND MOTOR ELEMENTS. (i) —a. The following rates and lengths of marches are based upon modern vehicles, trained personnel, and favorable conditions of roads and weather:

-							
	1	2	3	4	5	6 ②	7
			Average rates of (mph)	march		Lengths of March (average)	
1	Unit		In roads	Across country		On roads (miles per	Remarks
		Day	Night	Day	Night	day)	
)				
2	Foot trs	$2\frac{1}{2}$	2	1½	1	for a division 15-20 for smaller units	Length of march increased with well seasoned tr marching on good road in favorable weather when required by the tactical situation. ②
			ARTIL	LERY	3		
3	Horse-drawn	31/2	3	3	2	20	
4	Pack (less motor elements)	31/2	3	3	2	20	
5	Trk-d, L & AA	25	25 (lights) 10 (no lights)	8	5	175	
6	Trk-d, M, how	20	20 (lights) 10 (no lights)	8	5	140	
7	Trk-d, Hv	15	15 (lights) 10 (no lights)	8	5	100	
8	Trac-d, Hv	5	5	3	2	40	
		1	CA	VALR	Y		
9	Anl elements	6	5	5	4	35	Under conditions required ing maneuver, these rates may be increased
10	Cars, armored or scout	35	35 (lights) 10 (no lights)	10	5	200	

ARMORED

11	Tks, L & M (units under own power)	25	25 (lights) 10 (no lights)	15	5	150	Convertible medium tanks move off hard-surfaced roads on tracks only.
			MISCE	LLANE	Eous]	
12	Anl-d tns	31/2	3	11/2	1	20	
13	Trks, ambs, mtz units (except M & Hv arty)	25	25 (lights) 10 (no lights)	8	5	175	
14	Cars, passenger	35	35 (lights) 10 (no lights)	8	5	250	

NOTES

- ① The rate of march of a column composed of elements with different rates of march is regulated by that of the slowest element.
- (2) Greater distances than those given in column 6 may be covered under forced march conditions. (See paragraph 39.)
- (1) Horse artillery marches at the rates of horse cavalry (line 9).
- A Rates shown apply primarily to movement in close column, and may be increased for small commands under favorable conditions, or for movement in open column.
- (3) For movement over mountainous terrain, an additional allowance of 1 hour should be made for each 1,000 feet of climb.
- b. Marches in snow and extreme cold.—(1) Foot troops marching in snow without snowshoes or skis will have their mobility decreased. The decrease of mobility will depend on several factors, among which are depth and nature of the snow. Normally, snow of a depth of 24 inches or more will prohibit marching unless skis or snowshoes are used.

For especially equipped and adequately trained troops, the following rates of march are practicable:

Snowshoes	11/2 to 2	1/2 miles	per hours
Skis	11/2 to	31/2 mile	s per hour

Under favorable conditions the foregoing may be materially increased. Small bodies of well trained troops are capable of moving on skis 40 miles a day, under favorable conditions.

- (2) Dog teams.—Average dog teams of 7 dogs and hauling a 500-pound load are capable of moving 5 to 7 miles per hour for 6 to 7 hours daily; an average day's march being approximately 30 miles.
 - (3) Motor movement (wheel) in snow:


Depth of snow	
(inches)	Measures required for movement
3	None
6	Rear chains
6-18Chains all-aro	und; and special tractor devices
on leading v	vehicle (to break the trail)
18 and over	Snow plow required

- 39. FORCED MARCHES; FOOT AND ANIMAL ELEMENTS.—a. Seasoned troops and animals when well rested at the beginning of the march, with good weather and good roads, are capable of reaching their destination physically fit to engage in combat after making forced marches as indicated on the following graph:
- b. Examples of use of graph.—Assume it is desired to start a column of foot troops at daylight and accomplish a march of 33 miles. The graph shows that this distance will require a minimum elapsed time of $22\frac{1}{2}$ hours. Such a march might be divided as follows:

First stage, 18 miles. (The time required for this stage	
is taken from the graph as 9 hours, this time being	
adjusted for somewhat increased short rest periods	
and for possible diminution in march rates during	
the latter part of the march.) 9 hou	rs
A long rest halt of 6 hour	rs
Second stage, 15 miles. (This is a normal stage and is	
calculated at normal march rates for the existing	
conditions of light or darkness. In this case it would	
be a night march.) $7\frac{1}{2}$ hou	rs
Total time required22½ hou	rs

If, for example, a long rest halt of 8 hours is to be taken, the time required for the march would have been $24\frac{1}{2}$ hours.

Figure 5



- 40. MOVEMENT BY RAIL; BASIC DATA.—a. Speed of railway trains.—The average speed of military railway trains is approximately 20 miles per hour.
- b. Time of loading and unloading.—Allow 3 hours for loading or unloading standard type troop trains and other trains carrying artillery, motorized units, and cavalry units. When only foot elements of a unit move by rail and other elements of the unit move overland, allow one-half hour for loading and one-half hour for unloading.
- c. Train densities.—Train densities on single and multiple track railroads will vary greatly depending on the condition of track, number of passing sidings, terminal facilities, available rolling stock, and the like. At the average speed of 20 miles per hour, maximum train densities may be estimated as follows:

One track with two-way traffic __ 20 trains per 24 hours in each direction One track with one-way traffic ___ 60 trains per 24 hours Two tracks with two-way traffic ___ 60 trains per 24 hours in each direction Two tracks with one-way traffic ___ 80 trains per 24 hours in each direction Three tracks with two-way traffic ___ 80 trains per 24 hours in each direction Three tracks with one-way traffic ___ 180 trains per 24 hours Four tracks with two-way traffic ___ 120 trains per 24 hours in each direction Four tracks with one-way traffic ___ 240 trains per 24 hours

- d. Railroad officials should be consulted for accurate information as to train densities and speeds of trains possible for a rail movement.
- 41. Types and Composition of Railway Trains.—a. Composition of railway trains, grouped for planning purposes, used for troop movements in the combat zone is as follows:

1	2	3	4	5	6	7	8		
Type			Compos	Composition ①					
Of Train	Pullman	Coach	Box 2 5	Flat	Stock	Caboose 3	Number of Cars		
A	1	11	4	18		(1)	34		
B	1	6	4	23	***************	(1)	34		
C	6	22	6			(1)	34		
D(1)	1	5	2	26	**************	(1)	34		
Е	1	5	3		25	(1)	34		

NOTES

- ① The above table contemplates the use of standard railroad equipment. Standard trains of specially constructed light equipment may also be prescribed in the theater of operations.
- (2) Includes one combination kitchen-supply car per company.
 (3) For train crew, not required when coaches are used.
- (4) For movement of armored units when wheel vehicles and certain personnel, march separately. Personnel with this type train includes 2 men per vehicle.
- (5) Baggage cars may be used.

b. In the zone of the interior, standard passenger coaches or sleepers will generally be used for transporting personnel (paragraph 42).

■ 42. a.—Passenger Capacity Table for Standard U. S. Coaches:

1	2	3	4
Item	Day coach	Tourist sleeper	Standard sleeper ②
Length in feet	65 to 75 None 60 to 70 45 to 48 None None None	65 to 75 13 to 16 52 to 64 39 to 48 52 to 64 39 to 48 26 to 32	65 to 80 12 to 16 53 to 64 40 to 48 53 to 64 40 to 48 27 to 32

Limited number steel coaches, 70 feet long or over, available.
 Standard sleeper — 12 sections and drawing room or 16 sections and no drawing room.
 Double seat — a seat having the capacity of 2 men.

b. DIMENSIONS AND CAPACITIES OF CARS:

1	2	3	4	5	6	7	8	9	
		Cap	acity			Dimensi	ons in fee	t (inside)	
Type of car	Tons	Men (8 sq ft per man & equip)	Animals L-draft at 22'' average width	Cubic feet	Weight empty in tons	Length	Width	Height	
Military: Box	20 20	40 5,000 g	13 allons		12 10 14 13	24.2 24.4 22.1 20.6	8 8 6.4 d	8.8 3.3 iameter 7.0	
Typical commercial: ① Box	30 40 50 40	38 43 43	20 22 22 22	2,750 3,100 3,100	18 20 24 18	36 40.5 40.5 40.0	8.5 8.5 8.5 9.0	9 9 9	
StockGondola	50 70 30 40 50	**************************************	0.0	2,625 2,625 1,570	20 25 20 22 22 22	45 50 36 36 40	9.0 9.0 8.5 8.5 9.9	8.5 8.5 4	
Automobile	70 40 50	45 53	22 27	1,920 3,100 3,850	25 20 25	48 40.5 50.5	10.0 8.5 8.5	9 9	
Refrigerator	40		allons		20 24 28 30 45 20	33 33 40.5 40.5 60 27.5		iameter iameter 7.2 7.5 8 7	

NOTES

- ① There are no standard dimensions of commercial cars. The figures given are for some types in common use. (The 40-ton stock car comes in 32 lengths varying from 35' 7" to 41' 10". All types have similar variations in capacity and all dimensions.)
- 2 Ice capacity, 4 tons.3 Ice capacity, 5 tons.

43. MAXIMUM BULK LOADING FOR FREIGHT CARS: STANDARD GAUGE RAILWAY:

1	2	3	4	1	2	3	4
Rated capacity of cars in tons	30	40	50	Rated capacity of cars in tons	30	40	50
Items		ual capa ears in t		Items		ual cape	
Ammunition	30	40	50	Motor vehicle parts	24	28	40
Barbed wire	30	40	50	Oats		24	30
Blankets, baled	27	32	40	Rails		40	50
Bread	19	24	30	Rifles, in chests		40	50
Canned goods, boxes	30	36	45	Sand	30	40	50
Cement	30	40	50	Sandbags		24	30
Clothing, baled	27	32	40	Stone, any form		40	50
Flour	30	40	50	Sugar		40	50
Gravel	30	40	50	Telephone wire	30	40	50
Harness and saddlery	18	20	30	Tentage		20	30
Hay, baled	15	20	25	Ties, railroad		26	32
ron, corrugated	30	40	50	Tools, engineer		40	50
Meat	15	24	35	Tools, truck		40	50

NOTES

A rated capacity of a car in tons does not mean that this rated tonnage of all articles can be carried. This table shows the tonnage of military freight which can be carried in freight cars of common rated capacities.

44. RAILWAY CAR SPACE REQUIREMENTS:

The following space requirements are used as a basis for computing car requirements for movements by rail.

The figures shown give the car space requirements of items of equipment and transport. The length of flat cars is assumed to be 40 feet.

		Inches of
		car space
		required
1/0	FLAT CAR:	
70	Motorcycle with side car	94
	Twiczele with side car	077
	Tricycle, motor	91
37	FLAT CAR:	
74		400
	Tractor, light	108
17	To a Cara	
78	FLAT CAR:	
	Caisson and limber, 75-mm gun or howitzer	160
	Cart and reel, artillery, 6-horse	160
	Cart and reel, artillery, 6-horseGun, 37-mm, A.T.	160
	Gun, 75-mm, with or without limber	160
	Trailer, 2-wheel, 1-Ton Cargo	
	Tractor, medium	
	Trailer water 250 coller	100
	Trailer, water, 250-gallon	140
	Wagon, mountain, 4-horse	146

Inches of car space required 1/2 FLAT CAR: Ambulance, field, motor _____225 Car, light, passenger _____188 Car, medium, passenger _____208

 Car, medium, passenger
 208

 Car, scout
 201

 Carrier, 81-mm, half-track
 192

 Compressor, air, motorized, 1½-ton
 225

 Reel, battery, 4-horse
 198

 Gun, 37-mm, A.A.
 183

 Gun, 75-mm, A.T.
 239

 Howitzer, 105-mm
 236

 Locator, sound, trailer, mounted
 210

 Tank light
 175

 Locator, sound, trailer, mounted 210
Tank, light 175
Tank, medium 216
Tractor, heavy, 10-ton, artillery 191
Trailer, command post, 2-wheel 240
Trailer, cargo, 4-wheel 204
Truck, artillery repair 190
Truck, automotive repair 240
Truck communications 146-ton 234 Truck, communications, 1½-ton _____234

 Truck, communications, 1½-ton
 234

 Truck, cargo, 1½-ton
 234

 Truck, dump, 1½-ton
 234

 Truck, ½-ton, command
 190

 Truck, emergency repair
 190

 Truck, kitchen, 1½-ton
 234

 Truck, machine shop
 240

 Truck, panel delivery
 234

 Truck, panel delivery
 234

 Truck, panel delivery
 191

 Truck, panel delivery
 234

 Truck, pick-up, ½-ton
 191

 Truck, pick-up, 1½-ton
 234

 Truck, reconnaissance, 8-passenger
 195

 Truck, reconnaissance, 12-passenger
 224

 Truck, small-arms repair
 240

 Truck, spare parts
 240

 Truck, tank, 500-gallon
 240

 Truck, tank, 500-gallon
 240
 Truck, tool and bench _____240 Truck, welding _____240 Searchlight, 60-inch, mobile _____263

 Searchingth, 00-inch, mobile
 250

 Shovel, gasoline, motorized 7½-ton
 270

 Shovel, gasoline, motorized, 15-ton
 304

 Truck, 1½-ton, 15-foot special body
 260

 Truck, cargo, 2½-ton
 257

 Truck, 4-ton, cargo
 244

 Truck, 4-ton, cargo
 244

 Truck, 5-ton, cargo-dump
 275

 Truck, 5-ton, wrecking
 344

 Truck, 7½-ton, prime mover
 284

 Truck, 10-ton, wrecker
 290

 Water purification unit
 258

■ 45. THE FOLLOWING RULES GOVERN THE LOADING OF MECHANIZED AND MOTORIZED ARMY EQUIPMENT ON OPEN TOP CARS.—Conforms to requirements of the Association of American Railroads.

PREFACE

These rules have been formulated for the purpose of providing uniform and safe methods of loading equipment pertaining to the mechanized and

motorized units of the United States Armed Forces on open top cars, and the materials specified under the various figures are minimum requirements.

The loading of units for which no definite figure has been provided, should conform as nearly as possible to the best example that can be derived from the figures shown.

In the loading, the hazards connected with high speed, multiple track railroads, tunnels, electrical conductors and the necessity of protecting human life and property should be borne in mind, and every effort made to properly and safely secure all loading before offering it to the railroads for movement.

- a. General Rules.—(1) Selection and Preparation of Car.—Cars must be inpected to see that they are suitable to carry loads safely to destination. Cars should have good sound floors, and all loose nails or other projections not an integral part of the car, should be removed. Nails, bolts, etc., necessary in car construction, when loose, should be made tight rather than removed.
- (2) Brake Wheel Clearance.—See Figure 6. Note minimum clearances.
- (3) Maximum Load Weights.—In determining the maximum weight of load, the following shall govern, except where load weight limit has been reduced by the car owner.

Marked capacity of car	Total weight of car and load	Load weight
40,000 pounds	66,000 pounds	. 66,000 pounds, less light weight of car
60,000 pounds	103,000 pounds	.103,000 pounds, less light weight of car
80,000 pounds	136,000 pounds	.136,000 pounds, less light weight of car
100,000 pounds	169,000 pounds	.169,000 pounds, less light weight of car
140,000 pounds		.210,000 pounds, less light weitgh of car
200,000 pounds	251,000 pounds	.251,000 pounds, less light weight of car
	10	

ALCENTAGE AND	
Capacity of car100	,000 pounds
Total weight of car and load169	,000 pounds
	,000 pounds
	,000 pounds

Load must be placed on the car so that there will not be more weight on one side of the car than on the other. One truck of the carrying car must not carry more than one-half of the load weight.


(4) Idler Cars—to be used as follows:

- (a) When load projected beyond end sill of carrying car.
- (b) When idler car is used, 4 in. clearance must be maintained below overhang portion of load and any part of idler car.
- (c) When idler car is used, space on the idler may be utilized for loading provided, the ends of such material are located not less than 2 ft. from ends of overhanging portions.
- (5) Clearing Limits.—The height and width of load must be within the clearance limits of the railroads over which it is to be moved. Army and Railroad officials must check on clearances prior to each move.
- (6) Stakes, Braces, Blocks, Cleats, Wedges.—Such items must be of hardwood, fir, spruce, or long leaf yellow pine, straight grained and free from impairing knots.

- (7) Wire.—Wire used for securing loads should be No. 8 Ga. black annealed wire.
- (8) Nails.—The following sizes of nails are specified throughout the various figures:

20-d (4 inches.) 40-d (5 inches.)

- (9) Fuel in Tanks of Individual Units.—Paragraph 105, Interstate Commerce Commission Regulations. "Automobiles, motorcycles, tractors, or other self propelled vehicles, equipped with acetylene gas cylinders or gasoline or other fuel tanks are exempt from specification packaging and labeling requirements providing such cylinders and tanks are securely closed. When offered for transportation by carriers by rail or highway, drainage of fuel tanks is not required. When offered for transportation by rail express, fuel tanks must have been drained and securely closed."
- (10) Brakes on Individual Units.—All pieces of equipment which are provided with brakes, must have the brakes applied before moving over the railroads.



BRAKE WHEEL CLEARANCE

Item


A 6 in. clearance in back, on both sides of, and above brake wheel.

Brake wheel clearance should be increased as much as consistent with proper location of load

(11) Minimum Requirements for Securing Light and Medium Tanks.


—Flat, or Drop End Gondola Cars. See Fig. 7.

Item	No. of Pcs.	Description.
A B	4	Brake wheel clearance. See Fig. 6. 6 in. x 8 in. x 24 in. blocks, (pattern 3), cut to fit contour of crawler tread. Nail heel of block to car floor with five 40-D nails and toe-nail that portion under crawler tread to car floor with two 40-D nails. Not required when Items "F" and "G" are used.
С	$\begin{array}{c} 4\\ \text{for}\\ \text{light tanks.}\\ 6\\ \text{for}\\ \text{medium tanks.} \end{array}$	2 in. x 4 in. x 36 in. cleats, (pattern 2). May be applied inside or outside of crawler tread. Medium tanks, oak stays aprox. 3' long should be placed in the cleats on the side of flat cars and the 2 x 4 placed on edge and nailed down inside of upright. Nail each to car floor with three 40-D nails.
D		VACANT.
		VACANT.
E F	2	6 in. x 8 in. timbers, (pattern 4), length not less than overall width of vehicle at car floor, chamfered 2 in. at point of contact with crawler tread. Apply as shown in sketch 3 and secure to prevent displacement. Not required when Items "B" are used.
G	8	2 in. x 4 in. x 12 in. cleats, (pattern 1). Locate against Items "F", lengthwise of car, at center of crawler tread. Nail lower piece to car floor with three 40-D nails and top piece to the one below with three 40-D nails. Not required when Items "B" are used.
Н	each inside bogie wheel. (Required for light tanks only)	4 strands, 2 wrappings, No. 8 Ga. black annealed wire. Secure around axle of each inside bogic wheel and to nearest stake pocket, tightening only enough to remove slack. Not required when loaded in gondola cars.




(12) Minimum Requirements for Securing Half Tracks.—Flat, or Drop End Gondola Cars. See Fig. 8.

Item	No. of Pcs.	Description.
A B	4	Brake wheel clearance. See Fig. 6. 6 in. x 8 in. x 24 in. blocks, (pattern 3), cut to fit contour of crawler tread. Nail heel of block to car floor with five 40-D nails and toe-nail that portion under crawler tread to car floor wiith two 40-D nails. Not required when Items "F" and "G" are used.
C	2	2 in. x 4 in. x 36 in. cleats, (pattern 2). Nail to car floor with three 40-D nails.
D	4	6 in. x 8 in. x 24 in. blocks, (pattern 3). Height at point of contact with tire must be not less than 4 in. from car ffoor. Locate in front and rear of wheels. Nail heel of block to car floor with three 40-D nails and toe-nail that portion under tire to car floor with two 40-D nails before Items "E" are applied. Not required when Items "F" and "G" are used.
E	with Items "D" with	2 in. x 4 in. x 36 in. cleats, (pattern 2). Nail lower piece to car floor with three 40-D nails and top piece to the one below with three 40-D nails. May be nailed to top of Items "F", if used, in which case only one is required at each location.
F	Items "F" 4	6 in. x 8 in. timbers, (pattern 4), length not less than overall width of vehicle at car floor, chamfered 2 in. at point of contact with tires and crawler treads. Apply as shown in sketch 2 and secure to prevent displacement. Not required when Items "B" and "D" are used.
G	16	2 in. x 4 in. x 12 in. cleats, (pattern 1. Locate against Items "F", lengthwise of car, at center line of tire or crawler tread. Nail lower piece to car floor with three 40-D nails and top piece to the one below with three 40-D nails. Not required when Items "B" and "D" are used.
H	4	4 strands, 2 wrappings, No. 8 Ga. black annealed wire. Pass front wires through spokes, or holes in disc wheels and through stake pockets. Pass rear wires between equalizer and gudeon (above springs) and attach to nearest stake pocket. Tighten all wires only enough to remove slack. Not required when loaded in gondola cars.




(13) Minimum Requirements for Securing Four Wheel Trucks and Passenger Cars, (Single or Dual Wheels).—Flat, or Drop End Gondola Cars. See Fig. 9.

Item	No. of Pcs.	Description.
A B		Brake wheel clearance. See Fig. 6. VACANT.
C		VACANT.
D	8	6 in. x 8 in. x 24 in. blocks, (pattern 3). Height at point of contact with tire must be not less than 4 in. from car floor. Locate in front and rear of outside wheels. Nail heel of block to car floor with three 40-D nails and toe-nail that portion under tire to car floor with two 40-D nails before Items "E" are applied. Not required when Items "F" and "G" are used.
E	8	2 in. x 4 in. x 36 in. cleats, (pattern 2). Nail lower
	with "The "The "The "The "The "The "The "Th	piece to car floor with three 40-D nails and top piece
	Items "D"	to the one below with three 40-D nails. May be nailed to top of Items "F", if used, in which case only one
	with	is required at each location.
F	Items "F"	f in = 8 in timbers (nottorn 4) length not less than
L	4	6 in. x 8 in. timbers, (pattern 4), length not less than overall width of vehicle at car floor, chamfered 2 in.
		at point of contact with tires. Apply as shown in sketch 2 and secure to prevent displacement. Not required when Items "D" are used.
G	16	2 in. x 4 in. x 12 in. cleats, (pattern 1). Locate against Items "F", lengthwise of car, at center line of tire. Nail lower piece to car floor with three 40-D nails and top piece to the one below with three 40-D nails. Not required when Items "D" are used.
H	4	4 strands, 2 wrappings, No. 8 Ga. black annealed wire. Pass through spokes, or holes in disc wheels and through stake pockets, tightening only enough to remove slack. Not required when loaded in gon-
J	4	dola cars. 2 in. x 4 in. x 36 in. cleats, (pattern 2), nailed to floor,
J.	4	lengthwise of car, with six 40 -D nails.
	Required for passenger cars only	
K	4	4 strands, 2 wrappings, No. 8 Ga. black annealed
	Required for passenger cars only	wire. Pass underneath Items "J", and over top of bumper spring. After passenger car springs have been compressed as much as possible, bring both ends of wire together and twist tie with rod or bolt. See
	70 1 11	sketch 3.




(14) Minimum Requirements for Securing Six Wheel Trucks (Single or Dual Wheels).—Flat, or Drop End Gondola Cars. See Fig. 10.

Item	No. of Pcs.	Description.
A		Brake wheel clearance. See Fig. 6.
В		VACANT.
C		VACANT.
D	8	6 in. x 8 in. x 24 in. block, (pattern 3). Height at point of contact with tire must be not less than 4 in. from car floor. Locate in front and rear of front wheels, in front of outside intermediate wheels and in back of outside rear wheels. Nail heel of block to car floor with three 40-D nails and toe-nail that portion under tire to car floor with two 40-D nails before Items "E" are applied. Not required when Items "F" and "G" are used.
B	4	2 in. x 4 in. x 36 in. cleats, (pattern 2). Nail lower
	for front wheels.	piece to car floor with three 40-D nails and top piece to the one below with three 40-D nails. They may, if of
	8	sufficient length, be nailed to top of Items "F", when
	for rear wheels.	used, in which case only one is required at each location.
F	4	6 in. x 8 in. timbers, (pattern 4), length not less than overall width of vehicle at car floor, chamfered 2 in. at point of contact with tires. Apply as shown in sketch 2 and secure to prevent displacement. Not re-
G	16	quired when Items "D" are used.
G	10	2 in. x 4 in. x 12 in. cleats, (pattern 1). Locate against Items "F", lengthwise of car, at center line of tire. Nail lower piece to car floor with three 40-D nails and top piece to the one below with three 40-D nails. Not required when Items "D" are used.
H	6	4 strands, 2 wrappings, No. 8 Ga. black annealed wire. Pass through spokes, or holes in disc wheels and through stake pockets, tightening only enough to remove slack. Not required when loaded in gondola cars.
	20 2 12	71 7




(15) Minimum Requirements for Securing 37, 75, 90 and 105 mm Mounted Gun or Howitzer.—Flat, or Drop End Gondola Cars. See Fig. 11.

Item	No. of Pcs.	Description.
A		Brake wheel clearance. See Fig. 6.
В	4	6 in. x 8 in. x 24 in. blocks, (pattern 3). Height at point of contact with tire must be not less than 4 in. from car floor. Nail heel of block to car floor with three 40-D nails and toe-nail that portion under tire to car floor with two 40-D nails before Items "C" are applied.
С	4	2 in. x 4 in. x 36 in. cleats, (pattern 2). Nail lower piece to car floor with three 40-D nails and top piece to the one below with three 40-D nails.
D	2	Brace, (pattern 7), length ¼ in. longer than the distance between point of support on gun carriage and car floor. Place between floor and gun carriage to partially relieve weight on tires. Nail each to floor of car with six 40-D nails.
E	2	4 strands, 2 wrappings, No. 8 Ga. black annealed wire. Place through holes in wheels, which must be the same distance from car floor, secure to stake pockets and tighten only enough to remove slack.
F	2 for	
	single spade. 4 for double spade.	6 in. x 8 in. x 24 in. block, (pattern 6), cut to fit contour of spade. Locate in front and rear of spade. Toenail to car floor with five 40-D nails.
G	2 each Item "F"	2 in. x 4 in. x 12 in. cleats, (pattern 1). Nail lower piece to car floor, against Item "F", with three 40-D nails and top piece to the one below with three 40-D nails.
H	2	2 in. x 4 in. x 12 in. cleats, (pattern 1). Locate against each side of spade and nail to car floor with three 40-D nails.
J	1 pair.	Side stakes, (pattern 8). 4 in. x 5 in. x 48 in. hardwood, or green saplings 5 in. in diameter, midway between top and bottom, extending 4 in. below stake pocket, with one 40-D nail driven into stake directly below and with head even with outside of stake pocket. Locate ½ the distance from end of trail to center of wheels.
K	1	6 strands, 3 wrappings, No. 8 Ga. black annealed wire. Loop around and over top of rear end of gun trail and secure to opposite stake pockets. Twist tie with rod or bolt on both sides of trail.
	Brakes must he	




(16) Minimum Requirements for Securing 155 mm Gun M-1—8" Howitzer Carriage.—Flat Cars. See Fig. 12.

Item	No. of Pcs.	Description.
A		Brake wheel clearance. See Fig. 6.
В	В	6 in. x 8 in. x 24 in. blocks, (pattern 3). Hieght at point of contact with tire must be not less than 4 in. from car floor. Nail heel of block to car floor with three 40-D nails and toe-nail that portion under tire to car floor with two 40-D nails before Items "C" are applied.
С	12	2 in. x 4 in. x 36 in. cleats, (pattern 2). Nail lower piece to car floor with three 40-D nails and top piece to one below with three 40-D nails.
D	2	2 in. x 4 in. x 36 in. cleats, (pattern 2). Place side by
	each side.	side, lengthwise of car and nail each to car floor with three 40-D nails. Lower carriage to rest on Items "D" enough to partially relieve weight on tires.
E	As required.	Fill space under front end of gun carriage with 2 in. x 4 in. x 36 in. pieces, (pattern 2). Wedge tight and secure to prevent displacement.
F	2	Brace, (pattern 7), length ¼ in. longer than the distance between axle of limber and car floor. Place between car floor and axle to partially relieve weight on tires. Nail each to car floor with six 40-D nails,
G	1	6 strands, 3 wrappings, No. 8 Ga. black annealed wire. Loop around and over top of rear end of gun trail and secure to opposite stake pockets. Twist tie with rod or bolt on both sides of trail.
	Declar sense he	




(17) Minimum Requirement for Securing 3 Inch Anti-Aircraft Gun.—Flat, or Drop End Gondola Cars. See Fig. 13.

Item	No of Pcs	Description.
A		Brake wheel clearance. See Fig. 6.
В	8	6 in. x 8 in. x 24 in. blocks, (pattern 3). Height at point of contact with tire must be not less than 4 in. from car floor. Nail heel of block to car floor with three 40-D nails and toe-nail that portion under tire to car floor with two 40-D nails before Items "C" are applied.
C	8	2 in. x 4 in. x 36 in. cleats, (pattern 2). Nail lower piece to car floor with three 40-D nails and top piece to the one below with three 40-D nails.
D		VACANT.
E F		VACANT.
F	4	Brace, (pattern 7), length ¼ in. longer than the distance between axel and car floor. Place between car floor and axle to partially relieve weight on tires. Nail each to car floor with six 40-D nails.




(18) Minimum Requirement for Securing 37 mm Anti-Aircraft Gun.
—Flat, or Drop End Gondola Cars. See Fig. 14.

Item	No. of Pcs.	Description.
A		Brake wheel clearance. See Fig. 6.
В	8	6 in. x 8 in. x 24 in. blocks, (pattern 3). Height at point of contact with tire must be not less than 4 in. from car floor. Nail heel of block to car floor with three 40-D nails and toe-nail that portion under tire to car floor with two 40-D nails before Items "C" are applied.
С	8	2 in. x 4 in. x 36 in. cleats, (pattern 2). Nail lower piece to car floor with three 40-D nails and top piece to the one below with three 40-D nails.
D		VACANT.
E	4	Brace, (pattern 7), length ¼ in. longer than the distance between axle and car floor. Place between car floor and axle to partially relieve weight on tires. Nail each to car floor with six 40-D nails.
G	4	4 strands, 2 wrappings, No. 8 Ga. black annealed wire. Place through holes in wheels, which must be the same distance from car floor, secure to stake pockes and tighten only enough to remove slack.




(19) Minimum Requirements for Securing One or More, Two Wheel Motorcycles.—Flat, or Drop End Gondola Cars. See Fig. 15.

Item	No. of Pcs.	Description.
A		Brake wheel clearance. See Fig. 6.
В	each wheel	Cradle, (pattern 5). Nail to car floor with six 20-D nails.
С	2	WHEN TWO OR MORE MACHINES ARE LOADED SIDE BY SIDE, PER SKETCH 1. 2 in. x 4 in., long enough to extend 8 in. beyond the two outside vehicle frames. Secure to frame of each machine with sufficient wire to prevent displacement. Wires used for this purpose must be secured to Items "C" with sufficient 20-D nails to prevent displacement.
D	2	WHEN TWO OR MORE MACHINES ARE LOADED SIDE BY SIDE, PER SKETCH 1. 2 strands, 1 wrapping, No. 8 Ga. black annealed wire. Place under and over Items "C", at each vehicle and attach to nearest stake pocket at each side of car. Twist tie at each side with rod or bolt.
E	1	WHEN MACHINES ARE LOADED SINGLY, PER
	each side	SKETCH 2.
	of machine.	Brace, 2 in. x 4 in., length to suit. Nail one end to car floor with three 20-D nails and securely wire the top end to machine frame in rear of seat post. Not required when two or more machines are loaded side by side.
\mathbf{F}	1	WHEN MACHINES ARE LOADED SINGLY, PER
	each machine.	SKETCH 2.
		4 strands, 2 wrappings, No. 8 Ga. black annealed wire. Loop around web of frame just in rear of handle bars and attach to nearest stake pocket at each side of car. Twist tie at each side with rod or bolt. Not required when two or more machines are loaded side by side.
	Brakes must he	ennlied



(20) Minimum Requirements for Securing One or More, Three Wheel Motorcycles.—Flat, or Drop End Gondola Cars. See Fig. 16.

Item	No. of Pcs.	Description.
A		Brake wheel clearance. See Fig. 6.
В	. 1	Cradle, (pattern 5). Nail to car floor with six 20-D
0	each wheel	nails.
C	2	WHEN TWO OR MORE MACHINES ARE LOADED SIDE BY SIDE, PER SKETCH 1,
		2 in. x 4 in., long enough to extend 8 in. beyond the
		two vehicles frames. Secure to frame of each machine
		with sufficient wire to prevent displacement. Wires
		used for this purpose must be secured to Items "C" with sufficient 20-D nails to prevent displacement.
D	23	WHEN TWO OR MORE MACHINES ARE LOADED
<i>D</i> ,	,2	SIDE BY SIDE, PER SKETCH 1.
		4 strands, 2 wrappings, No. 8 Ga. black annealed wire.
		Place under and over Items "C", at each vehicle and
		attach to nearest stake pocket at each side of car. Twist tie at each side with rod or bolt.
95	4	WHEN MACHINES ARE LOADED SINGLY, PER
E	each side of	SKETCH 2.
	machine	Brace, 2 in. x 4 in., length to suit. Nail one end to
		car floor with three 20-D nails and securely wire the
		top end to machine frame in rear of seat post. Not required when two or more machines are loaded side
		by side.
F	1	WHEN MACHINES ARE LOADED SINGLY, PER
-	each machine	SKETCH 2.
		4 strands, 2 wrappings, No. 8 Ga. black annealed wire.
		Loop around web of frame just in rear of handle bars
		and attach to nearest stake pocket at each side of car. Twist tie at each side with rod or bolt. Not re-
		quired when two or more machines are loaded side
		by side.



b. Material List for Use in Connection with Figures "7" to "16", Inclusive, of Rules Governing the Loading of Mechanized and Motorized Army Equipment. See Fig. 17.


1	2	3	4	5	6	7	8	9	10
Figure No.	Description	Pattern One			Pattern Four		Pattern Six	Pattern Seven	
7 7 8 9 10 11 12 13 14 15	Light tanks Medium tanks Half-tracks 4-wheel trucks Passenger cars 6-wheel trucks 37, 75, 90 and 105-mm guns & hows 155-mm guns 3-inch antiaircraft gun 37-mm antiaircraft gun 2-wheeled motorcycles	8 * 16 * 16 * 16 * 10	8		2 * 2 * 4 * 4 * 4 * 4 *		4	2 2 4 4	2

NOTES

For diagram of patterns, see Figure 17.

^{*} Patterns 1 and 4, designated with an asterisk, cover alternate methods of loading and are not required when patterns 2 and 3 are used on Figures 7, 8, 9 and 10.

No pattern numbers have been assigned Items C and E of Figures 15 and 16, as the number and length of pieces will depend upon the number of vehicles loaded.



46. MOTOR MOVEMENTS.—a. Truck capacities for troop movement.— The capacity of motor transportation for movement of foot troops depends upon the rated capacity of the transportation employed, the type of body on the vehicles, and the method of carrying personnel. Normal capacities for trucks carrying personnel with rifles, packs, and extra ammunition, with no additional cargo:

		Men
Truck, ½-ton	(excluding driver)	5
Truck, 1½-ton	"	15
Truck, 21/2-ton (or larger	·) "	25

NOTES

1. Above capacities are based upon 5 men (with equipment) per thousand pounds rated capacity of truck, exclusive of the driver.

2. The body of the 2½-ton artillery prime mover is the same size as that of the

11/2-ton cargo truck.

3. When 1½-ton dump trucks or 2½-ton artillery prime movers carry the loads shown above, some personnel will be required to stand.

4. Because of partial loading of some trucks, the probable location of entrucking points must be considered in determining the number of trucks required for movement of

For example: Hq Co, Serv Co, and each bn of an inf regt should be computed separately; the total for the regiment being the total for its component parts. The required number of trucks determined in this manner will be somewhat greater than the number determined by dividing the total number of foot troops in the regiment by the capacity of trucks employed.

b. Truck capacities for animals.—

Horses or mules

Truck, 1½-ton (exceptional)	2 plus 2 men with equipment
Truck, 2½-ton, cargo	4 plus 4 men with equipment
Semi-trailer, 4½-ton	8 plus 8 men with equipment,
	harness and forage for 1 day.

47. FORM FOR TABULATING NUMBERS OF TRUCKS REQUIRED FOR MOVE-MENT BY MOTOR TRANSPORT (TACTICAL MOVEMENTS) INFANTRY DIVISION. —The following form may be used to tabulate the approximate number of trucks required to move the foot elements, with individual equipment, of the infantry division, or of component units thereof:

1 Unit ②	T/O strength	3	4 Trans-	5 Strengths	6 Nui	7	
1 Unit ②			Trans-		Nun	nhom	
	derviegere	Actual strength	ported in organic	for which trans- portation	Nu	mber of ucks vired	
			motors	must be furnished		$\frac{21/2}{ton}$	
2 Rifle Co							
3 Rifle Plat							
4 Weapons Plat							
5 Hv Wpn Co							
6 Cal .30 MG Plat							
7 Cal .50 MG Plat							
8 81-mm Mort Plat							
9 Inf Bn (w/Com Sec, Bn Sec Serv Co, & Bn Sec Med Det, atchd)							
0 Hq & Hq Co & Band Inf Regt (less 3 Bn Com Secs)							
1 AT Co							
2 Serv Co (less 3 Bn Secs)							
3 Med Det, Inf Regt (less 3 Bn Secs)							
4 Inf Regt (w/2 atchd chaplains)							
5 Inf Brig							
6 MP Co Inf Div							
7 Fwd Ech Div Hq & Hq Co ①							
8 Rr Ech Div Hq & Hq Co ①			-				
9 Div Hq & Sp Trs (foot troops) ①							
O Inf Div (total) (foot troops)							

NOTES

① Officers of DHQ are transported in cars of Quartermaster.

The units of an infantry division usually moved by means of their own transport are not included in the above table.

■ 48. TIME-LENGTH OF MOTOR COLUMNS.—a. Close column.—When each driver closes to safe driving distance from the vehicle ahead, the time-length of the column may be taken as .08 minutes per vehicle.

Thus, a column of 300 vehicles would have a time-length of 300 x .08, or 24 minutes (750 vehicles per hour). (See paragraph 48 c (1) for additional data.

b. Open column.—When the tactical situation requires extended distance as protection from air attack, the motor column must be elongated to a density of not more than 12 trucks per mile of highway or about 150 yards of road space per truck. See paragraph 48 c (2) for additional data.

c. Rates of motor movements.—(1) Close column:

1	2	3	4	5	6
Speed (mph)	Road space per truck (yards)	Density per mile	Trucks per hour passing a given point	Maximum tonnage hauled by 1½-ton trucks (per hour)	Maximum tonnage hauled by 2½-ton trucks (per hour)
10	23.5	75	750	1,125	1,875
15	35.5	50	750	1,125	1,875
20 25	47	37	750	1,125	1,875
25	59	30	750	1,125	1,875
30	70.5	25	750	1,125	1,875
35	82	21	750	1,125	1,875

(2) Open column (10 trucks per mile).

î.	2	3	. 4	5
Speed (mph)	Road space per truck (yards)	Trucks per hour passing a given point	Maximum tonnage hauled by 1½-ton trucks (per hour)	Maximum tonnage hauled by 2½-ton trucks (per hour)
10	176	100	150	250
15	176	150	225	375
20	176	200	300	500
25	176	250	375	625
30	176	300	450	750
35	176	350	525	875

NOTE

To determine data for any truck density less than 10 per mile the road space (column 2) should be increased and data shown in columns 3, 4, and 5 should be decreased in proportion to the density employed.

For example: To move at 20 miles per hour with a truck density of 6 per mile:

Road space $1760 \div 6 = 293 \text{ yards}$

= .6 X 200 = 120= .6 X 300 = 180 Trucks per hour passing a given point Maximum tonnage hauled (1½-ton trucks) $= .6 \times 500 = 300$ Maximum tonnage hauled (2½-ton trucks)

For truck densities greater than 10 per mile the road space is decreased and data shown in columns 3, 4, and 5 is increased in like manner.

This chart applies to motor movements in which vehicles keep closed up to safe driving distances. Safe driving distance is assumed to be constant (14% yards, center to center, for cars or trucks up to 3-ton) for speeds up to 5 miles per hour and to increase with the speed for rates above 5 miles per hour.

Chart shows average road space. Actual road space may vary 25% either way, depend-

ing on conditions.

To use chart:

Determine the number of motor vehicles in column, disregarding trailers or towed

Locate this figure in vertical scale on left of chart.


Follow horizontal line to right to intersection with diagonal line indicating the proper rate of travel.

From this intersection follow vertical line down to horizontal scale,

Read on horizontal scale the average road space of the column.


b. Open column.—Road space of a motor movement in open column may be obtained by dividing the number of motor vehicles in column (disregarding trailers) by the average density (number of vehicles per mile).

■ 49. Average Road Space of Motor Columns at Various Speeds. —a. Close Column.



NUMBER OF VEHICLES IN MOTOR COLUMN
114

■ 50. AVERAGE TIME LENGTHS OF MOTOR COLUMNS AT VARIOUS SPEEDS.—a. Close Column.



NOTES

This chart applies to motor movements in which vehicles keep closed up to safe driving distances. From 10 miles per hour to 35 miles per hour the safe driving distance varies directly with the speed, and the time-length of a column is therefore constant. At 5 miles per hour or less the safe driving distance is assumed to be constant (14% yards, center to center, for cars or trucks up to 3-ton) and the time-length of a column therefore varies inversely with the speed.

Chart shows average time-length. Actual time-length may vary 25% either way, depending on conditions.

pending on conditions.

To use chart:

Determine the number of motor vehicles in column, disregarding trailers or towed

Locate this figure in vertical scale on left of chart.

Follow horizontal line to right to intersection with diagonal line indicating the proper rate of travel.

From this intersection follow vertical line down to horizontal scale. Read on horizontal scale the average time-length of the column.

b. Open column.—Time length of a motor movement in open column may be obtained by the following formula:

Number of motor vehicles in column -Time length (in hours). Density (vehicles per mile) x speed (mph)

- 51. SHUTTLE MOVEMENTS.—a. Definition.—Troop movement by shuttling is a movement by motor in which all or a portion of the trucks make successive trips in moving both cargoes and troops.
- b. Time formula.—The following formula is useful for determining the total time of movement of a unit in shuttling:

3×distance in miles Hours required = -Speed in miles per hour


The figure "3" indicates the number of trips for each shuttle; for example, one trip to move foot troops, a return trip, and a third with organic cargo.

"T" (a variable), represents the number of hours consumed in unloading and loading personnel and equipment, in turn-arounds at forward and rear assembly areas, and in closing the column into its area of destination. When two routes are available for the movement a value of 3 may be assumed for "T" with a reasonable factor of safety. When more than two routes are available the value of "T" may be reduced.

Speed in miles per hour represents the average speed of the vehicles in the movement.

52. MARCH GRAPHS AND MARCH TABLES.—a. The field order for a march may be accompanied by a march table, particularly when the details of the march are not subject to change and can be foreseen. The march table affords a convenient means of transmitting to subordinates the many details pertaining to the march, the inclusion of which in the body of the field order would tend to complicate or make it unduly lengthy.


- b. A march graph is the simplest method of obtaining data required for a march table or order. It shows the approximate location at any hour of the head or tail of each serial, providing the march proceeds as scheduled. The march graph is prepared on cross-section paper, using one sheet for each route. The vertical scale to the left, with point of origin at the bottom, serves as a distance scale in miles and should show the relative locations along the route of critical points where coordination of the movement is required. The horizontal scale provides a time scale in hours, beginning at the left with the earliest hour at which the first serial may start the march.
- c. A serial is represented on the graph by a horizontal line, drawn to scale, equal to the time-length of the serial. This line is plotted opposite the point on the vertical scale, corresponding to the initial point of the serial; the left of the line being plotted above the hour, on the horizontal scale, at which the serial begins the march. From this left end a line is drawn upward at a slope representing the rate of march (at 10 miles per hour the slope equals 10 miles on the vertical to 1 hour on the horizontal scale). This sloping line represents the march of the head of the column. The intersection of this line with the horizontal line from any point along the route, if projected down to the time scale, will show the time the head arrives at such point. A line drawn from the right end of the horizontal line representing the time-length of the serial and parallel to the line representing the head of the column will represent the tail of the serial. Time of clearances may be obtained as explained for the head of the serial. movement or location of a unit after it leaves the route represented on the distance scale, or passes the rear boundary of its destination (new bivouac area), may be shown on the graph by dotted lines.
- d. If the hour at which a march must be completed is the only time factor known, the graph may be constructed starting with the tail of the column at the destination and working back to obtain the hour of starting for the head of the column. The graphs of all serials may be adjusted to allow for crossing columns or other interferences. The need for and the means of making such adjustments may be visualized. In preparing the march graph a safety factor of 15 to 30 minutes should be allowed between serials at critical points on the route. In the march table this time is divided between serials, the major portion usually being assigned to the leading serial. A small gap of about 5 minutes should be reserved during which the route is clear.
- 53. EXAMPLES OF MARCH GRAPHS AND MARCH TABLES.—a. The division commander has directed that the 1st Engr Bn, 1st QM Bn, 1st Med Bn, and the 1st Infantry, in army reserve, move under cover of darkness from their present bivouacs, areas A and B to areas C and D, beginning at 7:00 PM, 17 October 19—, under the following conditions.



(1) Movement to be made without lights and to be completed prior to 5:00 AM, 18 October 19__.

(2) Route A is available for the movement but CR 515 is reserved for army columns from 11:36 PM to 12:06 AM and from 2:36 AM to 3:00 AM.

b. The following EXAMPLE OF MARCH GRAPH-ROUTE A is the graph used by the division staff, 1st Division in planning the march.



NOTES:

- 1. Time Lengths.
 - (a) Serial 1-2650 men on foot in column of threes at 2 mph (Chart par. 37) = 36 min.
 (b) Serial 2-229 vehicles at 10 mph (Chart par. 50) = 19 min.
 (c) Serial 3-282 vehicles at 10 mph (Chart par. 50) = 23 min.
- 2. o Indicates remark in march table.

ANNEX No. 1 TO FO 2 MARCH TABLE

1st Div Pennsville (372-745), Pa 17 Oct 19..., 3:00 PM

Map-Operations Map

	Remarks			
nent	Latest allowable arrival time	10:10 PM 12:35 AM	12:40 AM	2:25 AM
Control of Movement	Earliest allowable arrival time	7:00 PM	12:01 AM 12:20 AM 12:45 AM	12:30 AM 12:45 AM 1:15 AM
Cont	Location	RJ 520 (IP) CR 515 CR 432	RJ 520 (IP) CR 515 CR 432 CR 455	RJ 411 (IP) RJ 520 CR 455 CR 515
	Time- length (min- utes)	36	19	23
March	Type	Col- umn of 3's	Close col-	Close col-
	Rate (miles per hour)	77	10	10
Location by	Location by 5:00 AM, 18		Area D	Area C
	Route	A	A	A
	Present	Area B	Area B	Area A
	Organization and commander	Col "A" 1st Inf Comdg: Foot Troops 1st Inf 2,650 men	Lt Col "B" 1st Inf Comdg: Motor elements 1st Inf 229 vehicles	Lt Col "C" 1st Engr Bn Comdg: Div Tns, 1st Engr Bn, 1st QM Bn, 1st Med Bn, 282 vehicles
	Serial No.		S	ಣ

By command of Maj Gen A

X

Col GSC

C of S

OFFCIAL:
Y
Lt Col GSC
G-3
Distribution: Same as FO

SECTION II

INFANTRY DIVISION (SQUARE)

54. FORM FOR AN ABRIDGED TABLE—ROAD SPACES AND TIME LENGTHS, INFANTRY DIVISION (Square).

-												
	1	2	3	4	5	6	7	8	9	10	11	12
				orized ngth		Actua trengt		Road at h		R	coad spa moving	се
	Units (including attached chaplains and medical personnel)	T/O No	Men	Vehi- cles	Men		Men on foot	on	Vehi- cles (miles)	Men on foot (miles)	Vehi- cles 10 mph (miles)	Vehi- cles 25 mph (miles)
10 23 34 44 55 66 77 88 99 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 27 27 27 27 27 27 27 27 27 27 27 27	Inf Div											

NOTES

- Column 1: Designation of unit to be entered, as "1st Infantry Division."
- Columns 5, 6, and 7: Based on periodic reports of subordinate units, the actual strength in men and vehicles should be entered.
- Column 8: Number of men on foot \times .8 (men in column of threes) = yards; \div 1760 = miles.
- Column 9: For a column of vehicles of all types, 10 yards per vehicle is used as the average road
- Column 10: Road spaces of foot elements on the march are identical with road spaces at the halt.
- Column 11: Number of vehicles ×23.5 (2.35×mph) per vehicle.

- Column 12: Number of vehicles \$\infty 23.5 \times (2.35 \times mph) per vehicle.

 Column 13: Number of vehicles \$\infty 60 \times ards (2.35 \times mph) per vehicle.

 Column 13: Number of vehicles \$\infty 60 \times ards (2.35 \times mph) per vehicle.

 Column 13: Number of vehicles \$\infty 60 \times ards (2.35 \times mph) per vehicle.

 Column 13: Number of vehicles \$\infty 60 \times ards (2.35 \times mph) per vehicle.

 Column 13: Number of vehicles \$\infty 60 \times ards (2.35 \times mph) per vehicle.

 Column 13: Number of vehicles \$\infty 60 \times ards (2.35 \times mph) per vehicle.

 Column 13: Number of vehicles \$\infty 60 \times ards (2.35 \times mph) per vehicle.

 Column 13: Number of vehicles \$\infty 60 \times ards (2.35 \times mph) per vehicle.

 Column 13: Number of vehicles \$\infty 60 \times ards (2.35 \times mph) per vehicle.

 Column 13: Number of vehicles \$\infty 60 \times ards (2.35 \times mph) per vehicle.

 Column 14: Number of vehicles \$\infty 60 \times ards (2.35 \times mph) per vehicle.

 Column 14: Number of vehicles \$\infty 60 \times ards (2.35 \times mph) per vehicle.

 Column 15: Number of vehicles \$\infty 60 \times ards (2.35 \times mph) per vehicle.

 Column 16: Number of vehicles \$\infty 60 \times ards (2.35 \times mph) per vehicle.

 Column 16: Number of vehicles \$\infty 60 \times ards (2.35 \times mph) per vehicle.

 Column 16: Number of vehicles \$\infty 60 \times ards (2.35 \times mph) per vehicle.

 Column 16: Number of vehicles \$\infty 60 \times ards (2.35 \times mph) per vehicle.

 Column 16: Number of vehicles \$\infty 60 \times ards (2.35 \times mph) per vehicle.

 Column 16: Number of vehicles \$\infty 60 \times ards (2.35 \times mph) per vehicle.

 Column 16: Number of vehicles \$\infty 60 \times ards (2.35 \times mph) per vehicle.

 Column 16: Number of vehicles \$\infty 60 \times ards (2.35 \times mph) per vehicle.

 Column 16: Number of vehicles \$\infty 60 \times ards (2.35 \times mph) per vehicle.

 Column 16: Number of vehicles \$\infty 60 \times ards (2.35 \times mph) per vehicles \$\infty 60

FORM FOR AN ABRIDGED TABLE-ROAD SPACES AND TIME-LENGTHS, INFANTRY DIVISION (Square) (Continued):

13 14 Time-length moving		-	5	1	6	1	17	18	19		
			Additional Road space vehicles additional				Time addi	-length tional	When Div moved by Trk		
Me on f (mi	foot Vehicles in close		to carry foot troops (col 7)		vehicles at halt (miles)		vehicles in close column		Road space at halt (cols 9+16) (miles)	Time-length in close column (cols 14+17)	
2 mph	2½ mph	column (min)	1½- ton	2½- ton	1½- ton	2½- ton	1½- ton	2½- ton		(min)	
••••••	**********										

	*********			***********					***************************************		
	**********		******		************					***************************************	
	**********								***************************************		

			**********	***********							

NOTES

- Column 1: Designation of unit to be entered, as "1st Infantry Division."
- Columns 5, 6, and 7: Based on periodic reports of subordinate units, the actual strength in men and vehicles should be entered.
- Column 8: Number of men on foot × .8 (men in column of threes) = yards; ÷1760 = miles.
- Column 9: For a column of vehicles of all types, 10 yards per vehicle is used as the average road
- Column 10: Road spaces of foot elements on the march are identical with road spaces at the halt.

- Column 11: Number of vehicles ×23.5 (2.35×mph) per vehicle.

 Column 12: Number of vehicles ×23.5 (2.35×mph) per vehicle.

 Column 13: Number of vehicles ×60 yards (2.35 × mph) per vehicle.

 Column 13: Number of men on foot ×.011 = minutes at 2½ mph (×.0135 at 2 mph).

 Column 14: Number of vehicles ×.08 = minutes.

 Column 15: Men on foot (column 7) divided by 15 for 1½-ton trucks; divided by 25 for 2½-ton trucks. (See Note 4, paragraph 46, and paragraph 47.)

- 55. SHUTTLING: INFANTRY DIVISION (Square).—a. Refer to paragraph 51 for general formula for shuttling, and to paragraph 46, 47 and 56 for transportation requirements and availability.
- b. The following example of standing operating procedure for a motor movement by shuttling for an infantry division (square) should be used only as a guide from which to prepare shuttle plans upon the actual transportation available and the personnel to be moved:
 - c. Example based on WD T/O November 1, 1940.
- (1) Plan.—Motor Movement 2 is a shuttle movement in which the division moves in its organic motors with Brigade Combat Teams abreast, behind a screen of other troops adequate to protect the movement against strong frontal attack. One infantry battalion from each BCT and one antitank battery remain in the rear area to guard dumped loads. The remainder of the combat units of the division move in the first shuttle. Each BCT moves on two or more routes and protects the immediate front of its movement with small advance guards. The flanks are protected by mobile flank guards operating under division control, with foot elements carried in trucks of the Quartermaster Regiment. Trucks of the Quartermaster Regiment are augmented by sufficient kitchen, and other administrative trucks (which are dumped in the rear area) to move foot troops of the first shuttle. At the conclusion of the first shuttle such trucks return to pick up their normal loads. Foot troops of the second shuttle are moved in trucks of the Quartermaster Regiment.
- (2) Warning Order.—Preliminary arrangements for this shuttle movement will be inaugurated upon receipt of order "Alert for motor movement two," or "Alert for motor movement 2, after (designated hour)."

COMPOSITION OF FLANK GUARDS (To cover movement of both shuttles)

FLANK GUARD NO. 1
1 bn 1st Brig (less 2 rifle cos)
1 AT plat (inf) 1st Brig
1 btry 1st FA
1 plat Co B 1st Engrs
Det 1st Med Regt
17 trucks, 2½-ton, 1st QM Regt

FLANK GUARD NO. 2

1 bn 2d Brig (less 2 rifle cos)

1 AT plat (inf) 2d Brig

1 btry 2d FA

1 plat Co E 1st Engrs

Det 1st Med Regt

17 trucks 2½-ton, 1st QM Regt

COMPOSITION OF FIRST SHUTTLE

Group 1: BCT 1 (less 1 bn & 1 flank guard)
1st Bn 1st Engrs (less dets)

Group 2: BCT 2 (less 1 bn & 1 flank guard)
1st Engrs (less Dets)

Group 3: 3d FA (less Btry H and 28 trucks)

COMPOSITION OF SECOND SHUTTLE

Group 1: 1 bn 1st Brig
50 trucks, 1st Brig
24 trucks, 1st FA

Group 2: 1 bn 2d Brig

50 trucks, 2d Brig 24 trucks, 2d FA

Group 3: Btry H, 3d FA

28 trucks, 3d FA 25 trucks, 1st Engrs 1st Med Regt (less dets) 1st QM Regt (less dets)

ASSIGNMENT OF MOTOR TRANSPORT

		First Shuttle	Second Shuttle
FROM	TO	$1\frac{1}{2}$ - $TON - 2\frac{1}{2}$ - TON	$2\frac{1}{2}$ - TON
1st QM Regt	Flank Guards	34	34
1st QM Regt	BCT 1	83	34
1st QM Regt	BCT 2	83	34
1st Brig	BCT 1	50	
1st FA	BCT 1	24	
3d FA	BCT 1	14	
1st Engrs		25	
2d Brig	BCT 2	50	
2d FA	BCT 2	. 24	
3d FA	BCT 2	14	
1st Med Regt	BCT 2	5 12	

TRUCKS (1½, 2½, and 4-ton) IN THE INFANTRY DIVISION (Square) FOR MOVEMENT OF FOOT TROOPS (based on WD T/O November 1, 1940).—a. This table shows a priority which might be established within a division for the availability of organic motor transportation of units scheduled to move in the second shuttle, to be used for movement of foot troops of the first shuttle. With slight modification it might also serve to show availability of transportation to be returned by units of the first shuttle for movement of foot troops of the second shuttle.

TROOP MOVEMENTS

G-3 WORK SHEET

AVAILABILITY OF MOTOR TRANSPORT FOR TROOP MOVEMENT

Prior-	Normal use	QM Regt 2½-T	105- mm Regt 2½-T	155- mm Regt 2½-T	Inf Regt 1½-T	Engr Regt 1½-T	Med Regt 2½-T	Sig Co 1½-T	Total
1	Cargo trucks	192							192
2	Personnel & baggage	1	2	2	5*	4		4	35
3	Organization equipment	8	11	13	4	22	18	1	100
							11-77		
4	Kitchen	. 8	11	13	15	7	3	1	121
	Ammunition		36	40	13	1			165
	Command & operations		12	12	1				40
5	Signal		21	21				20	83
	Engineer pers & tools					42			42
	Medical	1	3	3	2	3			21
	Supplies	10	4	4			5		27
E-00-00-00-00-00-00-00-00-00-00-00-00-00	TOTAL	220	100	108	40	79	33	26	826
Emer- gency Only	Motor maintenance	20	17	(4T) 2 17	5	2	1½-T 6 5	1	
	Special equipment	11				2	1½-T		
	Prime movers, 2½-ton		30	16					76
	Prime movers, 4-ton			30		7			37

NOTES

4 Unit motor repair vehicles are not available for other purposes. They usually accompany the motor vehicles of the unit.

* Includes 3 trucks for personnel of the AT Co.

The availability of cargo trucks and the priority of such availability are command decisions.
 Reference prime movers see par. 344 FM 100-5 (FSR).
 Ordinarily the Sig Co and the Div Hq and Div Hq and MP Co, by pooling transport, can move all the personnel and equipment pertaining to these organizations in 11/2 round-trips and at the same time perform essential functions (assuming that the car Co of the QM Regt also transports Div Hq personnel).

■ 57. EXAMPLE OF A RAILWAY MOVEMENT OF AN INFANTRY DIVISION (SQUARE).—List of transportation groupings for planning purposes, (based on application of data to WD T/O published November 1, 1940):

Train	Type		
A 1st Inf 1 A 1st Inf 2 Co C; Hv Wpn Co; ½ Regt Hq & Hq Co Co C; Hv Wpn Co; ½ Regt Hq & Hq Co A 1st Inf 3 A 1st Inf 4 B 1st Inf 5 A 1st Inf 4 Co G; Gr F; Hq & Hq Det 2d Bn (See notes) A 1st Inf 5 A 1st Inf 6 Co C; Hv Wpn Co; ½ Regt Hq & Hq Co A 2d Inf 1 Co A; Co B; Hq & Hq Det 3d Bn (See notes) Co L; Hv Wpn Co; ½ Regt Hq & Hq Co A 2d Inf 2 Co A; Co B; Hq & Hq Det 3d Bn (See notes) Co L; Hv Wpn Co; ½ Regt Hq & Hq Co A 2d Inf 3 Co C; Hv Wpn Co; ½ Regt Hq & Hq Co A 2d Inf 3 Co E; Co F; Hq & Hq Det 3d Bn (See notes) Co E; Co F; Hq & Hq Det 3d Bn (See notes) Co E; Co F; Hq & Hq Det 3d Bn (See notes) Co E; Co F; Hq & Hq Det 3d Bn (See notes) Co E; Co F; Hq & Hq Det 3d Bn (See notes) Co E; Co F; Hq & Hq Det 3d Bn (See notes) Co E; Co F; Hq & Hq Det 3d Bn (See notes) Co E; Co F; Hq & Hq Det 3d Bn (See notes) Co E; Co F; Hq & Hq Det 2d Bn (See notes) Co E; Co F; Hq & Hq Det 2d Bn (See notes) Co E; Co F; Hq & Hq Det 2d Bn (See notes) A 3d Inf 1 Co A; Co B; Hq & Hq Det 3d Bn (See notes) Co E; Co F; Hq & Hq Det 2d Bn (See notes) Co E; Co F; Hq & Hq Det 3d Bn (See notes) A 3d Inf 3 Co C; Hv Wpn Co; ½ Regt Hq & Hq Co A 3d Inf 3 Co C; Hv Wpn Co; ½ Regt Hq & Hq Co A 3d Inf 4 Co A; Co B; Hq & Hq Det 3d Bn (See notes) Co E; Co F; Hq & Hq Det 3d Bn (See notes) Co E; Co F; Hq & Hq Det 3d Bn (See notes) Co E; Co F; Hq & Hq Det 3d Bn (See notes) Co E; Co F; Hq & Hq Det 3d Bn (See notes) Co E; Co F; Hq & Hq Det 3d Bn (See notes) Co E; Hv Wpn Co; ½ Regt Hq & Hq Co A 4th Inf 1 Co A; Co B; Hq & Hq Det 3d Bn (See notes) Co E; Hv Wpn Co; ½ Regt Hq & Hq Co A 4th Inf 2 Co C; Hv Wpn Co; ½ Regt Hq & Hq Co A 4th Inf 3c Co C; Hv Wpn Co; ½ Regt Hq & Hq Co A 4th Inf 2 Co C; Hv Wpn Co; ½ Regt Hq & Hq Co A 4th Inf 6 Co C; Hv Wpn Co; ½ Regt Hq & Hq Co A 4th Inf 6 Co C; Hv Wpn Co; ½ Regt Hq & Hq Co A 4th Inf 6 Co C; Hv Wpn Co; ½ Regt Hq & Hq Co A 4th Inf 6 Co C; Hv Wpn Co; ½ Regt Hq & Hq Co A 4th Inf 6 Co C; Hv Wpn Co; ½ Regt Hq & Hq Co A 4th Inf 6 Co C; Hv Wpn Co; ½ Regt Hq & Hq Co A 4th Inf 6 Co C; Hq Wpn Co; ½ Hq & Hq Det 3d Bn (See not		Symbol	Transportation Groupings
A	A A B A	1st Inf 2 1st Inf 3 1st Inf 4 1st Inf 5 1st Inf 6	Co A; Co B; Hq & Hq Det 1st Bn (See notes) Co C; Hv Wpn Co; ½ Regt Hq & Hq Co Co E; Co F; Hq & Hq Det 2d Bn (See notes) Co G; Hv Wpn Co; ½ Hq & Hq Co 1st Brig AT Co; Serv Co (less dets) Co I; Co K; Hq & Hq Det 3d Bn (See notes)
A 3d Inf 1 A 3d Inf 2 A 3d Inf 3 A 3d Inf 3 A 3d Inf 3 A 3d Inf 3 A 3d Inf 4 B 3r Inf 5 A 3d Inf 4 Co E; Co F; Hq & Hq Det 2d Bn (See notes) Co E; Co F; Hq & Hq Det 2d Bn (See notes) A 3d Inf 5 A 3d Inf 6 A 3d Inf 6 A 3d Inf 6 A 3d Inf 7 Co I; Co K; Hq & Hq Det 3d Bn (See notes) Co I; Co K; Hq & Hq Det 3d Bn (See notes) Co I; Co K; Hq & Hq Det 3d Bn (See notes) Co I; Co K; Hq & Hq Det 3d Bn (See notes) A 4th Inf 1 Co A; Co B; Hq & Hq Det 1st Bn (See notes) A 4th Inf 2 Co C; Hv Wpn Co; ½ Regt Hq & Hq Co Co E; Co F; Hq & Hq Det 2d Bn (See notes) Co C; Hv Wpn Co; ½ Regt Hq & Hq Co Co E; Co F; Hq & Hq Det 2d Bn (See notes) Co G; Hv Wpn Co; ½ Hq & Hq Co 2d Brig AT Co; Serv Co (less dets) A 4th Inf 5 A 4th Inf 6 A 7 Co; Hv Wpn Co; ½ Hq & Hq Co 2d Brig AT Co; Serv Co (less dets) Co I; Co K; Hq & Hq Det 3d Bn (See notes) Co I; Hv Wpn Co; ½ Regt Hq & Hq Co Ist Field Artillery (105 MM Regiment) (See Note 7) Regt Hq & Hq Btry; ½ Hq & Hq Btry; 1st FA. Brig B 1st FA 2 B 1st FA 3 B 1st FA 4 B 1st FA 5 B 1st FA 6 B 1st FA 6 B 1st FA 6 B 1st FA 7 B 1st FA 7 B 2d FA 1 B 2d FA 1 B 2d FA 1 B 2d FA 2 B 2d FA 2 B 2d FA 2 B 2d FA 2 B 2d FA 4 B 2d FA 4 B 2d FA 6 B 2d FA 7 B 2d Fa 8 B 2d FA 8 B 2d FA 8 B 2d FA 8 B 2d FA 9 B 2d FA	A A A B A	2d Inf 2 2d Inf 3 2d Inf 4 2d Inf 5 2d Inf 6	Co A; Co B; Hq & Hq Det 1st Bn (See notes) Co C; Hv Wpn Co; ½ Regt Hq & Hq Co Co E; Co F; Hq & Hq Det 2d Bn (See notes) Co G; Hv Wpn Co; ½ Hq & Hq Co 1st Brig AT Co; Serv Co (less dets) Co I; Co K; Hq & Hq Det 3d Bn (See notes)
A 4th Inf 1	A A B A	3d Inf 2 3d Inf 3 3d Inf 4 3r Inf 5 3d Inf 6	Co A; Co B; Hq & Hq Det 1st Bn (See notes) Co C; Hv Wpn Co; ½ Regt Hq & Hq Co Co E; Co F; Hq & Hq Det 2d Bn (See notes) Co G; Hv Wpn Co; ½ Hq & Hq Co 2d Brig AT Co; Ser Co (less dets) Co I; Co K; Hq & Hq Det 3d Bn (See notes)
1st Fa 1	A A B A	4th Inf 2 4th Inf 3 4th Inf 4 4th Inf 5 4th Inf 6	Co A; Co B; Hq & Hq Det 1st Bn (See notes) Co C; Hv Wpn Co; ½ Regt Hq & Hq Co Co E; Co F; Hq & Hq Det 2d Bn (See notes) Co G; Hv Wpn Co; ½ Hq & Hq Co 2d Brig AT Co; Serv Co (less dets) Co I; Co K; Hq & Hq Det 3d Bn (See notes)
B 1st FA 3 Btry B; ½ Hq & Hq Btry, 1st Bn; ½ Serv & Am Btry, 1st Bn B 1st FA 4 Btry C; ½ Hq & Hq Btry, 1st Bn; ½ Serv & Am Btry, 1st Bn B 1st FA 5 Btry D; ½ Hq & Hq Btry, 2d Bn; ½ Serv & Am Btry, 2d Bn B 1st FA 6 B 1st FA 7 Btry E; ½ Hq & Hq Btry, 2d Bn; ½ Serv & Am Btry, 2d Bn Btry E; ½ Hq & Hq Btry, 2d Bn; ½ Serv & Am Btry, 2d Bn Btry E; ½ Hq & Hq Btry, 2d Bn; ½ Serv & Am Btry, 2d Bn Btry E; ½ Hq & Hq Btry, 1st Bn; ½ Serv & Am Btry, 2d Bn Btry B; ½ Hq & Hq Btry, 1st Bn; ½ Serv & Am Btry B; ½ Hq & Hq Btry, 1st Bn; ½ Serv & Am Btry B; ½ Hq & Hq Btry, 1st Bn; ½ Serv & Am Btry, 1st Bn B 2d FA 4 B 2d FA 5 Btry C; ½ Hq & Hq Btry, 1st Bn; ½ Serv & Am Btry, 1st Bn Btry C; ½ Hq & Hq Btry, 1st Bn; ½ Serv & Am Btry, 1st Bn Btry C; ½ Hq & Hq Btry, 1st Bn; ½ Serv & Am Btry, 1st Bn Btry C; ½ Hq & Hq Btry, 2d Bn; ½ Serv & Am Btry, 1st Bn Btry C; ½ Hq & Hq Btry, 2d Bn; ½ Serv & Am Btry, 1st Bn Btry C; ½ Hq & Hq Btry, 2d Bn; ½ Serv & Am Btry, 1st Bn Btry C; ½ Hq & Hq Btry, 2d Bn; ½ Serv & Am Btry, 1st Bn			Regt Hq & Hq Btry; ½ Hq & Hq Btry 1st F.A. Brig Btry A; ¼ Hq & Hq Btry, 1st Bn; ½ Serv & Am Btry,
B 1st FA 5 Btry, 1st Bn Btry D; ½ Hq & Hq Btry, 2d Bn; ½ Serv & Am Btry E; ½ Hq & Hq Btry, 2d Bn; ½ Serv & Am Btry E; ½ Hq & Hq Btry, 2d Bn; ½ Serv & Am Btry, 2d Bn Btry F; ½ Hq & Hq Btry, 2d Bn; ½ Serv & Am Btry, 2d Bn B 2d FA 1 B 2d FA 2 Btry A; ½ Hq & Hq Btry; ½ Hq & Hq Btry 1st FA Brig Btry A; ½ Hq & Hq Btry, 1st Bn; ½ Serv & Am Btry B; ½ Hq & Hq Btry, 1st Bn; ½ Serv & Am Btry B; ½ Hq & Hq Btry, 1st Bn; ½ Serv & Am Btry, 1st Bn Btry C; ½ Hq & Hq Btry, 1st Bn; ½ Serv & Am Btry, 1st Bn Btry D; ½ Hq & Hq Btry, 2d Bn; ½ Serv & Am Btry, 1st Bn Btry D; ½ Hq & Hq Btry, 2d Bn; ½ Serv & Am	В	1st FA 3	Btry B; 1/3 Hq & Hq Btry, 1st Bn; 1/3 Serv & Am
Btry, 2d Bn Btry E; ½ Hq & Hq Btry, 2d Bn; ½ Serv & Am Btry E; ½ Hq & Hq Btry, 2d Bn; ½ Serv & Am Btry F; ½ Hq & Hq Btry, 2d Bn; ½ Serv & Am Btry, 2d Bn Btry F; ½ Hq & Hq Btry, 2d Bn; ½ Serv & Am Btry, 2d Bn 2d FA 1 B 2d FA 2 Btry A; ½ Hq & Hq Btry; ½ Hq & Hq Btry 1st FA Brig Btry A; ½ Hq & Hq Btry, 1st Bn; ½ Serv & Am Btry B; ¼ Hq & Hq Btry, 1st Bn; ½ Serv & Am Btry B; ¼ Hq & Hq Btry, 1st Bn; ½ Serv & Am Btry, 1st Bn Btry C; ½ Hq & Hq Btry, 1st Bn; ½ Serv & Am Btry, 1st Bn Btry D; ½ Hq & Hq Btry, 2d Bn; ½ Serv & Am Btry D; ½ Hq & Hq Btry, 2d Bn; ½ Serv & Am	В	1st FA 4	Btry, 1st Bn Btry C; ½ Hq & Hq Btry, 1st Bn; ½ Serv & Am
B 1st FA 6 Btry E; ¼ Hq & Hq Btry, 2d Bn; ⅓ Serv & Am Btry, 2d Bn B 1st FA 7 Btry F; ⅓ Hq & Hq Btry, 2d Bn; ⅓ Serv & Am Btry F; ⅓ Hq & Hq Btry, 2d Bn B 2d FA 1 Regt Hq & Hq Btry; ⅓ Hq & Hq Btry 1st FA Brig Btry A; ⅓ Hq & Hq Btry, 1st Bn; ⅓ Serv & Am Btry 1st Bn B 2d FA 3 Btry B; ⅓ Hq & Hq Btry, 1st Bn; ⅓ Serv & Am Btry, 1st Bn B 2d FA 4 Btry C; ⅓ Hq & Hq Btry, 1st Bn; ⅓ Serv & Am Btry, 1st Bn B 2d FA 5 Btry D; ⅓ Hq & Hq Btry, 2d Bn; ⅓ Serv & Am Btry D; ⅓ Hq & Hq Btry, 2d Bn; ⅓ Hq & Hq Btry, 2d Bn; ⅓ Serv & Am Btry D; ⅓ Hq & Hq Btry, 2d Bn; ⅓	В	1st FA 5	Btry D; 18t Bn
Btry, 2d Bn 2d Field Artillery (105 MM Regiment) Regt Hq & Hq Btry; ½ Hq & Hq Btry 1st FA Brig Btry A; ½ Hq & Hq Btry, 1st Bn; ½ Serv & Am Btry 1st Bn Btry B; ½ Hq & Hq Btry, 1st Bn; ½ Serv & Am Btry, 1st Bn	В	1st FA 6	Btry E; ½ Hq & Hq Btry, 2d Bn; ½ Serv & Am
B 2d FA 1 B 2d FA 2 B 2d FA 3 B 2d FA 3 B 2d FA 4 B 2d FA 4 B 2d FA 5 B 2d FA 6 B 2d FA 7 B 2d FA 7 B 2d FA 7 B 2d FA 8	В	1st FA 7	Btry F; % Hq & Hq Btry, 2d Bn; % Serv & Am Btry, 2d Bn
B 2d FA 3 Btry B; ½ Hq & Hq Btry, 1st Bn; ½ Serv & Am Btry, 1st Bn B 2d FA 4 Btry, 1st Bn B 2d FA 5 Btry C; ½ Hq & Hq Btry, 1st Bn; ½ Serv & Am Btry D; ½ Hq & Hq Btry, 2d Bn; ½ Serv & Am	В	2d FA 2	2d Field Artillery (105 MM Regiment) Regt Hq & Hq Btry; ½ Hq & Hq Btry 1st FA Brig Btry A; ½ Hq & Hq Btry, 1st Bn; ½ Serv & Am Btry 1st Bn
Btry, 1st Bn Btry D; ½ Hq & Hq Btry, 2d Bn; ½ Serv & Am			Btry B; 1/3 Hq & Hq Btry, 1st Bn; 1/3 Serv & Am
B 2d FA 5 Btry D; ½ Hq & Hq Btry, 2d Bn; ½ Serv & Am	В	2d FA 4	Btry, 1st Bn
	В	2d FA 5	Btry D; 1/3 Hq & Hq Btry, 2d Bn; 1/3 Serv & Am

EXAMPLE OF A RAILWAY MOVEMENT OF AN INFANTRY DIVISION (SQUARE) .- List of transportation groupings for planning purposes, (based on application of data to WDT/O published November 1, 1940) (Continued):

В	2d FA 6	Btry E, ½ Hq & Hq Btry, 2d Bn; ½ Serv & Am
В	2d FA 7	Btry, 2d Bn Btry F; ½ Hq & Hq Btry, 2d Bn; ½ Serv & Am Btry, 2d Bn
	1	3d Field Artillery (155 MM Regiment)
В	3d FA 1	Btry A; 1/3 Hq & Hq Btry, 1st Bn; 1/3 Serv & Am Btry,
В	3d FA 2	1st Bn Btry B; ½ Hq & Hq Btry, 1st Bn; ½ Serv & Am Btry,
В	3d FA 3	1st Bn Btry C; % Hq & Hq Btry, 1st Bn; % Serv & Am Btry,
70	01 774 4	1st Bn
B	3d FA 4 3d FA 5	Btry D; ½ Regt Hq & Hq Btry Btry E; ½ Hq & Hq Btry, 2d Bn; ½ Serv & Am Btry, 2d Bn
В	3d FA 6	Btry F; 1/2 Hq & Hq Btry, 2d Bn; 1/2 Serv & Am Btry, 2d Bn
В	3d FA 7	Btry G; 1/3 Hq & Hq Btry, 2d Bn; 1/3 Serv & Am Btry, 2d Bn
В	3d FA 8	Btry H; ½ Regt Hq & Hq Btry
	1	1st Engineers
В	Engrs 1	Regt Hq, Hq Co & Serv Co (less dets)
A	Engrs 2	1st Bn; Det Serv Co
A	Engrs 3	2d Bn; Det Serv Co
		1st Quartermaster Regiment
В	QM 1	Regtl Hg & Hg Co; ½ Co F
В	QM 2	Hq 1st Bn; ½ Co A
В	QM 3	½Co A; ½ Serv Co
В	QM 4	½Co B;½ Co E
В	QM 5	Hq 3d Bn; ½ Co B
В	QM 6	Hq 2d Bn; ½ Co C
В	QM 7	½ Co C; ½ Serv Co
В	QM 8	½ Co D; ½ Co E ½ Co D; ½ Co F
В	QM 9	
n	Mad 1	1st Medical Regiment
B B	Med 1 Med 2	Co D; Co G; Hq 3d Bn; ½ Regtl Hq & Serv Co Co A; Co E; Hq 2d Bn
В	Med 3	Co B; Co C; Co F; Hq 1st Bn
B	Med 4	Co H; Co I; ½ Regt Hq & Serv Co
D	1	HEADQUARTERS AND HEADQUARTERS COM-
		PANY AND SPECIAL TROOPS 1ST DIVISION
В	Hq 1	½ of: Div Hq & Hq Co; 1st MP Co; 1st Sig Co
B	Hq 2	½ of: Div Hq & Hq Co; 1st MP Co; 1st Sig Co
B	Ord 1	1st Ord Co (M Maint)
Total	69	26 A and 43 B

Infantry

Attached Med Det of 2 Officers, 27 men figured with each Bn.
 The additional Med Det of 4 Officers, 19 men, 5 vehicles of headquarters section are placed on train No. 4 in each Regt.
 The Bn sect, Com Plat, Regt Hq Co, 1 Officer, 17 men figured with each Bn.
 The Bn Sect, Trans Plat, Serv Co, 1 Officer, 19 men figured with each Bn.

NOTES

Field Artillery

5. Band included with Hq & Hq Btry Div Arty.

Attached Medical included with Hqrts Btry.
 Requirements for 75-mm gun batteries same as for 105-mm howitzer.

■ 58. a. Example of a Railway Movement of Foot Troops Only.—Type, Number and Loadings of Trains (Square Division) See pars. 41 and 63 of Type Trains.

COMBINED RAIL AND MOTOR MOVEMENT

1	2	3
Tra	ins	Troops Carried on Each Train
Type	No.	The state of the s
C	4 4	Inf Bn, Regt Hq Co, Det Div Hq & MP Co & Sig Co Inf Bn, AT Co Det Brig Hq & Hq Co Inf Bn, Serv Co, Det Div Hq & MP Co & Sig Co
C	4	Inf Bn, Serv Co, Det Div Hq & MP Co & Sig Co
Total	12	

b. (BCT).—Brigade Combat Team.

ALL MOVING BY RAIL

1	2	3
Trai	ns	Troops Carried on Each Train
Type	No	
A	12	Infantry—See par 57
B B B B	2	Infantry—See par 57 1st FA—See par 57
В	7	1st FA—See par 57
В	1	Engr & Med
В	1	Med
В	1	Brig & Div Hq
Total	24	12 A 12 B

c. (BCT).—Brigade Combat Team Foot Elements only by Rail. Motor Elements and Prescribed Personnel overland.

1	2	3
Train	l8	Troops Carried on Each Train
Type	No	
C	6	Infantry

SECTION III

INFANTRY DIVISION (TRIANGULAR)

59. FORM FOR AN ABRIDGED TABLE—ROAD SPACES AND TIME-LENGTHS. INFANTRY DIVISION (Triangular).

			4 17						9	10	11	12
			Autho	Actual strength				space halt		oad spa moving		
	Units (including attached chaplains and medical personnel)	T/O No	Men	Vehi- cles	Men		foot	on	Vehi- cles (miles)	Men on foot (miles)	Vehi- cles 10 mph (miles)	Vehi- cles 25 mph (miles)
2 3 4 5 6 7 8 9 10 11 12 13 14 15	One Inf Bn, w/Med Det, Bn Sec Com Plat & Bn Sec Trans Plat Serv											

NOTES

- Column 1: Designation of unit to be entered, as "1st Infantry Division."
- Columns 5, 6, and 7: Based on periodic reports of subordinate units, the actual strength in men, and vehicles should be entered.
- Column 8: Number of men on foot × .8 (men in column of threes) = yards; ÷ 1760 = miles,
- Column 9: For a column of vehicles of all types, 10 yards per vehicle is used as the average road
- Column 10: Road spaces of foot elements on the march are identical with road spaces at the halt.
- Column 11: Number of vehicles × 23.5 (2.35 × mph) per vehicle = yards + 1760 = miles. Column 12: Number of vehicles × 60 yards (2.35 × mph) per vehicle = yards + 1760 = miles. Column 13: Number of men on foot × .011 = minutes at 2½ mph (× .0135 at 2 mph).
- Column 14: Number of vehicles × .08 = minutes.
- Column 15: Men on foot (column 7) divided by 15 for 1½-ton trucks; divided by 25 for 2½-ton trucks. (See Note 4, paragraph 46, and paragraph 47.)

1	3	14	1	5	1	6	1	7	18	19	
Time-length moving				tional		space tional		-length tional		en Div by Trk	
on	len foot vin)	Vehicles in close column	foot t	to carry foot troops (col ?)		vehicles at halt (miles)		icles in column	Road space at halt (cols 9+16) (miles)	Time-length in close column (cols 14+17) (min)	
2 mph	2½ mph	(min)	1½- ton	2½- ton			2½- ton				
										~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~	
										-	

******		************						1			
	**********	***************************************									

NOTES

- Column 1: Designation of unit to be entered, as "1st Infantry Division."
- Columns 5, 6, and 7: Based on periodic reports of subordinate units, the actual strength in men, and vehicles should be entered.
- Column 8: Number of men on foot × .8 (men in column of threes) = yards; ÷ 1760 = miles.
- Column 9: For a column of vehicles of all types, 10 yards per vehicle is used as the average road
- Column 10: Road spaces of foot elements on the march are identical with road spaces at the halt.
- Column 11: Number of vehicles ×23.5 (2.35 × mph per vehicle = yards ÷ 1760 = miles.
- Column 12: Number of vehicles \(\)60 yards (2.35\times mph) per vehicle = yards \(\div 1760 = \text{miles.} \)
 Column 13: Number of men on foot\(\times .011 = \text{minutes} \) at 2\(\frac{1}{2} \text{mph} \) (\(\times .0135 \) at 2 mph).
 Column 14: Number of vehicles \(\times .08 = \text{minutes} \).

- Column 15: Men on foot (column 7) divided by 15 for 1½-ton trucks; divided by 25 for 2½-ton trucks. (See Note 4, paragraph 46, and paragraph 47.)
- 60. SHUTTLING: INFANTRY DIVISION (Triangular).—a. Refer to paragraph 51 for general formula for shuttling, and to paragraph 46, 47 and 61 for transportation requirements and availability.

- b. The following example of standing operating procedure for a motor movement by shuttling for an infantry division (triangular) should be used only as a guide from which to prepare shuttle plans based upon the actual transportation available and the personnel to be moved:
 - c. Example based on WD T/O November 1, 1940.
- (1) Plan.—Motor Movement I is a shuttle movement in which the division moves in its organic motors in two shuttles, behind a screen of other troops adequate to protect the movement against strong frontal attack, CT 1 and CT 2, with reinforcements from division troops, constitute the first shuttle. It moves on two or more routes and protects the immediate front of its movement with small advance guards. In addition to its organic transportation, sufficient additional trucks from units of the division not moving in the first shuttle are attached to CT 1 and CT 2 to transport by motor all their personnel and equipment. At the conclusion of the first shuttle, trucks belonging to units of second shuttle return to pick up prescribed loads and move CT 3 (reinforced). Necessary trucks from units of first shuttle dump loads in forward area and return to assist in moving foot troops of second shuttle. Division troops move behind the second shuttle without distance.
- (2) Security.—The Reconnaissance Troop protects the movement by conducting reconnaissance to the front and flanks. Battery D 4th Field Artillery Battalion is held in mobile reserve to provide antitank protection. None of its organic transportation is employed for other purposes during the movement.
- (3) Warning Order.—Preliminary arrangements for this shuttle movement will be inaugurated upon receipt of order "Alert for motor movement one," or "Alert for motor movement one, after (designated hour)."

MOTOR MOVEMENT NUMBER ONE (MM1)—1ST DIVISION (Triangular).

FIRST SHUTTLE

Group 1 1st Inf 1st FA Bn 1st Plat (w/tractor) Co A 1st Engr Bn Co A 1st Med Bn Det 1st Sig Co

2d Inf 2d FA Bn 1st Plat (w/tractor) Co B 1st Engr Bn Co B 1st Med Bn Det 1st Sig Co

SECOND SHUTTLE

3d Inf 3d FA Bn 1st Plat (w/tractor) Co C 1st Engr Bn Division Troops (less dets) Co C 1st Med Bn Det 1st Sig Co

Group 2

Group 4

ASSIGNMENT OF TRANSPORT (MM 1)

Unit from			rovided and unit	
which Transport is detached	1st Si	huttle	2d Shuttle	REMARKS
is detached	1st Inf	2d Inf	3d Inf	
1st QM Bn 1st Med Bn	13 a	5 α	7 a	A det of 1st Div Arty Hq & Hq Btry marches with the 105-mm Bn of one of the groups of the 1st Shuttle.
1st Div Arty		98 α	57 a	1st Sig Co assists in shuttling the foot troops and equipment of DHQ and Div Hq & MP Co.
1st Engr Bn	29 b	9 b		At 10 minutes per 100 vehicles, the approximate time length of march groups 1, 2 and 3 is 50 minutes; of march group 4, 30 minutes.
1st Inf 2d Inf			37 b 37 b	more group 4, 00 milities.
3d Inf	39 b		and the second s	
TOTALS c 2½-ton a 1½-ton b	61 79	103	64 74	

NOTES

■ 61. Example of G-3 Work Sheet Showing Availability of Cargo Trucks ($1\frac{1}{2}$, $2\frac{1}{2}$, and 4-ton) in the Infantry Division (Triangular) for Movement of Foot Troops a (based on WD T/O November 1, 1940).— a. This table shows a priority which might be established within a division for the availability of organic motor transportation of units scheduled to move in the second shuttle, to be used for movement of foot troops of the first shuttle. With slight modification it might also serve to show availability of transportation to be returned by units of the first shuttle for movement of foot troops of the second shuttle.

a 2½-ton trucks.

b 1½-ton trucks.

c Includes 1 extra truck, 11/2-ton, for each inf regt.

TROOP MOVEMENTS

G-3 WORK SHEET

AVAILABILITY OF MOTOR TRANSPORT FOR TROOP MOVEMENT

Prior-	Normal use	QM Bn 2½-T	105- mm Bn 2½-T	155- mm Bn 2½T-	Inf Regt 1½-T	Engr Bn 1½-T	I	$\begin{bmatrix} 2^{1}/2 - T \end{bmatrix}$	Sig Co 1½-T	Total
1	Cargo trucks	48								48
2	Personnel & baggage				5*	3	8		11	37
3	Organization equipment	3	5	6	4	9	1	13		59
4	Kitchen	2	5	6	15	4	5		2½-T	78
	Ammunition		18	20	13					113
	Command & operations		5	5	1				3	26
5	Signal		9	9					22	58
	Engineer pers & tools					30				30
	Medical	1½-T	1	1	2	1		;	,	12
	Supplies	4	2	2			4			16
	TOTAL	58	45	49	40	47	18	13	37	477
Emer-	Motor maintenance	4	8	1-4-T 8	5	1	3	5		
gency	Special equipment	4				7				
	Prime movers 2½-ton		15	8						53
	Prime movers 4-ton			15		3				18

NOTES

- The availability of cargo trucks and the priority of such availability are command decisions.
 Reference prime movers see par. 344 FM 100-5 (FSR).
 Ordinarily the Sig Co and the Div Hq and Div Hq and MP Co, by pooling transport, can move all the personnel and equipment pertaining to these organizations in 1½ round-trips and at the same time perform essential functions (assuming that the car plat of the QM Bn also transports Div Hq personnel).
- 4 Unit motor repair vehicles are not available for other purposes. They usually accompany the motor vehicles of the unit.
- * Includes 3 trucks for personnel of the AT Co.

■ 62. EXAMPLE OF A RAILWAY MOVEMENT OF AN INFANTRY DIVISION (Triangular).—List of transportation groupings for planning purposes (based on application of data to WDT/O published November 1, 1940):

Type	~	
Train	Symbol	Transportation groupings
A A A B A A	1st Inf 1 1st Inf 2 1st Inf 3 1st Inf 4 1st Inf 5 1st Inf 6 1st Inf 7	Co A; Co B; Hq & Hq Det 1st Bn (See notes) Co C; Hv Wpn Co; ½ Regt Hq & Hq Co Co E; Co F; Hq & Hq Det 2 dBn (See notes) Co G; Hv Wpn Co; ½ Hq & Hq Co 1st Brig AT Co; Serv Co (less dets) Co I; Co K; Hq & Hq Det 3d Bn (See notes) Co L; Hv Wpn Co; ½ Regt Hq & Hq Co
A A A B A	2d Inf 1 2d Inf 2 2d Inf 3 2d Inf 4 2d Inf 5 2d Inf 6 2d Inf 7	Co A; Co B; Hq & Hq Det 1st Bn (See notes) Co C; Hv Wpn Co; ½ Regt Hq & Hq Co Co E; Co F; Hq & Hq Det 2d Bn (See notes) Co G; Hv Wpn Co; ½ Hq & Hq Co 1st Brig AT Co; Serv Co (less dets) Co I; Co K; Hq & Hq Det 3d Bn (See notes) Co L; Hv Wpn Co; ½ Regt Hq & Hq Co
A A A B A	3d Inf 1 3d Inf 2 3d Inf 4 3d Inf 3 3d Inf 5 3d Inf 6 3d Inf 7	Sd Infantry Co A; Co B; Hq & Hq Det 1st Bn (See notes) Co C; Hv Wpn Co; ½ Regt Hq & Hq Co Co E; Co F; Hq & Hq Det 2d Bn (See notes) Co G; Hv Wpn Co; ½ Hq & Hq Co 2d Brig AT Co; Serv Co (less dets) Co I; Co K; Hq & Hq Det 3d Bn (See notes) Co L; Hv Wpn Co; ½ Regt Hq & Hq Co
**************************************	HQ Div Arty-1 1st FA BN 2 1st FA Bn 3 1st FA Bn 4 2d FA Bn 5 2d FA Bn 6 2d FA Bn 7 3d FA Bn 8 3d FA Bn 9 3d FA Bn 10 4th FA Bn 11 4th FA Bn 12 4th FA Bn 13 4th FA Bn 14	Field Artillery Hq & Hq Btry Div Arty Btry A; % Bn Hq Btry; % Serv & Am Btry Btry B; % Bn Hq Btry; % Serv & Am Btry Btry C; % Bn Hq Btry; % Serv & Am Btry Btry A; % Bn Hq Btry; % Serv & Am Btry Btry B; % Bn Hq Btry; % Serv & Am Btry Btry C; % Bn Hq Btry; % Serv & Am Btry Btry A; % Bn Hq Btry; % Serv & Am Btry Btry A; % Bn Hq Btry; % Serv & Am Btry Btry B; % Bn Hq Btry; % Serv & Am Btry Btry C; % Bn Hq Btry; % Serv & Am Btry Btry A; % Bn Hq Btry; % Serv & Am Btry Btry A; % Bn Hq Btry; % Serv & Am Btry Btry A; % Bn Hq Btry; % Serv & Am Btry Btry C; % Bn Hq Btry; % Serv & Am Btry Btry C; % Bn Hq Btry; % Serv & Am Btry Btry C; % Bn Hq Btry; % Serv & Am Btry Btry C; % Bn Hq Btry; % Serv & Am Btry
B B	Engrs 1 Engrs 2	Engineers 4 Engr Bn, less dets 4 Engr Bn, less dets
B B	Med 1 Med 2	Medical Med Bn; less dets Med Bn; less dets
B	QM 1 QM 2	Quartermaster ½ QM Bn, less dets ½ QM Bn, less dets
B B B	HQ 1 HQ 2 HQ 3	Division Headquarters and Miscellaneous ½ Div Hq & Hq Co; Det Sig Co; Det QM Bn Recn Tr; Det Med Bn ½ Div Hq & Hq Co; Sig Co (less dets); Det QM Bn
Total	44	18 A and 26 B

NOTES

Infantry

- Attached Med Det of 2 Officers, 27 men figured with each Bn.
 The additional Med Det of 4 Officers, 19 men, 5 vehicles of headquarters section are placed on train No. 4 in each Regt.
 The Bn Sect, Com Plat, Regt Hq Co, 1 Officer, 17 men figured with each Bn.
 The Bn Sect, Trans Plat, Serv Co, 1 Officer, 19 men figured with each Bn.

Field Artillery.

5. Band Included with the Hq & Hq Btry Div Arty.

6. Attached Medical included with Hqtrs Btry.

- 7. Requirements for 75-mm gun batteries same as for 105-mm howitzer.
- 63. a. Example of a Railway Movement of Foot Troops Only.— INFANTRY DIVISION (Triangular).—Type, number, and loadings of trains (combined rail and motor movement): (See pars. 41 and 62)

1	2	3
Tre	ains	Troops carried on each train
Type	No.	
C	3	Inf Bn, Regtl Hq Co, det Div Hq & MP Co Inf Bn, AT Co, det Div Hq & MP Co
C	3	Inf Bn, Serv Co, det Div Hq & MP Co
TOTAL	. 9	

NOTES

Assumptions:

67 officers and 6,491 men ride overland in the 1,560 motor vehicles of the division.

Units, including atchd Med and Ch: average per train: + (or -)

40 officers, 931 men.

Arrangements made for motors to meet trains at detraining points, or for necessary motor service there to be provided from other

All units except Inf regts and Div Hg and Hg and MP Co completely motorized.

b. (CT).—Regimental Combat Team All moving by Rail.

1	2	3
Train	8	Troops carried on each train
Type	No.	
A	6	Infantry
B B B	1	Infantry
В	3	Field Artillery
В	1	Engr and MP Co
В	1	Engr and MP Co Div Hq & Co A 1st Med
TOTAL	12	6 A, 6 B

c. (CT).—Foot elements only by rail, Motor elements and prescribed personnel overland.

1	2	3
Trai	ns	Troops carried on each train
Type	No.	<u> </u>
C	3	Infantry

■ 64. Work Sheet for Preparing Entraining Tables.—Troop movements by railway:

				Entraining	points				
Miles from forward entraining point Minutes from forward entraining point		Hardy Barnett 1 Bar		Barnett 2	Barnett 3	Tollgate			
		0	4	4	4	8			
		s from for- entraining		12	12	24			
Train No.	Train schedule		Entraining plan						
1	H		H-0:12 ① B-Hq-1						
2	H+0:40 ④			H+28 B-1st Inf-1			1st		
3	1:20 ⑤				H+1:08 ② A-1st Inf-2		Echelo		
4	2:00					H+1:36 B-2d Inf-1③			
5	2:40	H+2:40 B-QM-2							
6	3:20		H+3:08 A-1st Inf-3						
7	4:00			H+3:48 A-1st Inf-4					
* *	# 1/2 1/2 1/2 1/4	* * * * *	* * * * *	* * * * *	* * * * *	* * * * *			
21	14:00			H+13:48 B-4th Inf-1			D		
22	14:40				H+14:28 A-4th Inf-2		Division less 1s Echelo		
* *	****	****	****	* * * * *	* * * * *	****			

NOTES

Procedure.—Determine the entraining points to be used (based on loading facilities and convenience of foot troops) and tentatively the units and numbers of trains to load at each.

H-0:12=H (hour) minus 12 minutes from forward entraining point.
 H=1:08=H (hour) plus 1 hour and 8 minutes.
 B-2d Inf-1=Type B train, 2d Infantry, 1st train.

⁴ H=0:40=H (hour) plus 40 minutes.
5 1:20=H (hour) plus 1 hour and 20 minutes.

Block off on the work sheet for each entraining point, by units, the number of trains to load there (for each echelon successively, if the movement is to be by echelon).

Number of trains in the order of their departure from the entraining area.

Check to see that each train is allowed time for loading (at least 3 hours between trains from one entraining point if vehicles and matériel are to be loaded. Where only foot elements move by rail and motorized elements of the unit move overland, allow one-half hour for loading and one-half hour for unloading).

Check to see that the train density prescribed by the Railway Transportation Service is not exceeded and that time is not unnecessarily lost; for instance, with a train density of 36, that one train can leave the entraining area every forty minutes. Make necessary adjustments.

Determine the time at which each successive train is to leave the entraining area.

Determine and enter the time required for trains from each entraining point to reach the forward entraining point (limit of the entraining area).

Enter, for each train successively, the time it must leave its entraining point to reach the forward point at the regular intervals of train density (at least, not more than that interval).

Prepare one entraining table (Form 11, SOFM 101-5) for each entraining point, designating the specific units or elements to be loaded on each train.

A detraining table often is not made. When desired, the running time from the entraining point to the detraining point may be added to the time of departure from the entraining point to give the expected day and hour of arrival.

SECTION IV

CAVALRY DIVISION (HORSE)

65. FORM FOR AN ABRIDGED TABLE—ROAD SPACES AND TIME-LENGTHS. CAVALRY DIVISION:

-													
	1	2	3	4	5	6	7	8	9	10	11	12	13
			£.	uthor			Actue			ad ace		Ti len	
1	Units	T/O			М			М	Mtd ele- ments (col of	Mo el me		Mtd ele- ments (col	M ele-
			Men	Anls		Men		ve- hicles	twos)		25 m p h (yds)	of twos)	ments 25 mph (min)
2	Cav Div												
3	Cav Brig												
4	Cav Brig												
5	Cav Regt												
7	Cav Regt												
8	Cav Regt												
9	Div FA	*******											
10	Engr Sq.											,	
11	Ren Sq Mecz												
12	Med Sq												
13	QM Sq												
14	Cav Div Hq												
15 16	Div Hq Tr												
17	Sig Troop												
18	Ord Co, M Maint												
19	Atchd Med (+5 Ch)												
20	One Cav Sq												
21	One FA Bn, 75-mm How												
22	One FA Bn, 105-mm How									~~~~~			
			1								1		

NOTES

Column 1: Designation of unit to be entered, as "1st Cavalry Brigade."

Columns 6, 7, and 8: Based on periodic reports of subordinate units, the actual strength in men, animals, and vehicles should be entered.

Column 9: The road spaces of animal elements at a halt and moving are identical. Average road space for large units (column of twos) = 3 yards × number of animals. Column 10: For a column of vehicles of all types, 10 yards per vehicle is used as the average road

Column 11: Number of vehicles×60 yards (2.35×mph) per vehicle=road space at 25 mph. Column 12: Using average road spaces per animal (large units, 3 yards per animal), the time-length per animal at 6 mph is .017 minutes. Number of animals × .017 minutes = minutes, time-length. Column 13: Number of vehicles × .08 = minutes, time-length at 25 mph.

Columns 9, 10, and 11: For convenience, entries may be made in miles rather than yards.

■ 66. Example of a Railway Movement of a Cavalry Division, for Planning Purposes.—T/O's dated Nov. 1, 1940.

Турв	Train	
A A	1 Cav 1 1 Cav 3	Tr A: dets; A. T. Troop. Tr D; Hq & Hq & Serv Tr; 2 Sqn Hq Det; Med & Vet Det (no
E E E	1 Cav 2 1 Cav 5 1 Cav 4	horses). Tr B; Tr C; (less det) Sqn horses. Tr E; Tr F; (less det) Sqn horses. MG Tr; Sp Wpn Tr; (less det) rest of horses.
A E A	2 Cav 1 2 Cav 2 2 Cav 3	Tr A; Dets; 1st Brig Wp Troop. Tr B; Tr C; (less det) Sqn horses. Tr D; Hq & Hq & Serv Tr; 2 Sqn Hq Dets; Med & Vet Det
E	2 Cav 4 2 Cav 5	(no horses). MG Tr; Sp Wpn Tr; (less det) rest of horses. Tr E; Tr F; (less det) Sqn horses.
A E A	3 Cav 1 3 Cav 2 3 Cav 3	3d Cavalry Tr A; Dets; 2d Brig Wpn Troop. Tr B; Tr C; (less det) Sqn horses. Tr D; Hq & Hq & Serv Tr; 2 Sqn Hq Dets; Med & Vet Det (no horses).
E	3 Cav 4 3 Cav 5	Tr E; Tr F (less det) Sqn horses. MG Tr; Sp Wpn Tr; (less det) rest of horses.
A E A E E	4 Cav 1 4 Cav 2 4 Cav 3 4 Cav 4 4 Cav 5	Tr A; Dets; Collecting Tr. Tr B; Tr C; (less det) Sqn horses. Tr D; Hq & Hq & Serv Tr; 2 Sqn Hq Dets; Med & Vet Det. Tr E; Tr F; (less det) Sqn horses. MG Tr; Sp Wpn Tr; (less det) rest of horses.
B D E	1 FA 1 1 FA 2 1 FA 3	Btry A; Bn Hq Btry (no horses). Btry B; Serv & Am Btry; Med Det; ½ Div Hq Btry. Btry C; Horse train.
B D E	2 FA 1 2 FA 2 2 FA 3	2d F. A. Bn. Btry A; Bn Hq Btry. Btry B; Serv & Am Btry; Med Det; ½ Div Hq Btry. Btry C; horse train.
B B B	3 FA 1 3 FA 2 3 FA 3	3d F. A. Bn. 1/3 Hq Btry; Btry A; 1/3 Serv & Am Btry. 1/3 Hq Btry; Btry B; 1/3 Serv & Am Btry. 1/3 Hq Btry; Btry C; 1/4 Serv & Am Btry.
D	1 Eng 1 1 Eng 2	Engineer Squadron ½ Sqn Hq Tr; Tr A. ½ Sqn Hq Tr; Tr B.
D B B	1 Rcn 1 1 Rcn 2 1 Rcn 3 1 Rcn 4	Reconnaissance Squadron Hq Rcn Sqn; Med Det; Tr A. Tr B; Armored Troop. Mtcyl Tr; Ord Co (M-M). Mtcyl Tr; Lt Maint Tr (QM Sqn).
D D D D	1 QM 1 1 QM 2 1 QM 3 1 QM 4 1 QM 5	Quartermaster Sqn. ½ Sqn Hq Tr-Det Tr A. Tr A-Det Vet Tr. ½ Sqn Hq Tr-Det Tr B. Troop B-Det Vet Tr. Det Tr A; Det Tr B.
D D	1 Sig 1 1 Sig 2	Signal Troop ½ Sig Troop; Hq Det Med Sqn. ½ Sig Troop; Clearing Troop.
B B E	1 Div 1 1 Div 2 1 Div 3	Division Headquarters 1/2 Div Hq & Hq Tr; Brig Hq Tr. 1/2 Div Hq and Hq Tr; Brig Hq Tr; Det Vet Tr. Det Div Hq; Pack Tr. (Horse Train).

Type	Trains	
	Totals	Type A- 8 Type B-10 Type D-12 Type E-15 45 trains.

SECTION IV

ARMORED DIVISION AND GHQ TANKS

■ 67. a. Example of a Railway Movement of an Armored Division, for planning purposes.—T/O's dated Nov. 15, 1940:

		2	3	4
1	Troop units carried on each train	No of trains	Турв	Total
2	1/3 DHQ and Hq Co, and Sig Co	3	D	3 D
3 4 5 6 7	1 Armd Co, L and MG Co 1/3 Armd Co, L 1/3 Rcn Co, and 1/3 Serv Co 3 Bn Hq, L and Regt'l Hq & Hq Co 2 1/3 Armd Co, L 2 1/3 Armd Co, L	1 3 1 1 2	D D D D	
8	Total Armd Regt, L			8 D
9 10	1½ Armd Co, M and ¼ Hq & Hq Co	4 3	D D	
11	Total Armd Regt, M			7 D
12 13	2/3 FA Btry, 1/3 Am Tn, and 1/3 Serv Btry	3 2	D D	
14	Total FA Regt			5 D
15	Hq and Hq Co Armd Brig	1	D	1 D
16	Total Armd Brig			32 D
17 18 19 20	1 Inf R Co, 1/3 Serv Co, and 2/3 Bn Hq & Hq Det	1	D D D	8 D
21 22	1 FA Btry, Bn and 1/2 AT Btry 1/2 FA Btry, 1/2 Serv & Am Btry, and 1/2 Hq & Hq Co	2 2	D D	
23	Total FA Bn			4 D
24 25	1/3 Bdg Co and 1/3 Hq & Hq Co	3 2	D D	
26	Total Engr Bn			5 D
27 28	1 Ren Co and 1/2 Inf R Co 1 Armd Co, L and 1 Hq & Hq Det	2	D D	
29 30	Total Ren Bn	3	D	3 D

	1	2	3	4
1	Troop units carried on each train	No of trains	Type	Total
31 32 33	Total Ord Bn	1 1	D D	3 D
34	Total Med Bn		***********	2 D
35 36	1/3 Trk Co and 1/3 L Maint Co	3	D D	*************
37	Total QM Bn	****	11 0 11 11 12 12 12 12 12 12 12 12 12 12 12	4 D
38	TOTAL AMRD DIV.		**********	61 D

b. Example of a Railway Movement of an Armored Division less Wheeled Vehicles and Personnel, for training purposes.—T/O's dated Nov. 15, 1940:

		2	3	4
1	Troop units carried on each train	No of trains	Type	Total
2 3	Armd Bn L. 1 Rcn Co, 1 MG Co, 1 Serv Co, and 1 Hq & Hq Co	3	D D	
4	Total Armd Regt L			4 D
5 6 7	2 Armd Co, M Bn Hq H, and Serv Co 2 Armd Co, M and Bn Hq M 2 Armd Co, M and Regtl Hq & Hq Co	1 1 1	D D D	
8	Total Armd Regt, M		000000000000000000000000000000000000000	3 D
9	1 FA Btry, 1 Serv Btry and Brig Hq & Hq Co	1 2	D D	***************************************
11	Total FA Regt and Brig Hq & Hq Co	**********	~~~~	3 D
12	Total Armd Brig			14 D
13 14 15 16	2 Inf R Co and 1/2 AT Co 1 Inf R Co, 1/2 AT Co, Serv Co, and Hq & Hq Co 2 Hv W Co, 2 Bn Hq & Hq Co, and 1/4 Inf R Co 2 3/4 Inf R Co	1	D D D	***************************************
17	Total Inf Regt	000000000000000000000000000000000000000	>>>>>>>	4 D

b. Example of a Railway Movement of an Armored Division less Wheeled Vehicles and Personnel, for training purposes.—T/O's dated Nov. 15, 1940 (Continued):

Colombia	1	2	3	4
1	Troop units carried on each train	No of trains	Турв	Total
18 19	1 FA Btry (Bn), 1 Serv & Am Btry, Hq & Hq Btry 1 FA Btry and 1/2 AT Btry	1 2	D D	
20	Total FA Bn			3 D
21 22 23	1/2 Bdg Co, and Hq & Hq Co 3 Engr Co 1/2 Bdg Co	1 1 1	D D D	
24	Total Engr Bn			3 D
25	Total Ren Bn			1 D
26	Total Armd Div.			25 D

c. Example of a Railway Movement of GHQ Reserve Tank Group Units, for planning purposes.—T/O's dated Nov. 15, 1940:

-									
		2	3	4	5	6	7	8	9
1	Unit	Per-	Ve-	ty ra ca:	o and pe of ilway rs per iit 3	Total No of	railu per track	d type of pay cars unit for vehicles*	Total No of
	40	sonnei	nicies	Flat cars	Coaches 4	cars 6	Flat cars	Coaches 4	cars ®
2 3	Armd Co, L (3) Bn Hq & Hq, Co L ②	111 210	31 67	13 25.7	1.9 3.7	14.9 29.3	10 6	.3	10.3 6.2
4	Total Tk Bn, L	543	160	64.7	9.3	74.0	36	1.1	37.2
5 6	Armd Co, M (3) Bn Hq & Hq Co, M ②	164 216	32 90	14 37	2.8 3.8	16.8 40.8	11.5	.8	12.3 5.2
7	Total Tk Bn M	708	186	79	12.0	90.7	39.5	2.6	42.1
8 9	Hq & Hq Co Ord Co, Hv Maint (Atchd)	161 223	50 50	17.3 23	2.8 3.8	20.2 26.8	5	.2	5.2

Based on T/Os dated November 15, 1940.

2) Includes personnel and vehicles of attached medical.

3 One baggage or box car, for kitchen, is in composition of each train.

The capacity of each coach is 60 enlisted men or 40 officers. Coaches are replaced by tourist pullmans for journeys involving movement of two nights or longer.

3 Cars, flat or gondola, are loaded as follows:

Motorcycles per car.... Prime mover and towed load per car.....

6 Cabooses are included in trains having no passenger car equipment.
7 Includes railway car to transport personnel for protection and care of vehicles.
8 Includes antitank guns, howitzers and towed loads.
9 Includes half-track vehicles.

d. Example of a Railway Movement of GHQ Reserve Tank Group Units, for planning purposes.—T/O's dated Nov. 15, 1940.

		2	3	4
1	Troop units carried on each train	No of trains	Туре	Total
2	1/3 Tk Bn, L	3	D	0707048640000000
3	Total Tk Bn, L			3 D
4 5	1 Armd Co, M and 1/4 Bn Hq & Hq Co M 1/2 Armd Co, M and 1/4 Bn Hq & Hq Co M		D D	
6	Total Tk Bn, M		*********	4 D
7 8	Hq & Hq Co, Tk Gp Ord Co, Hv Maint (Atchd).	1 1	D D	1 D 1 D

e. Example of a Railway Movement of GHQ Reserve Tank Group Units less Wheeled Vehicles and Personnel for planning purposes.—T/O's dated Nov. 15, 1940.

		2	3	4
1	Troop units carried on each train	No of trains	Туре	Total
2 3	2 Armd Co, L and 1 Bn H1 & Hq Co	1 1	D D	
4	Total Tk Bn, L			2 D
5 6	2 Armd Co, M	1 1	D D	
7	Total Tk Bn, M			2 D
8	Hq & Hq Co, Tk Gp	1	D	1 D

f. Loading and Movement by Rail, Division. (1)

-	j. Zodavily and izocomono by Laws Zovolow (1)								
		2	3	4	5	6	7	8	9
1	Unit	Per-			No and type of railway cars per unit ①		No and type of railway cars permit for track vehicles*		Total No of cars
				Flat cars ®	Coaches 3	cars	Flat cars	Coaches 3	4
2	DHQ & Hq Co	325	102	35.3	5.8	41.1			
3 4 5	Sig Co	249 93 24	74 26 9	27 10.5 2.5	4.2 1.6 .4	31.2 12.1 2.9	8 2	.5	8.5 2.2
6	Total Armd Bn, L (3 Bns)	303	87	34	5.2	39.2	26	1.7	27.7
7 8	Ren Co	167	51	15.5	2.9	18.4	9	.6	9.6
9	MG CoServ Co (5)	200 283	35 117	13.5 52	3.4 4.8	16.9 56.8	.5	.6	9.6
10	Iiq, Hq Co & Band	209	50	15.7	3.6	20.3	7.5	.5	8.0
11	Total, Regt, L	1,768	514	199.7	30.3	230.0	104.0	6.9	110.9
12 13	Armd Co, M (3 Cos)	164 40	32 10	14.3 3.0	2.8	17.1 3.7	11.5 2.5	.7	12.2 2.7
14	Total Armd Bn M (2 Bns)	532	106	45.8	9.1	54.8	37.0	2.3	39.3
15 16	Serv Co (§)	283 146	143 34	64.7 10.5	4.8 2.6	69.6 13.0	.5 3.5	.1	.5 3.8
17	Total, Regt, M	1,493	389	166.8	25.6	192.2	78.0	5.0	82.9
18	FA Btry (4 Btrys) 105-mm How	166	40	17.5	2.8	20.3	15.5	1.0	16.5
19 20	Am 'In Serv Btry 6	114 119	45 46	20.8 20.5	$\frac{1.9}{2.1}$	22.7 22.6	2.0	.1	2.1
21	Hq, Hq Btry & Band	195	38	13.7	3.4	17.1	9.0	.6	9.6
22	Total, FA Regt 105-mm How	1,092	289	125.0	18.6	143.6	73.0	4.7	77.7
23	Hq & Hq Co, Brig	130	43	14.9	2.3	17.2	1.0	.1	1.1
24	Total Armd Brig	6,251	1,749	706.1	107.1	813.0	360.0	23.6	383.5
25	R Co, Inf (3 Cos)	216	27	12.0	3.7	15.7	9.5	.6	10.1
26 27	Hv W Co, InfBn Hq & Hq Det	159 32	30 12	$\frac{12.5}{3.0}$	2.7	15.2 3.6	10.0 2.0	.7 1.	10.7 2.1
28	Total Inf Bn (2 Bns)	839	123	51.5	14.4	65.9	40.5	2.6	43.1
29	AT Co	148	38	16.5	2.5	19.0	14.5	1.0	15.5
30	Serv Co ^⑤	210 178	61 42	24.0 14.5	3.6	27.6 17.6	1.0 8.0		1.1
32	Total Inf Regt, Armd	2,214	387	158.0	38.0	196.0	104.5	6.9	111.4
33	FA Btry, 105-mm How (3 Btrys)	145	36	15.2	2.5	17.7	13.5	.9	14.4
34 35	Serv and Am Btry (5)	153 136	46 51	18.0 22.7	2.6 2.3	20.6 25.0	15.5 2.5	.2	16.5 2.7
36	Hq & Hq Btry	142	35	11.8	2.5	14.3	7.0		7.5
37	Total, FA Bn Armd	866	240	98.1	14.9	113.0	65.5	4.4	69.9

-									
	1	2	3	4	5	6	7	8	9
1	Unit	Per-	Vė-	ty ra can	o nad pe of ilway rs per iit ①	Total No of cars	railu per track	ad type of cay cars mit for vehicles	Total No of cars
	·. · · · · · · · · · · · · · · · · · ·			Flat cars	Coaches 3	4	Flat cars	Coaches 3	(1)
38 39 40	Engr Co (3 Cos)	137 163 183	29 119 47	13.5 56.5 21.4		15.8 59.3 24.6	7.5 42.0 5.0	.16	8.0 43.6 5.3
41	Total Engr Bn Armd	757	253	118.4	12.9	131.3	69.5	3.4	72.9
42 43 44 45	Rcn Co (2 Cos)	193 222 93 89	57 27 26 28	17.5 12.0 10.5 11.0	3.3 3.8 1.6 1.6	20.8 15.8 12.1 12.6	9.5 8.0	.6	10.1 8.5 .5
46	Total Ren Bn Armd	790	195	68.5	13.6	82.1	18.0	1.1	19.1
47 48	Ord Co, Maint (2 Cos)	158 91	56 6 1	25.0 29.5	2.8	27.8 31.1	***********		000000000000000000000000000000000000000
49	Total Ord Bn, Maint	427	174	79.5	7.2	86.7			
50 51 52	Coll Co "A" Clr Co Hq & Hq Det ⑤	169 130 59	54 29 15	20.8 12.5 5.7	2.8 2.3 1.1	23.6 14.8 6.8	**********		
53	Total Med Bn Armd	358	98	39.0	6.2	45.2		***********	,
54 55 56	Trk Co L Maint Co Hq & Hq Co (§)	113 189 158	101 51 35	49.7 24.5 13.0	1.9 3.2 2.8	51.6 27.7 15.8			
57	Total QM Bn	460	187	87.2	7.9	95.1			
58	Total Armd Div	12,697	3,459	1417.1	217.8	1634.7	617.5	39.4	656.8

Includes railway car to transport personnel for protection and care of vehicles.
 Based on T/Os dated November 15, 1940.

The capacity of each coach is 40 officers or 60 enlisted men. Coaches are replaced by tourist pullmans for journey involving movement of two nights or longer.
 Cabooses are included in trains having no passenger car equipment.

(5) Includes attached medical detachment and attached chaplains.

Includes antitank guns, howitzers, and trailers.
One barrage or box car for kitchen is in composition of each train.
Cars, flat or gondola, are loaded as follows:

acing and remarks and remarks	
Motorcycles per car 1	5
	4
Trucks, ¼-ton, liaison, per car	4
	0
Four-wheeled vehicles, half-track cars, or tanks per car	4
Defense an amount and termed land man are	1
Prime mover and towed load per car	1

(9) Includes half-track vehicles.

Chapter 3

SUPPLY*

		Paragraphs
SECTION I. General		68-101
	on (Square)	
III. Infantry Divisi	on (Triangular)	114-118
IV. Infantry Division	on (Triangular, Motorized)	119-120
V. Armored Divis	ion	. 121-133
VI. Cavalry Division	on (Horse)	134-140
	M (MR MR) (MR) (MR) (MR) (MR) (MR) (MR)	
VIII. Field Army		. 146-149
IX. GHQ Reserve	Units	150-153
X, Air Force		- ?

SECTION I

GENERAL

- 68. CLASSIFICATION OF SUPPLY.—For convenience supplies are divided into Class I, II, III, IV, and V (See FM 100-10)
- 69. BASIC WEIGHTS FOR COMPUTATION OF LOADS.—Miscellaneous.

Item	Unit	
A-ration a	ea	5.12 lbs net; 6:22 lbs packed.
		Average for planning—6 lbs per ration.
B-ration b	ea	Approximately same weight as A-ration.
C-ration c	ea	5.1 lbs packed.
D-ration d	ea	% pound.
Grain ration	ea	10 lbs average for horses and mules.
Grain ration	ea ea	5 lbs per animal aboard ship.
Hay ration Wood for cooking	per ration	14 pounds per animal. 2.8 lbs per ration.
Gasoline for cooking	per kitchen	10 gal per day per 3-unit kitchen.
Gasoline for trucks	unit mile	The amount in gallons required to mov
dasonine for the decision		every motor vehicle of a unit one mile.
Oil for trucks	gallons	Approximately 3% of the gallons of gase
	0	line required.
Water	10 gal in	109 lbs per container.e
	container	•
	5 gal in	
	container	
Oil	10 gal in	93 lbs per container. e
	container	
	5 gal in	
	container	

NOTES

aA-ration contains items of fresh food and is perishable.

bB-ration is the same as the A-ration with nonperishable items substituted for perishable items.

cC-ration consists of prepared canned meals in individual cans.

dD-ration consists of three prepared chocolate bars each weighing four ounces. eAverage for planning—100 pounds per container. fAverage for planning—50 pounds per container.

^{*}Supply in overseas operations is covered in Chapter 10. Supply by air transport is covered in Chapter 11.

70. BASIC WEIGHTS FOR COMPUTATION OF LOADS.—(Ammunition).

Item	Number	Average Weight (including packing)
Caliber .30	Box of 1500	114 lbs
Caliber .45	Box of 2000	110 lbs
Caliber .50	Box of 300	120 lbs
37-mm gun AT (tank)	Box of 40	140 lbs
37-mm gun (AA)	Per Box of 20	85 lbs
60-mm mortar	Per fiber container	00 100
	of 6	24.4 lbs
81-mm mortar	Per bundle of 6	200
	(L projectile)	58 lbs
81-mm mortar	Per container of 3	
	(Hy projectile)	54 lbs
Grenades, hand	Per box of 10	19 lbs
4.2-inch mortar, cml	Per box of 2	65 lbs
75-mm how	Per bundle of 3	69 lbs
75-mm gun	Per bundle of 3	69 lbs
75-mm gun (AT)	Per bundle of 3	71 lbs
105-mm how	Per bundle of 3	150 lbs
155-mm how	Per round	105 lbs
155-mm gun	Per round	140 lbs
240-mm how	Per round	400 lbs
3-inch AA gun	Per box of 4	150 lbs
90-mm AA gun	Per box of 4	225 lbs
105-mm AA gun	Per box of 2	197 lbs
8-inch gun or how	Per round	317 lbs
12-inch mortar	Per round	871 lbs
12-inch gun	Per round	1134 lbs
14-inch gun	Per round	1860 lbs

■ 71. Dimensions and Weight of Items of Equipment in Traveling Position.*

	Ove	er-all dimens	rions	
	Length	Width	Height	Weight
Item	(inches)	(inches)	(inches)	(pounds)
Ambulance	225	85	83	3,290 net
			69-top up	
Car, bantam	128	62	{42-top	} 3,000 gross
C 1 11: 1 3/0			down	
Car, half-track—M2	228	66	88	17,000 gros
Car, light, 5-passenger	188	72	69	######################################
Caisson, light M1	105	67	49	∫ 862 empt
Cainna (75) 3/1010	100			1,245 loade
Caisson (75-mm), M1918	123	74	63	$\int 1,425 \mathrm{empt}$
Coming and 1 18 1 1	0.40	0.0		2,755 loade
Carrier, personnel, half-track		66	89	16,500 gross
Carrier, 81-mm mortar, M4		66	88	17,500 gross
Cart and reel, Arty, 6-horse	323	74	63	3,873
Compressor, air, 1½-ton Electric light set, 5-KVA	204	86	92	12,180
Grader, road, 7½-ton	58	22	58	1,020
Gun, 75-mm		91 78	120	20,000
Gun, 37-mm, AT	198	18	57	4,850
Gun, 155-mm, M1918	345	106	76	90.000
Gun, 155-mm, M1	417	99	100	30,000
Gun, 37-mm, AA	183	70	81	30,740
Gun, 3-inch, AA	293	93	110	5,000
Gun, 90-mm, AA	248	102	113	16,800
Height finder, 1½-ton truck, Sp body	260	83	106	17,300 10,105
Howitzer, 75-mm, field	152	68	44	3,340
Howitzer, 75-mm (pack), M1	102	. 00	22	1,390
Howitzer, 105-mm	236	81	66	4,300
Howitzer, 155-mm		90	73	9,120
Howitzer, 8-inch, M1	280	99	100	30,200
Howitzer, 240-mm	316	102	103	58,600
Locator, sound	210	180	126	6,490
Limber, light, M2	164	67	42	770 empt
, -9 ,	101	0,	7.0	1,245 loade
Limber, gun caisson, 75-mm	172	74	61	1,071 empt
, ,	2,2		01	1,900 loade
Power earth auger	236	86	92	9,775
Reel, battery, 4-horse	183	74	65	1,385 empt
	200	* **	00	2,252 loade

^{*}Approximate only due to changes in models.

DIMENSIONS AND WEIGHTS OF ITEMS OF EQUIPMENT IN TRAVELING POSITION (Continued).

	Ove	r-all dimens	ions	
	Length	Width	Height	Weight
Item	(inches)	(inches)	(inches)	(pounds)
Motorcycle, with side car	94	72	42	804
Reel, Btry 4-horse	198	75	72	1,385
Scout car, M3A1	222	78	76	11,700
Searchlight, 60" mobile	263	92	128	15,917
Shovel, gasoline, 7½-ton	270	92	181	22,000
Shovel, gasoline, 15-ton	304	96	203	34,000
Tank, light, M2, A4	175	88	110	23,000
Tank, light, M3	204	100	84	26,000
Tank, medium, M2A1	209	98	109	36,000
Tank, medium, M3	223	108	112	60,000
Tank, heavy, T1	277	123	119	100,000
Tractor, light		140	110	200,000
Fractor, medium, arty, 5-ton	134	63	73	10,700
Fractor, 7½-ton, medium, w/bulldozer.	188	103	88	15,000
ractor, heavy, 10-ton, artillery		94	94	32,600
Trailer, 1-ton, cargo		71	72	1,450
Frailer, 250-gallon, tank		4.1		1,100
railer, cargo, 4-wheel				
ruck, ½-ton, pick-up	172	71	79	2,410
Truck, ½-ton, 4 x 4, command.	190	71	79	2,413
Truck, ½-ton, 4 x 4, cargo.	217	82	99	3,448
Fruck, 1½-ton, 4 x 4, cargo	234	86	112	8,200 ne
Fruck, $1\frac{1}{2}$ -ton, 4×4 , dump.	201	00	114	0,200 110
Fruck, 2½-ton, 6 x 6, cargo	257	88	114	9.590
Fruck, $2\frac{1}{2}$ -ton, 6 x 6, wrecker	201	00	114	3,090
Truck, 4-ton, 6 x 6, cargo		84	123	23,000
Truck, 4-ton, 6 x 6, wrecker			120	20,000
Truck, 5-ton, cargo	-			
Truck, 7½-ton, cargo.	-			
ruck, tank, 750-gallon				
Vater purification unit	258	91	123	16 000
Filter tank, carried on trailer		26	45	16,900 800
reatment unit, carried on trailer.		25	38	000
Dump unit	27			800
Pump unit	201	32	37	740
Γruck, 7½-ton, 6 x 6 (prime mover)	284	96	102	37,000

■ 72. STANDARD LOAD OF CARGO VEHICLES.

Item		Load	
Nem	1½-ton truck	1-ton trailer	21/2-ton truck
mmunition (1) (2)			
Cailber .30	26 boxes	13 boxes	44 boxes
Caliber .45	27 boxes	14 boxes	45 boxes
Caliber .50	29 boxes	14 boxes	49 boxes
37-mm gun, AT (tank)	26 boxes	13 boxes	44 boxes
37-mm gun, AA	35 boxes	17 boxes	58 boxes
60-mm mortar	800 rounds	400 rounds	1,330 rounds
81-mm mortar (L projectile)	33 boxes	16 boxes	55 boxes
81-mm mortar (Hv projectile)	34 boxes	16 boxes	56 boxes
Grenades, hand	158 boxes	79 boxes	263 boxes
4.2-inch mortar	46 boxes	23 boxes	77 boxes
75-mm How	43 bundles	29 bundles	72 bundles
75-mm gun	43 bundles	29 bundles	72 bundles
75-mm gun (AT)	42 bundles	28 bundles	70 bundles
105-mm How	19 bundles	13 bundles	32 bundles
155-mm How	28 rounds	19 rounds	47 rounds
155-mm gun	21 rounds	14 rounds	35 rounds
240-mm How	7 rounds	5 rounds	12 rounds
3-inch AA	20 boxes	13 boxes	30 boxes
90-mm AA gun	13 boxes	8 boxes	22 boxes
105-mm AA	15 boxes	7 boxes	25 boxes
8-inch How or gun	9 rounds	4 rounds	15 rounds
12-inch mortar	3 rounds	1 round	5 rounds
14-inch gun	1 round		2 rounds
Antitank mines	300 each	200 each	500 each
Miscellaneous—			
Water in 10-gallon containers	27	14	45
Gasoline in 10-gallon drums	38	19	62
Baled straw (bedding)	35	10	50

NOTES

Weight shown for individual rounds is for complete rounds, including packing.
 For dimensions of containers, cubic feet of containers or ship-ton requirements, see Appendix II, page 114, Ordnance Field Manual, FM 9-5 (1939).

73-74 SUPPLY

73. FIELD BAGGAGE ALLOWANCE FOR OFFICERS.

Grade	Weight
General officer	150 pounds 100 pounds 75 pounds 50 pounds

■ 74. Ammunition Capacity of Infantry Trucks.

The two types of ammunition carrying vehicles available within the infantry regiment when carrying no other loads, will haul, without overload, ammunition of the various types in the amounts indicated below:

Tr	ruck, cargo 1½-ton	Weapon carrier ½-ton
Caliber .30 rifle and auto rifle	35,000	11,500
Caliber .30 machine gun, in belts	37,500	12,500
Caliber .50 machine gun, in belts	9,000	3,000
60-mm mortar	810	270
81-mm mortar	300	100
37-mm antitank	600	200

75. DIMENSIONS AND WEIGHT OF QUARTERMASTER VEHICLES BY MAKE.

		Body Di	Body Dimensions Inside	Vehic	Vehicle Dimensions Overall	ons	Vehicle Weight	Weight	Displacement	ment
Vehicle	Type body	Length	Width	Length	Width	Height	Net	Gross	feet	tons
Harley Davidson	Solo			88	34	41.5	438	668	72.6	1.8
Indian	Solo.			200	36	44	480	089	77.9	1.9
Harley Davidson	With side car.			92.5	69	42.5	825	1259	156.9	3.0
	With side car.			97.5	881/2	44	845	1245	219.7	5.5
Plymouth 4 x 2	Light sedan	1011/2	5434	1941/2	7334	6838	3130	3930	567.8	14.2
Chevrolet 4 x 2.	Light sedan	95	55	1923	72	6878	3115	3915	552.0	13.8
Chevrolet	Sedan Del.	7013	561/2	$192\frac{3}{16}$	72	661/2	3260	4060	560.0	13.4
Ford 4 x 2	Light sedan			190.86	72	89	3078	3878	533.2	13.3
Buick 4 x 2	Med sedan		1	219	761/8	7134	4589	5589	693.5	17.3
Chevrolet 1/2-ton 4 x 2.	Pan Del	867	547/k	197	72	78	3550	4550	640.2	16.0
Chevrolet 1/2-ton 4 x 2.	Pan Del	86 1	577%	197	72	78	3535	4535	640.2	16.0
Chevrolet 1/2-ton 4 x 2	Tel Maint	69	3978	188	72	81	3780	4780	634.5	22.00
Chevrolet 1/2-ton 4 x 2.	Carry-all	895%	5478	197	72	700	3680	4680	640.2	16.0
Chevrolet 1/2-ton 4 x 2	Carry-all	895%	573	197	72	77 13	3670	4670	640.2	16.0
Chevrolet 12-ton 4 x 2.	Can Expr	80	547%	197	72	787	3410	4410	640.0	16.0
15	Pickup	75	481/2	189	72	78	3575	4575	614.2	15.3
1/2-ton 4 x	Pickup.	75	481/2	1911/2	72	781/2	3750	4750	632.0	15.8
Chevrolet 1/2-ton 4 x 2.	Pickup	75	4534	187	72	783	3620	4620	602.9	15.2
Dodge (VC-1) 1/2-ton 4 x 4	Reconn.	781/2	553%	1861/8	74-16	8314	4220	5220	661.0	16.5
Dodge (VC-2) 1/2-ton 4 x 4.	Radio.	105	5538	1861/8	7416	8314	4395	5395	661.1	16.5
Dodge (VC-3) 1/2-ton 4 x 4.	Pickup.	781/8	4814	18814	7416	88 1	4280	5280	708.4	17.7
(VC-4)	Pickup	781/8	4814	18814	74 16	88 1	4160	5160	708.4	17.7
Dodge (VC-5) 1/2-ton 4 x 4.	Pickup	781/8	4814	18814	7416	088 1	4000	2000	708.4	17.7
VC-6) J	Carry-all	92	5838	1911	7416	84	4560	5560	687.0	17.2
Packard 1/2-ton 4 x 2.	Ambulance	105	48	2431/2	75	78	5460	6460	826.0	20.6
Packard 1/2-ton 4 x 2	Hearse	Table 85	500	2431/2	75	78	5300	6300	826.0	20.6
Chevrolet 34-ton 4 x 2.	Pickup.	87	481/2	203	72	7514	3460	4960	634.3	15.8
Chevrolet 34-ton 4 x 2.	Pickup.	98	481/2	203	72	84	4305	5805	710.5	17.7
GMC AF 361 1-ton 4 x 2	Panel	11678	781/2	20614	861/2	1101/2	6512	9012	1151.2	28.7
Chevrolet 11/2-ton 4 x 2	Tractor			190	85	791/2	4465	9465	747.6	18.7
Chevrolet 1½-ton 4 x 2	Tractor	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	214	85	791/2	4540	7450	842.1	21.0
Chevrolet 11/6-ton 4 x 2	Cargo	108	70	2201%	86	1071/5	5795	8795	1187 8	200 7

DIMENSIONS AND WEIGHT OF QUARTERMASTER VEHICLES BY MAKE. - (Continued).


		Body Dr	Body Dimensions Inside	<i>A</i>	Vehicle Dimensions Overall	ensions	Vehicle	Vehicle Weight	Displa	Displacement
Vehicle	Type body	Length	Width	Length	Width	Height	Net	Gross	feet	tons
1/2-ton	Plat stake	1055%	8034	220	871/2	80	5030	8030	896.2	22.
11/2-ton 4 x	Plat stake	1411/2	8034	256	871/2	110	5650	8650	1434.0	35.8
11/2-ton 4 x	Plat stake.	1411/2	803/4	256	871/2	80	5150	8150	1042.9	26.
11/2-ton 4 x	Can Expr	1091/2	5578	2191/2	98	831/2	4785	7785	919.7	23.
×	Pick-up	1081%	527	2261/2	98	79	4780	7780	892.4	22.
1/2-ton	Pan Del.	11234	5578	222	98	831/2	4770	7770	927.5	23.
1/2-ton 4 x	Dump	84	99	203	81	79	5610	8610	751.7	18
11/6-ton 4 x	Dump	84	99	203	800	791%	5775	8775	780.0	19.
1/2-ton 4 x	Wrecking			2211%	86	82	5915	8915	905.9	22.
11/2-ton 4 x	Amhiilance	1123/	Tinner 2%	3						
1			54	224	86	831%	5610	8010	936.4	23.4
			I como 1/)	4				
			Lower 73							
0 1 11/1	(00	4/ 201		eco	100	200	0010	1010	0
Chevrolet 1/2-ton 4 x 2.	Cargo	95	2		83	103	2280	0868	10/3.5	70.
Chevrolet 1/2-ton 4 x 2	Cargo	186	02		98	104	2082	10085	13/6.7	34.
Chevrolet 1½-ton 4 x 2	Dump	108	99		000	79	6625	9625	857.5	21.4
Diamond T 11/2-ton 4 x 2	Explosive	106	82		000	112	2000	10000	1306.1	32
Diamond T 1/2-ton 4 x 2	Cargo	$180\frac{1}{16}$	20		98	11014	0009	0006	1636.8	40.
GMC AFX-312, 11/2-ton 4 x 2	Panel	11014	551/2		87	97	5657	8657	923.0	23.0
GMC AC-302, 11/2-ton 4 x 2	Howe Hose & Chem.	96	45		83	73	2900	8900	778.4	19.
11/2-ton 4 x	Dump	108	99		200	11338	7850	10850	1250.6	31.
11/2-ton 4	Cargo	108	20		86	11178	2600	10600	1304.3	32.
Dodge (VF404) 11/2-ton 4 x 4	Cargo	108	20	223325	98	1117/8	7250	10250	1304.3	32
11/2-ton 4 x	Cargo, with winch	108	20		98	11338	8200	10600	1315.9	32.
11/2-ton 4	Cargo	108	20		98	1133%	7250	10250	1315.9	32
Mack EHU-S 2-ton 4 x 2.	Van				96	120	10700	14700	1820.0	45.
Diamond T 21/2-ton 4 x 2	Line Constr.	109	200	2341/2	931/2	91	11600	16600	1163.3	29.4
Diamond T 21/2-ton 4 x 2	Explosive	142	85	26434	000	10978	7950	12950	1484.4	37
Diamond T 21/2-ton 4 x 2.	Stake Plat	144	06	26434	9514	120	7860	12860	1748.2	43.
Diamond T 21/5-ton 4 x 2	Dump	96	72	229	84	92	7680	12680	846.0	21.
Diamond T 2½-ton 4 x 2	Stake Plat	120	80.3	253	85	95	0069	11900	1182.2	29.
GMC, AC, 453, 2%-ton 4 x 2	Stake Plat	120	08	250	80	80017	7373	12373	1133.1	28.
GMC, ACX, 453, 21/6-ton 4 x 2	Dump	96	78	220	871%	000	7584	12584	985.7	24.
	Dump	96	78	218	91,	100	8450	13450	975.8	24.
Mack. FH 21/2-ton 4 x 2	Tank, 1,000-gallon.			263	95	108	7870	19870	1561.5	39.0
Mack FHS 216-ton 4 v 2	Tank 1 000-gallon			306	04	8736	7500	19500	1448.1	36.
	Tailes 1,000 gaileding			000	40	0 0	0000	20004	4 00444	

DIMENSIONS AND WEIGHT OF QUARTERMASTER VEHICLES BY MAKE.—(Continued).


Autocar tractor, 2½-ton 4 x 4 Autocar tractor, 2½-ton 4 x 4 Autocar tractor, 2½-ton 4 x 4 Autocar tractor, 2½-ton 6 x 6 GMC, ACKWX-353, 2½-ton 6 x 6 GMC, ACKWX-353 winch 2½-ton 6 x 6 Cargo, with winch	Inside	Width Width 90 80 80 80 80 80	Length 2011 1921/2 2888 2777 2557 2557 256234	92 8814 96 88 88 88 88 88 88 88 88 88 88 88 88 88	Height 1033/8 104 16 139	Net	Net Gross	Cubic	Ship
9	Length 168 108 120 144 120 120 120 120 120	Width 90 880 880 880 890 890 890 890 890 890	201 192½ 288 277 237 255 262¾	Width 92 888 96 88 88 88 96 96	Height 1033% 10416 139	Net	Gross		*
9	168 120 120 120 120 168	08 8 8 8 9 9 7 7 7 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	201 1921/2 288 277 237 257 2623/4	268 268 268 268 268 268 268 268 268 268	1033/8 1041/6 139			feet	tons
9	168 108 120 120 120 120	88 88 80 80 80 80 80 80 80 80 80 80 80 8	288 277 237 257 2623 2623 2623	20 80 80 80 80 80 80 80 80 80 80 80 80 80	$104\frac{1}{16}$ 139	10090	19090	1102.2	27.5
.9	168 120 120 120 120 168	88888	288 277 237 257 262%	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	139	8770	17820	1022.1	25.5
9	108 120 120 120 120 168	88888	237 237 2623 2623 2623 2623	\$ \$ \$ \$ \$ \$	111	10630	15630	2224.0	55.6
9	120 120 120 168	880 800 74/06	237 257 26234	8 8 6 8 8 6	***	9675	14675	1565.8	39.1
9	144 120 120 168	901/4	26234	88 6	111	111196	16196	1339.7	33.4
	120 120 168	9014	26234	96	111	0026	14700	1452.7	36.3
	120	+ 00	000017	200	1181/	17060	24060	1738.7	43.4
	168	000	20078	96	116	15580	23580	1714.2	42.8
		84	2741/4	937%	901/4	12765	22765	1341.4	33.5
	160	200	28634	96	112	14875	24875	1785.7	44.6
A A	164	06	292	96	128	12225	22225	2076.4	51.9
B A	132	88	2841/2	9614	121	21750	33750	1915.8	47.8
	1		2641/2	96	9814	27000	40700	1442.7	36.0
Lavine trailer, 2-wheel, 3/4-ton	96	461/4	1451/2	6812	711/2	1175	2675	419.7	10.4
	96	46	146	89	92	1200	2700	436.6	10.9
-ton	96	461/4	144	681/2	74	1160	2660	425.5	10.6
	122	57	156	80	102	1500	3900	736.6	18.4
	2651/2	84	303	89	1041/2	4680	7680	1638.6	40.9
Fleetwheels semi-trailer, 2-wheel	222	79	291	000	113	5078	8089	1674.5	41.8
	218	92	2221/5	84	126	5175	12175	1365.8	34.1
Whitehead & Kales trailer. 4-ton 2-wheel Stake Plat.	191	22	197	83	88	5000	12000	832.6	20.8
1	228	96	420	96	80	18360	82360	1866.6	46.6

157

■ 76. DIAGRAM OF CLASS I SUPPLIES OBTAINED BY DAILY TELEGRAM.



77. DIAGRAM OF DISTRIBUTION OF CLASS I SUPPLIES.



78-79 SUPPLY

■ 78. Prescribed Loads of Class I Supply.—

(Infantry Divisions)

Unit	Rations	Grain
Each company and battery for its own use a Quartermaster regiment or battalion for the entire division	1 1 b	1
Total for the division	2	2

NOTE


a The number of rations carried in the company or battery may be increased by direction of the division or higher commander when required. When additional rations are carried additional trucks should be attached for their transportation.
b May be either "B" or "C" ration.

79. TIME ELEMENTS IN REGIMENTAL SUPPLY.

(In the field under campaign conditions, the following time elements are the approximate periods required to perform the work indicated.)

Work	Daylight	Dark
Distribution of Class-I supplies to regiment by higher echelon at one distributing point	½ hour	½ hour
Distribution of Class-I supplies to separate battalion by higher echelon or similar unit	14 hour	1/4 hour
Preparation of one day's Class-I supplies for issue at regimental Class-I distributing point	1 hour	1½ hours
Physical distribution by regimental supply agencies of one field		- /2
ration (transfer of loads) to kitchensKitchens to be taken off trucks, set up, and ready to begin	15 min	20 min
Division of one ration into three meals at kitchens	15 min 15 min	20 min 20 min
Kitchens to cook and prepare for serving a hot meal, starting with a hot kitchen	2 hours	2½ hours
Kitchens to prepare a cold noon meal. The issue of this meal to take place usually coincident with serving of breakfast. (In-		
cluded in item next above.)Serving a hot meal to troops from a kitchen truck when major-	1 hour	1½ hours
ity of men are served at the truck Serving a hot meal to troops by means of carrying parties (as-	45 min	1 hour
suming the kitchen truck not farther than 1,000 yards in rear	1½ hours	2 hours
of the company) Issue of extra ammunition to a battalion in an assembly area	30 min	40 min

■ 80. Graph of Tonnage Requirements of Class I and Class III Supplies.




161

■ 81. GRAPH OF CONVERSION OF TONS TO TRUCKS OR TRUCKS TO TONS.

(NOTE: Conversion is based on rated capacity of trucks.)

Figure 25



82. DIAGRAM OF REQUISITION AND SHIPMENT OF CLASS II AND CLASS IV SUPPLIES.

Note: Requisitions are forwarded by army to communication zone (CIII), and theater headquarters (CIII), a copy being 0000 0000 - Deliveries. r sta furnished the Regulating Officer. Figure 26 ×××× ---- Requisition XXXX × dp Req 00 œ 0 163

83. DAY OF SUPPLY IN POUNDS PER MAN PER DAY a.—


Class and Serviec	Division, Corps, or Army e (pounds)
QUARTERMASTER CORPS:	
Class I Supplies (including hay) b	10.0
Class II Supplies	3.3
Class III Supplies c	5.0
Class IV Supplies	1.0
ENGINEER CORPS:	
Class II Supplies	.3
Class IV Supplies d	2.5
SIGNAL CORPS:	
Class II supplies	.3
Class IV Supplies	.1
MEDICAL DEPARTMENT:	
Class II Supplies	.2
Class IV	.2
CHEMICAL WARFARE SERVICE:	
Class II Supplies	.1
ORDNANCE DEPARTMENT:	
Class II Supplies	1.0
Total Classes I, II, III, and IV	24.0

NOTES

b Includes mail, sales commissary, and recreational supplies.
c The figure of five pounds per man per day for gasoline and oil is only approximate.
Specific computations should be made per par. 85 for each operation.
d Exclusive of road metal, railway ballast, and fortification materials.
e These figures refer to essential combat supplies only. Lists of items that constitute essential combat items are published from time to time by the War Department or by the theater commander.

a The DAY OF SUPPLY given in the above table is based on the following assumptions: major operations against an enemy equally well trained and equipped, home territory or territory adjacent thereto, temperate climate, and a highly industralized theater of operations. The quantities given in the table are intended to serve the need of basic reference data on the subject for planning purposes only.

■ 84. DIAGRAM OF REQUISITION AND SHIPMENT OF CLASS III SUPPLIES.



85. ESTIMATES OF GASOLINE EXPENDITURE.—The factors controlling gasoline requirements in military operations are:

a. Movement distance (MD) is the distance in miles that the center of mass of a unit is displaced. On a march this distance is measured from center to center of successive bivouac areas.

b. Supply distance (SD) is the average one-way distance between supply points and the troops.

c. Variables (V), consisting of internal travel, reconnaissance, warming up of engines, and abnormal periods of time required in low-gear operation. These items differ in each situation with the character of operation, season of the year, weather, roads and terrain and must be estimated in accordance with conditions. Under average conditions, a constant of 10 unit miles of travel will usually cover these variables for estimating purposes.

The unit mile of gasoline is the amount of gasoline in gallons required to move every vehicle in the unit one mile. For small organizations having a preponderance of one type of vehicle, specific computations are required to determine the amount of gasoline necessary to move every vehicle in the unit one mile. For example: a small unit of 15 cargo trucks that from experience average 10 miles per gallon, three motorcycles that average 30 miles per gallon, and six passenger cars that average 15 miles per gallon. To move all vehicles of the unit one mile, under average conditions will require:

For trucks, $15 \times 1/10$ of a gallon=1.5 gal For motorcycles, $3 \times 1/30$ of a gallon=1.1 gal For passenger cars, $6 \times 1/15$ of a gallon=1.4 gal 2.0 gal

The unit mile of gasoline for this organization is two gallons.

Experience in field exercises has shown that in large organizations containing a great number of all types of vehicles, such as an infantry or cavalry division, corps troops or army troops the average consumption of gasoline is approximately 10 miles per gallon per vehicle regardless of type of vehicle. The unit mile of gasoline in gallons for such organizations is therefore one-tenth the number of gasoline consuming vehicles in the unit.

The total consumption of gasoline by a large organization while moving from one point to another is greater than the unit miles of gasoline multiplied by the distance between the two points. This is due to a number of factors, including the fact that supply vehicles must move to a supply point and return to the unit at its new location. Therefore, it becomes necessary to determine an arbitrary figure—known as a unit mile of travel—which when multiplied by the unit mile of gasoline for the unit will give the total consumption of gasoline required.

SUPPLY 85-86

To determine the predicted expenditure of gasoline in the operation of the large units shown in graphs in paragraph 87 it is only necessary to compute the number of unit miles of travel involved and the amount of gasoline in gallons may be read directly from the graph (Fig. 28, par. 87). To determine the number of unit miles of travel (UM) the following formula is used:

$$UM = MD + .4 SD (1) + V$$

Example:

Infantry Division (Triangular)

Movement (MD) =20 miles of travel

Supply Distance (SD) (1) average one-way =50 miles of travel Variable (V) (average conditions) =10 miles of travel


$$UM = 20 + (.4 \times 50) + 10$$

 $UM = 50$

Fifty unit miles of travel for a triangular division, under the conditions stated, amounts to 8600 gallons (fifty on the vertical scale of the chart is equivalent to 8600 gallons on the horizontal scale.

- (1) Approximately two-tenths of the vehicles of a division function as supply vehicles. If the average one way distance to supply points is multiplied by four-tenths, the result is the same as multiplying the average round trip distance by two-tenths.
- 86. PRESCRIBED LOADS OF CLASS III SUPPLY.—A reserve of gasoline and oil in containers is carried in each unit. As far as practicable, initial distribution of this reserve will be made to each motor vehicle. Each vehicle sent to any army supply point replenishes its supply at some convenient gasoline supply point established by army at or en route to the army supply point. Vehicles remaining in the forward areas are resupplied by exchanging empty containers for full ones brought forward from gasoline and oil supply points by regimental or division transportation.

■ 87. GRAPH OF ESTIMATED GASOLINE CONSUMPTION.




■ 88. GASOLINE, OIL, AND GREASE.—(Estimated requirements per day per motor vehicle for field service.)

1	2	3	4	5	6	7	8
	Avera	ge consum per day	ption	n Estimated factors for computations			
Vehicle .	Gasoline (gallon)	Oil (gallon)	Grease (pounds)	Average travel per day (miles)	Gasoline miles per gallon (miles)	Oil per gallon gasoline (gallons)(Grease per 100 miles pounds)
Car, light, 5-passenger. Car, medium, 5-passenger. Car, heavy, 7-passenger. Ambulance, field. Truck, recon, ½-ton Motorcycle, with side car Truck, pick-up, ½-ton. Truck, 1½-ton (L C) Truck, 1½-ton (H C) Truck, 2½-ton (L C) Truck, 5-ton. Truck, 4-ton 6 x 6. Truck, 4-ton 6 x 6. Truck, 7½-ton. Car, scout. Tank, light. Tank, medium. Tractor, artillery, 5-ton. Tractor, artillery, 10-ton. Average of all vehicles of large units	6.25 6.25 5. 1.9 3.33 4.17 5. 6.25 10. 3.85 7.7 5. 8. 13.7 12. 13.3	.176 .20 .25 .25 .20 .0475 .133 .167 .2 .25 .4 .154 .308 .14 .208 .48 1.27 1.10	.19 .19 .19 .19 .0375 .25 .25 .25 .25 .25 .25 .25 .25 .25 .2	75 75 75 75 75 75 75 50 50 50 50 25 25 40 12 12 12	15 15 12 10.5 12 25 12 8 8 6.6 5 3.25 8 1.5 .875 1	.04 .04 .04 .04 .025 .04 .04 .04 .04 .04 .028 .026 .035 .106 .083	.25 .25 .25 .25 .25 .25 .50 .50 .50 .50 .50 .50 .50 .50 .50 .5

89


■ 89. DIAGRAM OF CALL AND SHIPMENT OF CLASS V SUPPLIES.



170

90. Unit of Fire—Small Arms Ammunition—for Infantry Divisions.

a. Graph of Small Arms Ammunition Tonnage.



90

b. Tonnage per Unit of Fire per 100 Weapons.

(WEIGHT INCLUDES PACKING)

Calibers	Per weapon	Rounds for 100 weapons	Boxes	Weight per box	Total pounds	Tons
.30 cal .30 cal .30 cal .30 cal .45 cal .45 cal .50 cal .37-mm .60-mm .81-mm	LMG (2,000) Rifle (150) Hv MG (3,000) Auto rifles (750) SMG (200) Pistol (20) MG (3,000) AT (120) Mortar (400) Mortar Hv (60) Mortar Lt (240)	200,000 15,000 300,000 75,000 20,000 2,000 300,000 12,000 40,000 6,000 24,000	133½ 10 200 50 10 1 1,000 300 6,666½ 2,000 4,000	114 114 114 114 110 110 120 140 24.4 54 58	15,200 1,140 22,800 5,700 1,100 110 120,000 42,000 162,667 108,000 232,000	7.60 .57 11.40 2.85 .55 .055 60.00 21.00 81.33 54.00 116.00
4.2-inch .50 cal 37-mm	Cml	6,600 720,000 180,000	3,300 2,400 9,000	65 120 85	214,500 288,000 765, 000	107 144 382

c. Weight of Unit of Fire—Small-Arms Ammunition—Infantry Regiment.

	Number of weapons	Tons
Rifles	2,099	12.0
Pistols	1,181	.7
Auto rifles	125	3.6
.30 cal, MG, Lt	18	1.4
.30 cal MG, Hv	24	2.7
60-mm mortar	27	21.9
81-mm mortar	12	20.4
37-mm gun	12	2.5
.50 cal MG	12	7.2
TOTAL TONS		72.4

91. INFANTRY—AMMUNITION ALLOWANCES FOR MOBILIZATION.—(Data from table of basic allowances No. 7. Nov. 19. 1940):

1	2	3	4	5	6	7
		Number of	of rounds p	er weapon ch carried	1	A Simple programme of the control of
Weapon	On the indi- vidual armed	With weapon on prime- mover or arm truck	On combat train	On train of higher unit	Total	Remark*
MG, B, cal .30, M1917A1 or M1917: Except on scout cars		6,750		1,500	8,250	10% AP 70% Ball
On scout ears		. 1,500	1,500	1,500	4,500	10% AP 70% Ball 20% Tracer 10% AP 70% Ball 20% Tracer 10% AP 70% Ball 20% Tracer
MG, B, cal .30, M1919A4	***************************************	3,000	2,000	1,000	6,000	20% Tracer 10% AP 70% Ball
MG, B, cal .50, M2, Hvy Bar, Flex: Except on scout cars		1,200		1,600	2,800	80% AP 20% Tracer
On scout cars		1,050		525	1,575	80% AP
Gun, 37-mm, M3		160	40	100	300	90% AP
Mortar, 81-min, M1		100	50	150	300	80% AP 20% Tracer 80% AP 20% Tracer 90% AP 10% HE 70% M43 10% M56 20% M57
Mortar, 60-mm, M2	21	60	60 7	100	220 28	100% HE 100% Ball
In rifle squad	1 200		② 820	600	1,620	5% AP 10% Tracer 85% Ball
In auto R Sqd of units equipped with U.S. R, cal .30, M1 In Auto R Sqd of units	3 320		4 852	576	1,748	5% AP 10% Tracer 85% Ball
equipped with US R M1903M1, M1903, or M1917	3 320		5 860	540	1,720	5% AP 10% Tracer
Per gun organically assigned to pedestal mount		9 200		200	400	85% Ball 10% AP 20% Tracer
R, US, cal .30, M1 ①: In the rifle platoon	40		6 192	96	328	70% Ball 10% AP 20% Tracer
In other units	40	****************		**************	40	5% AP 10% Tracer 85% Ball 10% AP 20% Tracer 70% Ball 10% AP 20% Tracer 70% Ball 10% AP 20% Tracer 70% Ball
M1903A1, M1903, M1917: In the rifle platoon	40		7 120	60	220	10% AP 20% Tracer
In other units	40	,		***************	40	20% Tracer 70% Ball 10% AP 20% Tracer 70% Ball

(1) 80 by the automatic rifleman and 120 by the assistant automatic rifleman — all in 20-round magazines.

② 300 to be issued prior to combat — 100 to the automatic rifleman and 80 to the assistant automatic rifleman in 20-round magazines; 120 to the assistant automatic rifleman in 60-round bandoleers. 520 retained in combat train as a reserve.

(3) 80 by each automatic rifleman, 120 by each assistant automatic rifleman and each ammunition carrier — all in 20-round magazines; 40 by each ammunition carrier in 5 or 8-round clips (see

ammunition for the rifle).

468 to be issued prior to combat — 100 to each automatic rifleman and 80 to each assistant automatic rifleman in 20-round magazines; 96 to each assistant automatic rifleman in 48-round banddoleers; 192 to each ammunition carrier in 48-round bandoleers (see ammunition for the M1 rifle); 384 retained in combat train as a reserve.

(§) 500 to be issued prior to combat — 100 to each automatic rifleman, 80 to each assistant automatic rifleman and each ammunition carrier in 20-round magazines; 120 to each assistant automatic rifleman and each ammunition carrier in 60-round bandoleers. 360 retained in combat train as a

reserve.

(See ammunition for the Browning automatic rifle, M1918A2.)

120 to be issued prior to combat in 60-round bandoleers.

In mobilization, all ammunition for the U.S. rifle, M1 is packed and issued in 8-round clips in 48-round bandoleers in boxes.

All in magazines.

■ 92. a. Unit of Fire for Artillery Weapons. (Except for armored artillery. See par 127) (See par. 117).

WEIGHTS BASED ON COMPLETE ROUNDS, INCLUDING PACKING

1	2	3	4	5	6	7	8	9	10	11
	Unit	Tons	4 Pie	ces	12 Pie	ces	48 Pi	eces	144 Pi	eces
1	of fire (rounds per piece)	per unit of fire per piece	Rounds	Tons (1)	Rounds	Tons 1	Rounds	Tons	Rounds	Tons 1
75-mm gun	150 300 225 150 100 60 300 250 250 2 96 2 48 2 50	3.45 1.77 3.45 5.62 7.875 7.00 12.00 5.625 7.00 12.30 15.22 20.90 28.35 46.50	1,200 600 1,200 900 600 400 240 1,200 1,000 1,000 384 192 200 200	14 7 14 23 32 28 48 23 28 49 61 84 113 186	3,600 1,800 3,600 2,700 1,800 1,200 720 3,600 3,000 1,152 486 600 600	41 21 41 68 95 84 144 68 84 148 251 340 558	14,400 7,200 14,400 10,800 7,200 4,800 2,880 14,400 12,000 4,608 1,944 2,400 2,400	166 85 166 270 378 336 576 270 336 591 731 1,003 1,361 2,232	43,200 21,600 43,200 32,400 32,400 14,400 8,640 43,200 36,000 36,000 13,824 5,832 7,200 7,200	497 256 497 810 1,134 1,008 1,728 810 1,008 1,773 2,193 3,010 4,082 6,696

NOTES

1 Weights computed to the nearest ton.

2 Capacity of ammunition car for railway artillery.

92-93

b. Prescribed Loads Small Arms Ammunition per Infantry Regiment.

WEIGHTS BASED ON COMPLETE ROUNDS, INCLUDING PACKING

	No. weapons	Within Regt (1) (tons)	On QM train 2 (tons)	Total tons	Per we	Unit of fire (rounds)	Approxi- mate unit of fire in prescribed load 2
Rifle, cal .30	12	18 5 3 6 3 6 10 4 1	8 3 1 2 4 6 10 2	26 8 4 8 7 12 20 6 1	328 1,748 6,000 8,250 2,800 220 300 300 28	150 750 2,000 3,000 3,000 400 300 120 20	2 2 3 22/8 1 1/2 1 3

¹ On individual weapon carriers and combat train (Square and triangular divisions).

2 For triangular division, see paragraph 118, page 190.

■ 93. ESTIMATED DAILY REQUIREMENTS OF CLASS V SUPPLIES FOR VARIOUS TYPES OF COMBAT. ① ④

AMMUNITION REQUIREMENTS PER DAY OF COMBAT EXPRESSED IN UNITS OF FIRE. (2)

1	2	3	4	5	6	7	8	9		
	F	ield artille	ry	SA	AA ar	tillery		AT		
Type of combat	75-mm gun & 105-mm howitzer	155-mm howitzer	155-mm gun & larger	mm (Inf 3-inch 37-mm, n & & cal .50 Cav) 90-mm &			4.2-inch chemical mortar	37-mm & 75-mm		
Covering and security force action Attack or defense:	1.0	.5		1.0	1.0	1.0	1.0	1.0		
Meeting engagement Attack of position:	1.5	1.5	1.0	1.0	1.0	1.0	1.5	1.0		
First day	2.0	2.0	1.5	1.5	1.5	1.5	2.0	1.0		
Succeeding days Defense of position:	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0		
First day	2.0	2.0	1.5	1.5	2.0	3.0	2.0	1.0		
Succeeding days	1.0	1.0	1.0	1.0	1.0	$\frac{1.5}{0.5}$	1.0	1.0		
Pursuit	1.0	1.0	0.0	0.0	0.0	0.0	1.0	1.0		
delaying action	1.0	1.0	0.5	0.5	2.0	2.0	1.0	1.0		
Inactive situation 3	0.2	0.2	0.2	0.2	1.0	1.0	0.2	1.0		

NOTES

2 For number of rounds per unit of fire, see paragraph 90 and 92.

3 Forces in contact but neither side attacking.

① The data, other than antiaircraft artillery; given in the above table are based on such statistics as are available from World War sources and serve as a guide for estimating quantities to be shipped to ammunition depots or ammunition supply points for various types of operations. Data given under antiaircraft artillery are based on modern antiaircraft tactics. These data are not to be used for computing ammunition expenditures for short periods of time during an action.

¹ Data given in this table are suitable for computation of requirements in field exercises.

■ 94. FIELD ARTILLERY AMMUNITION EXPENDITURES.

1	2	3	4	5	6					
		Average rate per gun per hour								
Kind of fire or phase of action	75-mm gun or howitzer	155-mm howitzer	155-mm gun	105-mm howitzer	240-mm howitzer					
Advance guard action, development, and deployment	50	25		50						
Preparation		50	50	120	10					
Supporting fires during the attack (including counterbattery):				120						
First 2 hours	140	50	50	100	10					
After 2 hours	. 80	30	30	60	10					
Exploitation, pursuit, delaying action,										
or delaying enemy development		25	25	50	10					
Counterpreparation	. 170	50	50	120	10					
Defensive fires against	1									
infantry attack (including counterbattery)	. 140	50	50	100	10					

NOTE

These figures are suitable for computing expenditures for periods of time less than 6 hours.

■ 95. α. SMALL ARMS AMMUNITION.—PRESCRIBED LOADS.

Division	Where carried	Prescribed loads (tons)	Division	Where carried	Prescribed loads (tons)
7 0 (m) 1 1 1	Within Regts	168	T 8/0	Within Regts	224
Inf (Triangular)	On QM train	65	Inf (Square)	On QM train	150
	TOTAL	233		TOTAL	374

b. Antitank Mines.—Prescribed Loads. ①


1	2	3	4	5	6	7	8	9	10	
	U	Unit and number of antitank mines carried								
Division	Armd Bn	Inf Bn	Art Bn	AT Tr or Biry	Engr Regt	Engr Bn or Sq	Cav Regt	Total	Tons	
Inf (Triangular) Inf (Square) Cav.		500 500	500 500 500	500 500 500	720	540 360	1,000	8,540 11,720 6,360	42.7 58.6 31.8	
Armd	500	500	500	500		420		6,920	34.6	

NOTES

- 1 To transport the number of mines shown, except for engineer units, requires attachment of additional trucks to the unit by higher authority.
- 2 Number of mines shown under engineer units are those authorized by T/BA, 1 November, 1940.


 Number of mines shown for other units are recommended.

■ 96. ALLOCATION OF AMMUNITION.



NOTE: The staff procedure illustrated above for the allocation of ammunition is for the Square Infantry Division. However, it is applicable to all divisions. In the Triangular Division the allocation for artillery units is routed direct to S-4 Division Artillery. The allocations for other units is routed direct to regiments and separate units.

■ 97. AMMUNITION REPORTS.



For form of report see par. 98.

NOTE: Ammunition reports are made periodically by the Unit in conformity with instructions of the next higher Commander. In the Triangular Division the reports from Artillery Units are routed from battalion to S-4 Division Artillery. Those from other Units are sent direct from regiments and separate units to the Division Ordnance Officer.

98. Ammunition S Corps Army.		Division								
AT O'CLOCK,(MONTE	, 19 PERIOD COVI	ERED: DAYS (1 DAY=24 HOURS)								
_	Types of ammunition, fuzes, etc. (list each type separately)									
On hando'clock										
Received during this period										
Expended during this period										
TOTAL REMAINING ON HAND (1)										
Number guns — planes with organization ②										
Average per serviceable Gun — Plane ②										
Allocated to division; to corps but not yet received										
In (Corps) (Army) depots										

* To be filled out as accurately as circumstances permit.

① Includes stocks in (Corps) (Army) Depots, shown in last line. Corps will report on Corps Depots; Army will report on Army Depots.

② These lines filled out for calibers of 75-mm and above.

INSTRUCTIONS

This is the report on ammunition of all types submitted by ordnance officers of Divisions, Corps and Army to the next higher unit and to G-4. It covers a specified period. The hour at which the

report closes is uniform throughout the Army and is designated by Army orders.

It is a summary that shows for the 24 hours (or other period) the activity of the artillery and air force bombing, and the status of ammunition supply of all types. Important items are reported

daily. Less important items are reported at longer intervals.

The headings are self-explanatory.

Three or more copies are required: 1 for file; 1 for munitions officer of next higher unit; 1 for artillery commander of next higher unit.

- 99. Grenades, Hand.—Hand grenades are issued according to anticipated requirements, usually at the rate of 25 grenades per day per rifle company.
- 100. LOADING OF MOTOR VEHICLES.—The caution plate attached to each cargo vehicle shows the recommended maximum pay loads on roads and cross country, maximum towable load, and the maximum safe speed of the vehicle. The practices of overloading and the use of excessive speed encroach upon the safety factors placed in the vehicle by design. These practices result in excessive maintenance requirements, in shortening the life of the vehicle, and also may cause immediate breakdown of the vehicle.

Under normal conditions allowable speed to be used should conform to the data contained on caution plates. The normal load of the vehicle should conform to its rated tonnage capacity. However, in the computation of loads the rated tonnage capacity will be considered as in addition to the weight of the driver and assistant driver (200 lbs. each).

- 101. LABOR.— α . For planning purposes labor requirements for handling supplies are computed on the average of $\frac{1}{2}$ -ton per man per hour for ten hours each day.
- b. The maximum number of men that can be employed advantageously in loading or unloading one freight car is eleven (one foreman and ten laborers).
- c. In the field or at a depot, trucks can be loaded or unloaded at the rate of 20 minutes per truck regardless of tonnage if sufficient labor is available. The number of trucks that can be loaded or unloaded simultaneously is dependent upon the amount of labor available and the conditions existing at the loading or unloading point.

SECTION II

INFANTRY DIVISION (SQUARE)

- 102. METHODS OF SUPPLY.—In the infantry division (square) the general methods of supply are:
- a. Supply of regiments and separate units by the division services employing transportation under division control. This method of supply frequently requires transfer of loads and the maximum amount of labor and transportation. It is used when army supply points, because of distance or bad roads, are not readily accessible to unit trains. This method is called unit distribution.
- b. Regiments and separate units draw supplies directly from army supply points using regimental and separate unit transportation. This method of supply does not require transfer of loads between trucks, saves time, and reduces labor requirements to a minimum. This method of supply is used when army supply points are readily accessible to unit trains. This is known as railhead distribution.
- c. Supply by a combination of the above methods as directed by the division commander based on the peculiarities of the situation and the condition and availability of transport in the several units of the division.
- 103. PROCUREMENT OF SUPPLIES.—In the field, supplies are obtained in the division:
 - a. Automatically.
 - b. By daily telegram.

- c. By requisition.
- d. As the result of establishing a credit.
- e. By local exploitation.
- To 104. Automatic Class I Supply.—Automatic supply of Class I supplies results from arrangements made with higher authority for the daily or periodic shipment from supply points to divisions of fixed quantities of supplies determined on the basis of experience as necessary. Requisition, daily telegram, or call is unnecessary on the part of the division but its changes in location must be reported to the army to determine destination of shipment. Overages received by the division are placed in division or railhead (truckhead) reserve. Shortages, when they occur, are made up from this reserve. When periodic shipments are employed, the duration of the period should not be greater than the number of days of supply carried in the division. Supplies so shipped are received by the division quartermaster and distributed to units.
- 105. Daily Telegram.—Class I and III supplies are usually obtained by daily telegram (requisition) from the division to the army quartermaster giving strength of the unit in men and animals and the amount of gasoline and oil expended in the preceding 24 hour period. A copy of the daily telegram should be sent to the railhead officer serving the division for his information.
- 106. REQUISITION.—All classes of supplies may be obtained by requisition through appropriate special staff officers of the division. Requisitioning is the normal procedure in obtaining Class II and Class IV Supplies. Requisitions within the division are consolidated by the special staff officer concerned. No requisition should include articles issued by two or more services nor should articles of different classes be listed on the same requisition. All requisitions are numbered serially and the serial number is prefixed by an abbreviation indicating the service which issues the supplies. Consilidated requistions are prepared in quadruplicate. One copy is retained by the division and three copies forwarded to the army. When acted upon by the army, two copies are forwarded to the army supply point designated to furnish the supplies and one is retained for file. The army supply point retains one copy as a property record and uses the other copy as a check list in checking the supplies out of stock. When the articles desired are not available in an army supply point, two copies of the requisition are forwarded by the army to the regulating officer, who retains one as a followup copy and forwards one to the communication zone depot designated to ship the supplies. No unit should duplicate, on later requisitions, items called for on previous requisitions until they have been notified that such items have been stricken from previous requisitions. Prompt action must therefore be taken on each requisition and the unit notified where and when to send transportation for the supplies, or when and to what point shipment will be made.

107-108-109 SUPPLY

■ 107. CREDITS.—A credit is a *definite quantity* of supply placed at the disposal of the commander of an organization for a *prescribed period* of time. In effect, the establishment of a credit is tantamount to prior approval of a requisition and thereby makes supplies available to the designated organization without loss of time incident to administrative action.

Credits may be established for any class of supplies and are generally employed in furnishing Class V supply (ammunition).

In establishing credits for ammunition, the numbers of rounds by caliber and type are prescribed as available for a definite period of time. In theaters of operation where a unit of fire has been adopted that establishes a definite number of rounds per weapon by type of ammunition, the unit of fire is used to express the amount of credit allocated.

In establishing credits for other classes of supply, the articles considered by the theater commander as essential to combat are listed by number. In theaters of operation where a list has been published enumerating articles by number that constitute a day of supply, credits are established in terms of days of supply. Articles not considered essenial to combat are placed in a low priority and are obtained by requisition.

The commanding general, theater of operations, on recommendations of the chiefs of services, determines what constitutes a *unit of fire* and a day of supply for his theater.

- 108. PROCUREMENT BY LOCAL EXPLOITATION.—Supplies accumulated by the several processes of exploitation are distributed to troops through the regular supply channels of the services. Exploitation of local resources in hostile territory is effected by purchase, requisition on civil officials or systematic collection by force. The method to be used is a command decision.
- 109. TRAINS OF THE DIVISION.—The train of a unit is that portion of the unit's transportation with its accompanying personnel which operates under the immediate orders of the unit commander primarily in supply, evacuation, and maintenance. Although certain trucks are assigned prescribed loads, their use is not limited to transporting such loads. Except for vehicles used for the movement of active weapons such as prime movers and weapon carriers, all of the trucks of a unit are considered as a pool of transportation to be used as required.

Trains are designated as company (battery), battalion, or regimental, preceded where appropriate by its functional designation.

Examples:

Ammunition train, 1st Infantry.

Kitchen train, 1st Battalion, 1st Infantry.

Medical train, 1st Battalion, 1st Field Artillery.

1st Medical Regiment (Battalion).

1st Quartermaster Regiment (Battalion).

1st Engineer Regiment (Battalion).

■ 110. SHIPPING AND MAINTENANCE REQUIREMENTS.—SQUARE DIVISION.

	SUPPLY																																							
12		ons	Ship	**	172.6	5.9	105.	7.3		2001		5.1	OT.																											
08		Rations	Tons				12.			900	, N	2.05	000																											
19	day)	Lubricant	Ship	suor*	1.6	60.	.55	9		-:0	12.	.07	0 0 0 0 0 0 0 0 0 0 0 0																											
18	Maintenance items (1 day)	Lubr	Lbs.		1,262	70.5	442.	76.5		.500	161.	52.																												
17	tenance	Oil	Ship	suoi *	7.1	4.	2.5	.43		.45	08.	က့																												
16 17 18 19	Main	0	Gals		631	35.25	221.	38.25		40.	85.5	26.	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0																											
15		Gasoline	Ship	suor *	9	14.1	88.4	15.3		16.		10.4																												
14 15		Gas	Gals		25,240	1,410	8,840	1,530		1,600	3,420	1,040																												
13		rriage	Ship	\$402	277 1,587 25,240 252.4		1 501																																	
128	int	Guns with carriage	Gross	suo2			8.3						***********																											
11	Squipme	Guns	37.	No.	172		194					2 2 3 0 0 0 0 0 0																												
10	Organizational Equipment	icles	Ship		61,898	2,997	2,525 15,599	4,073	١	654 3,865	11,050	1,948																												
8 9 10 11 12			Vehicles	Vehicles	Total weight in tons	Empty Loaded	7,009 10,790 61,898	514	2,525	716		654	2,099	315																										
00		3			Veh	Veh	Vehic	Vehic	Vehic	Vehic	Vehic	Vehic	Vehic	Vehich	Vehicle	Vehicle	Vehich	Vehicl	Vehic	Vehi	Veh	Vel	Veh	Veh	Vehi	Vehic	Vehic	Vehic	Vehicl	Vehicle	Vehicle	Vehicles	Total	Empty	7,009		1,859	î		452
4			7.4	100.	3,077		946			198		105																												
9	70		Ship tons		958 21,314 22,272 83,520	2,831	13, 542 50, 783	3,555		3,964		2,475																												
2	Personnel		Total		22,272	755	13,542	948		1,057		099	23																											
4	7		EM		21,314	726		808		986		589																												
0	32	\$	1 PO	IN NI	958	29	456	4		71		71	77																											
(95		T/0 W0		7	7-3	7-10	5-11		8-21	10-																													
,	I		Unit		Via Inf Div	Sp Trs	2 Inf Brigs.	Engr Regt.	Med Regt Incl Div	Surg's Off		Atchd Med	Atoma Cu																											

*Ship tons = 40 cu. ft.

111. CARGO VEHICLES OF THE INFANTRY REGIMENT, RIFLE USED IN SUPPLY, EVACUATION AND MAINTENANCE. (T/O 7-11 Oct. 1, 1940):

a. Primarily tactical (also used for supply purposes): (1) Weapon carriers:

Company or Detachment	Vehicles	Load transported
Rifle Co (9 per Regt)	2 per Co	One truck carries EM, 3 60-mm mort, and 60-mm mort am. Other truck carries EM, 2 LMG, and cal. 30 MG am.
Heavy Weapons Co (3 per Regt)	16 per Co as follows: 4 each cal .30 MG Plat 4 each cal .30 MG Plat 4 each cal .50 MG Plat 4 each 81-mm Mort Plat	Each carries EM, 1 cal .30 MG, am, and water chests. Same load as above. Each carries EM, 1 cal .50 MG, and am. Each carries EM, 1 81-mm Mort, and am.
AT Co (1 per Regt)	21 per Co Co Hq 3 Wpn carriers	Each carry EM, 37-mm am, and equipment.
	3 Plats, each with 6 Wpn carriers	Each Plat: 4 each carry EM, 37-mm am, and tows one 37-mm gun. 2 each carry EM and 37-mm am.
Hq & Hq Det Bn (3 per Regt)	2 per Bn Det	Each carries EM, and Pioneer and Demolition Equipment

(2) Communication trucks:

Company or Detachment	Vehicles	Load transported						
Hq & Hq Co	11 per Co							
Inf Regt	Hq & Co Hq & Band 1 truck, 1½-ton	Carries EM and CP Equipment						
	Regtl Sec 4 trks, ½-ton	2 each carry EM and wire equipment; 2 each carry EM and radio equipment.						
	Each Bn Sec (3) 2 trucks, ½-ton	One carries EM and wire equipment One carries EM, wire and radio equipment						

b. Primarily supply and evacuation: (1) Ammunition train:

(2) Kitchen and baggage train:

(3) Maintenance section:

REGTL SERV Co: 4 trucks, ½-ton, Wpn carrier. .Each carries EM and maint equipment One carries 1-O, EM, maint equipment 5 trucks, 11/2-ton, cargo.... Four carry EM and maint equipment

(4) Medical train:

EACH BN SEC: One carries 1-O, EM, Bn set, aid sta equipment (less tent) 4 trucks, ½-ton, Wpn carrier...... (Three carry EM (including litter bearers) REGIL SEC: 2 trucks, 1½-ton, cargo.. One carries EM, tentage (reserve of medical supplies) One carries EM, Hq set, aid sta equipment

c. Miscellaneous.—Organic vehicles of the regiment not included above:

Passenger car	1
Mtcl, w/s/c/	27
Truck, ½-ton, command, reconnaissance	35
Truck, ½-ton, radio.	
Truck, 1½-ton, Hq Co (band instruments)	2
Trucks, 1½-ton, AT Co (personnel carriers)	3
	anna .
	TOTAL VEHICLES70

d. Summary:

CARGO VEHICLES USED FOR SUPPLY, EVACUATION, AND MAINTENANCE (INFANTRY REGIMENT)

(Summary T/O 7-11, October 1, 1940)

	Truck (½-ton)	Trailer (1-ton)	Truck (1½-ton)
Primarily Tactical: ① Weapon carriers: 2 per Rifle Company	48 21 6 6 4		1
PRIMARILY SUPPLY (SERVICE COMPANY): Ammunition trucks: 4 per Battalion			12
Kitchen and baggage trucks: 1 per Company, with trailer 1 truck per Battalion Headquarters Det 1 truck, Headquarters Company			15 3 1
Maintenance: 4 WC, Service Company 5 Trucks, Service Company	4		5
EVACUATION (ATTACHED): 4 per Battalion	12		2
Total	119	15	40 ②

⁽¹⁾ Also used for supply purposes. Shown here so that a complete picture may be obtained of all

vehicles used for supply, evacuation, and maintenance.

2 In addition, 2 trucks, 1½-ton, of Hq Co carry band instruments and 3 trucks, 1½-ton, AT Co are personnel carriers. Total 45 trucks, 1½-ton.

■ 112. Prescribed Loads, Artillery Ammunition, Infantry Division (Square).—a. Consolidated table:

						Ty	nes						
Unit	75-mm Gun (AT)					105-mm Howitzer				155-mm Howitzer			
	Approx units of fire	Rounds per	Rounds per battery	Total rounds		Rounds per	Rounds per battery	Total rounds	Approx units of fire	Rounds per	Rounds per battery	rounds	
Battery	1	144	1,152	1,152	.4	98	393	393	.4	60	240	240	
Bn Serv Btry					.6	135	540	1,620	.4	66	264	792	
Div QM Tn					As prescribed by Div Comdr								
TOTAL DIV	1	144	1,152	2,304	1.0	233	933	11,196	.8	126	504	3,024	

b. Battery 105-mm Howitzer, Truck-Drawn:

(AVERAGE PACKED WEIGHT OF ALL TYPES, PER ROUND, 50 POUNDS)

MAXIMUM LOADS (1) ADDITIONAL TO PERSONNEL AND EQUIPMENT

Type vehicle and normal assignment	Number in battery	Rounds carried on each vehicle	Total rounds carried
2½-ton, prime mover	4	39	156
2½-ton, executive's truck. 2½-ton truck, ammunition.	-2	39	39 120
1-ton trailer, ammunition.	2	39	78
Total number of rounds normally carried in battery	***************************************		393

1 Resupply loads are same as normal loads for similar type vehicle in Service Battery.

c. Service Battery, 105-mm Howitzer, Truck-Drawn:

			n number of s carried		number of ls carried	
Type vehicle	Number in battery	Good roads	Bad roads cross- country	Good	Bad roads cross- country 720 468	
2½-ton truck	12 12	96 39	60 39	1,152 468		
Total number of rounds normally carried in battery				1,620	1,188	

d. Battery 155-mm Howitzer, Truck-Drawn:

(AVERAGE PACKED WEIGHT ALL TYPES, PER ROUND, 105 POUNDS)

MAXIMUM LOADS ① ADDITIONAL TO NORMAL PERSONNEL AND EQUIPMENT

Type vehicle and normal assignment	Number in battery	Rounds carried on each vehicle	Total rounds carried
4-ton truck, prime-mover. 4-ton truck, ammunition. 2½-ton truck, ammunition. 2½-ton truck, executive's truck. 1-ton trailer, ammunition.	4 1 1 1 2	30 40 20 20 20 20	120 40 20 20 40
Total number of rounds normally carried in battery			240

- 1) Resupply loads are same as normal loads for similar type vehicle in Service Battery.
 - e. Service Battery, 155-mm Howitzer, Truck-Drawn:

Type vehicle 2½-ton truck	37 7		n number of s carried	Total number of rounds carried		
	Number in battery	Good	Bad roads cross- country	Good roads	Badroads cross- country	
2½-ton truck 1-ton trailer	12 12	47 19	30 19	564 228	360 228	
Total number of rounds normally carried in battery				780	600	

Maximum resupply loads	4-ton trucks	2½-ton trucks	1-ton \/ ! trailers
On good roads	75	47	19
	40	30	19

f. Battery 75-mm Gun, Antitank, Truck-Drawn:

(AVERAGE PACKED WEIGHT OF ALL TYPES, PER ROUND, 23 POUNDS)

MAXIMUM LOADS ADDITIONAL TO PERSONNEL AND EQUIPMENT

Type vehicle and normal assignment	Number in battery	Rounds carried on each vehicle	Total rounds carried
2½-ton truck, prime-mover	8 2 2	90 129 87	720 258 174
Total number of rounds normally carried in battery			1,152

■ 113. PRESCRIBED LOAD:

T/BA No. 7, 19 Nov. '40 & T/BA No. 10, 1 Nov. '40)

QUARTERMASTER REGIMENT - INFANTRY DIVISION (SQUARE)

		Trucks, 21/2-ton	Trailers, 1-ton
a.	Cargo capacity (640 tons)	192	160
Ъ.	Items of prescribed load:		
	(1) Rations (69 tons) (1)	20	19
	(2) Gasoline (14,000 gallons) ②	(18)	(16)
	(3) Water (4,000 gallons) ①	5	5
	(4) Small-arms ammunition (150 tons)	44	40
C.	Total prescribed load (236.5 tons)	69	64
d.	Vehicles without prescribed loads	123	96
	Total vehicles (sum of c and d)		

NOTES

1 This item is not prescribed by tables of basic allowances.

(a) Carried by 18 trucks (2½-ton) and 16 trailers (1-ton) provided in gasoline supply platoon in addition to general cargo vehicles. Not included in total tonnage.

SECTION III

INFANTRY DIVISION (TRIANGULAR)

- 114. METHODS OF SUPPLY.—The methods of supply prescribed for the infantry division (square) in paragraph 102 are applicable to the supply of the triangular division.
- 115. PROCUREMENT OF CLASS II AND IV SUPPLIES.—Class II and Class IV supplies are obtained in the triangular division by the same methods described in paragraph 106 of the square division.

■ 116. SHIPPING AND MAINTENANCE REQUIREMENTS—TRIANGULAR DIVISION

			SUP.				
13		ons	Ship tons	118. 1.14. 20.2. 20.8. 20.8. 4.9. 4.9. 3.3. 0.09			
0%		Rations	Ton	831.2 8.3 8.3 1.96 1.96 1.09 1.03			
19	day)	ants	Ship tons	. 01 . 01 . 025 . 049 . 39 . 29 . 29 . 06 . 06			
18	items (1	Lubricants	Lbs	2318.25.55.55.55.55.55.55.55.55.55.55.55.55.			
17	Maintenance items (1 day)	1.	Ship tons	4.4 0.05 0.05 1.18 1.18 1.25 2.25 2.26 1.9			
16	Main	no.	Gals	2.25 4.75 10.3 115.25 22.25 23.25 23.25 24.25 17.25			
15		line	Ship tons	0.1.9 1.9.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.			
14		Gasoline	Gals	15,760 190 190 4,610 830 930 930 690 690			
13		Guns with	Ship tons	977			
120	tent		uns wi	Gross	6.3		
11	ipm		No.	936			
10	onal equ		Ship tons	36,747 155 314 487 11,638 2,460 2,460 3,775 1,264			
6	Organizational equipment	cles	veight tons	6, 291 252 254 744 2, 465 2, 465 3, 465 2, 4			
00	O	Vehicles	Total weight in tons Empty Loaded	4,160 183 183 173 1,491 1,538 284 284 284 1,51 151			
4			No.	1,848 10 21 21 73 73 681 110 110 69			
9			Ship tons	57,169 383 488 488 551 979 37,575 10,069 2,378 1,950 1,170 1,566 1,			
9		nel	nel	led	le l	Total	15,245 102,245 147 147,020 2,685 2,685 520 423 111
4		Personnel	EM	14,615 74 123 141 255 2,568 2,687 2,568 380 380			
3			0. 17.0, 18.0, Nur	630 1223 1223 888 888 141 166 168 168 168 168 168 168 168 168 16			
65		0/1		70-1 70-1 70-2 70-2 70-2 7-11 6-80 5-75 10-15			
1		Tana,		Inf Div Div Hq. Div Hq. Inf Hq& MP Co. Sig Co. 3 Inf Regts. Div Arty Engr Bn. Med Bn. QM Bn. Atchd Med.			

*Ship tons = 40 cu. ft.

■ 117. Prescribed Loads, Artillery Ammunition, Infantry Division (TRIANGULAR).—Consolidated Table. ①

						2	Гурев					
Unit		75-mm	Gun (A	T)	105-mm Howitzer				155-mm Howitzer			
	Units of fire	per	Rounds per battery	Total	of	per	Rounds per battery	Total	of	Rounds per piece	per	Total rounds
Battery	1	144	1,152	1,152	.4	98	393	393	.4	60	240	240
Bn Serv Btry					.6	135	540	1,620	.4	66	264	792
Div QM Tn				*********	As pre	scribe	by Di	v Com	dr			
TOTAL DIV	1	144	1,152	1,152	1.0	233	933	8,397	.8	125	500	1,512

① Supporting tables same as subparagraph b to f of paragraph 112, Square Division.

■ 118. Prescribed Load (T/BA No. 7, 19 Nov. '40 & T/BA No. 10, Nov. '40)

QUARTERMASTER BATTALION INFANTRY DIVISION (TRIANGULAR)

	Trucks, 2½-ton	Trailers, 1-ton
a. Cargo Capacity (160 tons)	48	40
b. Items of prescribed load.—		
(1) Rations (48 ton) (1)	14	13
(2) Gasoline (4000 gals)	5	5
(3) Water (4000 gals)	5	5
(4) Small Arms Ammuni-		
tion (64.5 ton) (2)	19	17
c. Total prescribed load (147 tons)	. 43	40
d. Vehicles without prescribed load	5	. 0
e. Total vehicles (Sum of c and d)	48	40

NOTES

 This item is not prescribed by tables of basic allowances.
 Tables of basic allowances prescribes a load of 111 tons of small arms ammunition.
 Only 64.5 tons are carried here in order to carry one days supply of rations for instructional purposes.

SECTION IV

INFANTRY DIVISION TRIANGULAR (MOTORIZED)

■ 119. The methods of supply in an infantry division (triangular, motorized) are the same as the methods of supply in the division (square) or division (triangular).

■ 120. SHIPPING AND MAINTENANCE REQUIREMENTS: TRIANGULAR DIVISION (MOTORIZED)

SUPPLY																			
21		Rations	Ship	*	125.	1.1	2.	20.8	4.9	4.0									
08		Re		1 Ones	50.	43	180	33.7	લં	1.6	1.3								
19	(ay)	ants	Ship	**	1.5	.02	.04	.93	90.	88	.05								
18	Maintenance items (1 day)	Lubricants	71.	703	1217.	13.5	31.5	741.	46.5	46.5	39.								
17	rance its	2	Ship	*	6.8	1		1.3		.26	. 22								
91	Mainter	0ú	7	Sales	608.5	6.75	15.75	370.5 115.25	23.25	23.25	19.5	-							
15		2	Ship	**		1		148.2		600	20.00								
14		Gasoline	7	odas	24,340 243.4	270	630	14,820	930	930	780								
138		nith ge	Ship	*	977			912											
13	nt	Guns with carriage	Guns u	_	2002	176.0			6.0		1								
11	me		N.	740.	116			980											
OI	al equip		Ship		52,153	632	1,539	26,168	2,460	2,399	1,557								
00	Organizational equipment	Vehicles	Vehicles	Vehicles	Vehicles	Vehicles	Vehicles	Vehicles	icles	veight ons	Loaded	7,724 10,101 52,153 116 176.0	108	255	5,549 26,1 2,465 13,6	412	399	249	-
90	Orgai								Total weight	Empty Loaded	7,724	71	180	4,852	278	282	184	-	
2			No.		2,709			1,527		104		-							
9			Ship tons		60,484	518	979	40,826	2,378	1,950	1,620								
20		nel	Traber	I Otat	16,129	138	261	,554 10,887 4 ,563 2,685 1	634	520	432								
4		Personnel	N.A.	E IN	630 15, 499	131	253	10,554	616	482	380								
62			N. N			2-4	000	333 10, 122 2,	00	38	43								
95		T/0 -			77	Co. 70-2	11-67	7-61 6-80	5-75	8-65									
1		Unit				Div Hq & MP Co	Sig Co.	3 Inf Regts. Div Arty.	Engr Bn. Med Bn incl	Div Surg's Off	Atchd Med. Atchd Ch.								

*Ship tons = 40 cu. ft,

SECTION V

ARMORED DIVISION

■ 121. METHODS OF SUPPLY.—An armored division may be supplied by any of the following methods:

a. When the division is located within a reasonable operating radius of army supply points, supply is obtained therefrom by regimental and separate unit transportation.

b. When the division is not located within a reasonable operating radius of the normally established army supply system, arrangements are made with higher authority to establish temporary railheads, truckheads, or dumps near the division area from which regimental and separate unit transportation can obtain required supplies.

c. Supply in special operations, the duration of which will be several days, may be effected by attachment of sufficient cargo transportation to carry the supplies necessary to make the division self contained for that period of time.

d. Supply may be effected by air transport to landing fields in possession of or protected by the division.

e. Supplies may be dropped by parachute from air transports in a marked area near the division.

f. In prolonged operation over wide areas supply may be effected directly to the unit by relays of army motor convoys moving between supply bases and holding and reconsignment points established near the localities in which the units are operating. Each convoy of army motor vehicles operating as a unit carries a type load of approximately one refill for the armored force or major subdivision of the force. Unit convoys are dispatched from the control point to destinations as required.

■ 122. SHIPPING AND MAINTENANCE REQUIREMENTS—ARMORED DIVISION.

SUPPLY																	
18		ons	Ship	suon*	98.4	2.3	6.1	5.9	17.2	9.0	3.6	1.9	60				
60		Rations	E	l ons	39.4												
19	(day)	Lubricants	Ship	suon*	2.	90.											
18	Maintenance items (1 day)	Lubri	7.1	1,08	1625	50.5											
17	tenance	Oil	Ship	\$400	36.6	1.1			-		36		·				
91	Main	0	7	cials	3250	101	195	51.7	92.75	92.5	32.7	18.5	42.8				
91		Gasoline	Ship	suo1	487.5	605 056 0515	29.25	20.7	37.1	20.00	13.1	7.4	17.1				
14		Gas		cas	590 48,750	- 4	200	S	co ,	-	1.310	740	1,710				
13		ith	Ship	ions	59(217	5		29	47							
12	nt	Guns with carriage	-	rous	122	1			က								
11	pme		2	, vo.	74	20			16								
10	ral equi		Ship	suon *	67,747	268 1,578	2,906	6,628	6,462	3,009	4,151	1,194	4,518				
6	Organizational equipment	cles	veight ons	Loaded	16,067	268	639	1,843	1,322	215	777	201	834				
90	Organi	Organiz	Organi	Organ	Vehicles	Yehr	Total weight	Empty Loaded	13, 179 16,067	194	562	1,249	1,134	918	461	140	689
2			W	IVO.	3,384	102	4										
9			Ship	suoz	47,614	1,114	2,963	2,839	8,303	3,248	1,725	934	1,601				
2		Personnel	rsonnel	-	I otat	12,697	217	790	757	2,214	258	460	249	427			
-4		Per	E E	E.M.	12,078		ŝ		3				406				
95			W.O.	Nur	619 12	914	37	28	80 8	38	22	9	21				
95		T/0				17-2	17-35	5-215	7-21	6-165	10-35	11-57	9-62				
1		77	7747	1	S Armd Div	Hq Co			Inf Regt Armd				Ord Bn Armd				

*Ship tons = 40 cu. ft.

■ 123. GASOLINE REQUIREMENTS, ARMORED DIVISION FOR COMPANY OR LARGER UNIT.

-	MOZE CIVII.									
	1	12	3	4	5	6	17	8	9	10
							gallo			
					u pacı	ly in	gauon	. 0	, ®p	
1	Unit	(09)	(136)	(36)	ck	8	E 09)	98)	35	1
- 1	Onu				tra		1-1	*	1-9	**
- 1		(E)	(36)	no	half-track	".	. 81	anc	ht.	yel
		ak.	4	, 80	200	rien	rie	pnq	ar, lig	ore
		Tank	Tank	Car, scout	(6.	Carrier, personnel	Carrier, mortar	Ambulance *(25	Car, li	Mo
-					_	-	-	-		-
2	DHQ & Hq Co			12					8	33
3	Sig Čo									81
4	Total, above units			15					8	51
-	A D	-		-						-
	Armd Regt (L)									
5	Armd Co (3 Cos) (5)	13			3					4
5 6	Bn Hq	3			1					4
7	Total, Armd Bn (L) (3 Bns) 6	42			10					16
8	Ren Co (§				18					17
9 10	MG Co Serv Co			1	18				1	10
11	C Trk Sec (3(4)							3		10
12	Ki Trk Sec 3									
13	Hq, Hq Co & Band & 7	3		1	6		6	-		15
14	Total, Regt (L)	129		2	73		6	3	1	98
1.0	Armd Regt (M)		17		0					0
15 16	Armd Čo (3 Cos) (6		2		6 3					3
17	Total, Armd Bn (M) (2 Bns) 6		53		21			-		13
18	Serv Co.		-	1	1	ACMINISTRA II.			1	10
19	C Trk Sec 34							2		
20	Ki Trk Sec ③			1	p					1.0
21	Hq & Hq Co & ?		$\frac{2}{108}$	$-\frac{1}{2}$	48			2	1	13
22	Total, Regt (M)		100		40					49
23	Btry (4 Btrys) 6				20					3
24	Am Tn ⑥			2						
25	Serv Btry			1	4				1	3
26 27	C Trk Sec ③ ①							4		
28	Hq & Hq Btry 57			3	18					10
29	Total, FA Regt, Armd			6	102			2	1	25
30	Hq & Hq Co, Brig	2		7					2	14
31	TOTAL, ARMD BRIG ①	260	108	19	296		12	10	6	284
	Inf Regt									
32	R Co (3 Cos) (6				5	14	A			3
33	Hv W Co (8)				15 2	2	4			4
35	Total, Inf Bn (2 Bns) ⑤				32	44	-			17
36	AT Co (5)				17			-		4
37	Serv Co			1	2					7
38	C Trk Sec 30									
39	Ki Trk Sec ③			2	11	E			1	10
41	Total, Inf Regt.			3	94	93			-1	55
41	Total, Illi Tegt			0	37	90	0		1	90

GASOLINE REQUIREMENTS, ARMORED DIVISION FOR COMPANY OR LARGER UNIT. (Continued):

_															
	11	12	13	14	15	16	17	18	19	20	21		23	24	25
										Gallon	rs of gas	oline pe	r mile		
1										per unit echelon (19			19		
	Truck, 1/2-ton (1)	Truck, 11/2-ton cargo *(25)	Truck, 21/2-ton cargo *(40)	Truck, 4-ton, wrecker *(60)	Truck, 10-ton wrecker (65)	Tr, gas & oil 600 gallons*(40)	Truck, radio repair *(30)	Truck, 1/4-ton, (3) liaison *(11)	Total, unit vehicles	Combat	Unit train vehicles	Div train vehicles	Total per unit	Total gasoline tank capacity per unit (refill)	Total gallons to more unit 150 miles
2	22 24		21 17				2	5	101 74	3.6 5.7	8 7.1 10 2.4	9 .69 .4	11.3	2,125 1,623	1,694.9 1,275.9
4			38				2	15	175	9.2	9.6	1.0	19.8	3,747	2,970.8
7 8 9	3		3					2 1 7 11 3	24 9 81 48 31	10.5 2.6 34.0 5.6 4.8			10.5 2.6 34.0 5.6 4.8	932 236 3,032 1,330 1,208	1,572.1 383.6 5,100.0 834.5 713.7
11 12 13 14	3 35	3	26 65 18 15 2 111		2			9 7 51	106 28 15 43 514	6.7	9.3 4.9 3.0	7.87.8	17.0 4.9 3.0 6.7 143.9	3,404 970 600 1,193 17,801	2,554.2 727.5 450.0 1,007.0 21,590.9
15 16 17 18 19 20 21 22	3 13 3 		3 3 97 11 7 2 123		3			2 1 7 9 3 26	30 10 100 135 18 7 29 389	17.3 2.7 54.7 4.6 114.0	10.0 3.1 1.4	①13.2 ①13.2	17.3 2.7 54.7 23.2 3.1 1.4 4.6 141.7	2,770 478 8,789 4,649 615 280 844 23,965	2,595.0 403.1 8,207.9 3,478.2 461.3 210.0 683.0 21,248.1
23 24 25 26 27 28 29 30 31	1 5 5 3 3 1 14 5 5	2	34 19 8 7 68 7 420		1 8			3 7 4 3 26 6 160	27 44 38 15 7 35 247 43 1,707	5.2 24.5 4.6 381.4	7.7 3.9 2.5 1.4 15.6 .8 65.1	② 2.0 2.0 ③ .4 31.2	4.8 7.7 5.9 2.5 1.4 5.2 42.0 5.8 477.7	1,269 1,532 1,297 495 280 1,281 9,962 903 70,430	722.0 1,150.7 892.4 371.3 210.0 784.8 6,306.9 876.2 71,613.0
32 34 36 37 36 37 38 39 40 41	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	2	1 1 20 12 16 16 1 58					1 1 4 8 1 11 8 36	24 26 12 110 24 49 24 16 38 371	4.6 4.7 1.3 19.6 4.3 5.0 48.6	5.1 3.9 3.2	① 1.8 ① 1.8	4.6 4.7 1.3 19.6 4.3 6.9 3.9 3.2 5.0 62.5	1,202 1,231 299 5,137 1,111 1,372 780 640 1,213 15,389	682.5 706.8 189.6 2,943.9 640.8 1,034.7 585.0 480.0 753.6 9,301.9

GASOLINE REQUIREMENTS, ARMORED DIVISION FOR COMPANY OR LARGER UNIT. (Continued):

Total, Fabra Total, Engr Bn Total,											
Total, FA Bn. Section Section	1	1	2	3	4	1 1	_	7		9	10
PA Bn	1										
FA Bn			2	20							
FA Bn		v	33	136	(36)	role	8	mm (60	3	Pas (17	883
### PA Bn Bry (105-mm How) (3 Btrys)	1	Unit	_		n	44	7	81-	800	. 5-	, ie
### PA Bn Bry (105-mm How) (3 Btrys)	1		7)	(A)	1001	hal)	er,	4 4	ilar	igh	Ch
### PA Bn Bry (105-mm How) (3 Btrys)		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	ank	ank	14.		7.80	orto	mpi	ar, l	oto
Bry (105-mm How) (3 Btrys)			T	T	Ö	Ö	2 X	2 5	7	0 %	2 8
AT Btry O 19 5 5 1 3 45 C Trk Co O O O O O O O O O		FA Bn									
Serv and Am Btry		Btry (105-mm How) (3 Btrys) (5)									
46 Ki Trk See ① 3 14 10 48 Total, FA Bn. 3 89 1 1 27 Engr Bn (combat) ①		Serv and Am Btry								1	
Hq & Hq Btry (a) 3 14 10 10 48 Total, FA Bn. 3 89 1 1 27 27 20 20 20 20 20 20									1		
Total, FA Bn. 3 89											10
Engr Bn (combat)	40										
490 Engr Co (3 Cos) (3 (3 (3 (3 (3 (3 (3 (3 (3 (3 (3 (3 (3	9.8	10tal, FA DA	v		3	- 28			1		21
Bdg Co. 3 3 5 1 4	40	Engr Bn (combat)					11				0
Fig.		Bdg Co				(15) 3	11				4
53 Ki Trk Sec ① 54 Total, Engr Bn 3 @12 38 1 1 1 14 Rcn Bn Rcn Co (2 Cos) ⑥ 22 19 56 R Co ⑥ 5 14 3 3 4 4 57 Armd Co (L) ⑥ 13 3 4 4 1 1 1 6 58 Hq & Hq Det 4 1 1 1 6 69 C Trk Sec ② 3 3 3 1 51 61 Total, Rcn Bn 13 48 9 14 3 1 51 61 Total, Rcn Bn 2 2 2 2 2 63 Hq & Hq Co ⑩ 2 2 2 2 2 64 Total, Ord Bn, Maint 6 2 12 Med Bn 2 30 14 65 Coll Co 4 4 67 Hq & Hq Det 1 2 68 Total, Med Bn 30 1 20 QM Bn Trk Co 1 6 70 L Maint Co 1 6 70 L Maint Co 1 6 71 Hq & Hq Co ⑩ 1 6 72 Total, QM Bn 1 6	51	Hq & Hq Co (3(1)			_				40,0000	1	4
54 Total, Engr Bn. 3 @12 38 1 1 14 55 Rcn Bn Rcn Co (2 Cos) (3). 22 19 56 R Co (5). 5 14 3 57 Armd Co (L) (3). 13 3 4 4 58 Hq & Hq Det. 4 1 1 1 6 1 6 59 C Trk Sec (3)(4). 3 60 61 Total, Rcn Bn. 13 48 9 14 3 1 51 Ord Bn, Maint Maint Co (2 Cos) (4). 2 5 5 63 Hq & Hq Co (3). 2 2 2 2 2 64 Total, Ord Bn, Maint 6 2 12 2 Med Bn Coll Co. 30 14 4 67 Hq & Hq Det. 1 2 30 1 20 QM Bn Trk Co. 30 1 20 30 1 20 QM Bn Trk Co. 1 6 1 6 70 L Maint Co. 1 1 6 1 6 72 Total, QM Bn. 1 6 1 6		C Trk Sec (3)(4)					*******		1		
Ren Bn Ren Co (2 Cos) (a) 22 14 3 3 4 4 58 Hq & Hq Det 3 4 1 1 6 6 6 6 6 6 6 6											
55 Ren Co (2 Cos) (3) 22 14 3 56 R Co (3) 5 14 3 4 57 Armd Co (L) (3) 13 3 4 1 1 6 58 Hq & Hq Det 4 1 1 6 6 2 1 6 6 6 1 6 6 1 6 1 6 1 6 1 5 1 4 1 1 1 6 6 1 1 1 6 1	54	Total, Engr Bn			3	15)12	38		1	1	14
56 R Co Image: Color of the color o											
57 Armd Co (L) ③ 13 3 4 58 Hq & Hq Det 4 1 1 6 59 C Trk See ③ 3 3 6 6 3 6 6 6 3 6 6<					22		14				
59 C Trk Sec ③ ⑥ 3 60 Ki Trk Sec ⑥ 3 61 Total, Ren Bn 13 48 9 14 3 1 51 62 Ord Bn, Maint Maint Co (2 Cos) (4) 2	57	Armd Co (L) ⑤				3					4
60 Ki Trk Sec ③		Hq & Hq Det			4	1	*******		2	1	6
Ord Bn, Maint Maint Co (2 Cos) (a) 2 5 63 Hq & Hq Co (B) 2 2 2 64 Total, Ord Bn, Maint 6 2 12 Med Bn Coll Co 30 14 6c Clr Co 4 4 67 Hq & Hq Det 1 2 68 Total, Med Bn 30 1 69 QM Bn Trk Co 30 1 69 The Coll Co 1 6 70 L Maint Co 1 6 71 Hq & Hq Coll 1 6 72 Total, QM Bn 1 6											
Ord Bn, Maint Maint Co (2 Cos) (a) 2 5 63 Hq & Hq Co (B) 2 2 2 64 Total, Ord Bn, Maint 6 2 12 Med Bn Coll Co 30 14 6c Clr Co 4 4 67 Hq & Hq Det 1 2 68 Total, Med Bn 30 1 69 QM Bn Trk Co 30 1 69 The Coll Co 1 6 70 L Maint Co 1 6 71 Hq & Hq Coll 1 6 72 Total, QM Bn 1 6	61	Total Dan Da	12		40	-	1.4				51
62 Maint Co (2 Cos) (a)	-				10		1.7				
63 Hq & Hq Co (B) 2 2 2 64 Total, Ord Bn, Maint 6 2 12 Med Bn Coll Co. 30 14 67 Hq & Hq Det 1 2 68 Total, Med Bn. 30 1 20 QM Bn Trk Co. L Maint Co. Hq & Hq Co (B) 1 6 72 Total, QM Bn 1 6	69				9						5
Med Bn Solution										2	
Med Bn Solution	64	Total Ord Rn Maint			6					9	12
65 Coll Co	=										
66 Clr Co	65								30		14
68 Total, Med Bn. 30 1 20 QM Bn Trk Co. L Maint Co. Hq & Hq Co 19. 1 6 Total, QM Bn. 1 6	66	Clr Co.									4
69 Trk Co. 70 L Maint Co. 71 Hq & Hq Co (1) 69 1 6 72 Total, QM Bn.	67									1	2
69 Trk Co. 70 L Maint Co. 71 Hq & Hq Co (1). 72 Total, QM Bn. 1 6	68	Total, Med Bn.							30	1	20
69 Trk Co. 70 L Maint Co. 71 Hq & Hq Co (1). 72 Total, QM Bn. 1 6		QM Bn						-			
71 Hq & Hq Co 19 1 6 72 Total, QM Bn 1 6		Trk Co.									
72 Total, QM Bn 1 6		Hg & Hg Co (10)								1	6
	-		-0006466								
73 TOTAL, ARMO DIV	12	Total, QM Bn		V1008000	,				0.40000	1	6
	73	TOTAL, ARMD DIV.	273	108	97	500	145	20	45	22	502

GASOLINE REQUIREMENTS, ARMORED DIVISION FOR COMPANY OR LARGER UNIT. (Continued):

-	11	12	13	1 14	15	16	17	18	19	20	21	22	1 23	24	25
-										Gallo	ms of ga	soline p	er mile		
-	120	1 6	1 6	16	1 6	1 5	1 0	10	11	1 1	per unit	echelon	11	1	1
_	Truck, ½-ton W command *(25)	Truck, 11/2-ton (25)		Truck, 4-ton urecker *(60)	10-1	Tr, gas & oil 600 gallons *(40)	Truck, radio	Truck, 1/4-ton, W liaison *(11)	Total, unit vehicles	Combat	Unit train vehicles	Die train vehicles	Total per unit	Total gasoline tank capacity per unit (refill)	Total gallons to move unit 150 miles
42 43 44 45 46 47	1 3 2			9 3 	1			3 7 5 4	24 32 47 9 6 32	4.2	6.4 1.6 1.2		4.2 4.9 8.0 1.6 1.2 4.4	1,26 1,683 31, 240	735.5 3 1,200.5 5 236.3 180.0
48	10		4	1	1	********		25	198	21.8	9.2	1.6	32.6	7,818	4,882.7
49 50 51 52 53	4 7 7 2	1	② 15 ② 15 ② 18	2 04 2	21) 4			1 4	23 76 38 17 4	4.1 5.2	3.1	13.6 ② 1.2	4.1 13.6 6.4 3.1 .8	1,039 3,614 1,392 620 160	2,033.9 966.8 465.0
54	28	1	② 53	2042	21) 4			7	204	17.5	3.9	14.8	36.2	25 9,148	5,527.5
55 56 57 58 59 60 61	1 1 1 1 5	000000000 00000000 00000000	25					11 1 2 1	54 24 24 23 9 7	6.6 4.6 10.5 1.7	1.5 1.4 2.9	1.6	6.6 4.6 10.5 3.3 1.5 1.4	1,027 1,202 932 636 300 280 5,404	682.5 1,572.2 493.2 225.0 210.0
=	==		200					20	130	25.0	2.3	1.0	33.0	0, 101	0,100.0
62 63	15	1	29 26 29 44		4	3		2 2	54 63	**********	8.8 1010.7	.6	8.8 11.3	1,786 2,254	1,322.7 1,687.7
64	36	1	29 96		9	3		6	171		28.3	.6	28.9	5,825	4,333.1
65 66 67	5 5 4		18 5					3	53 27 15			5.7 4.4 1.8	5.7 4.4 1.8	1,088 860 358	656.0 272.0
68	14	*******	27					3	95			11.9	11.9	2,305	1,781.9
69 70 71	4 6 10	1	52 23 12	4				3 4 5	59 37 35			11.1 6.8 4.4	11.1 6.8 4.4	2,213 1,354 850	1,661.6 1,017.9 653.1
72	20	1	87	4				12	131			22.3	22.3	4,417	3,332.6
73	292	15	845	48	22	3	2	290	3,247	508.5	131.2	86.7	726.4	124,483	108,961.5 332.33 tons

GASOLINE REQUIREMENTS, ARMORED DIVISION ® FOR COMPANY OR LARGER UNIT

- * Tank capacities of 1941 models.
- 1 Includes Trks: ½-ton, pick-up; ½-ton, Rad; ½-ton, w/carrier; 1½-ton, panel delivery; and emergency repair.
- (2) Includes Sp Engr vehicles.
- The assembled C and Ki Trks of Cos (Btrys) normally march with the Sup (T) element of Serv
- (Hq) Cos (Btrys).
 Includes Co (Btry) C Trks, Atchd Med vehicles, and other Sp equipped Trks as shown on T/O's.
 Less C and Ki Trks. (See note ③).
- Less C and Ki Trks. (See nLess Ki Trk. (See note 3.)
- 1 Less band Trks. (See note 1.)
- 1 Includes one Trk, 1/4-ton, Ln, and seven Mtcls.
- Trks for second days' Sup of gasoline and/or Am.
 Includes one pick-up, nine C Trks, two Ki Trks, and two tricycles.
- (i) Less W Sup equipment Trk. (See note (1.))
 (ii) Less gasoline and oil truck. (See note (1.))
- (1) Based on T/O's dated November 15, 1940.
- (i) Less 600 gallon gasoline and oil Trks.
- (15) Includes Trks, 4-ton, cargo.
- Mtcls and tricycles march with C vehicles unless otherwise noted.
- 1 Includes two Armd Regts (L), one Armd Regt (M), and one FA Regt (105-mm How).
- Includes Atchd Med vehicles.
- Oil and grease consumption is eight per cent of gasoline consumption.
- Includes Trks, 4-ton, Trac.
- (21) Includes Trks, crane.
- (2) Gasoline tank capacity in gallons.
- (2) Includes Sp Ord vehicles.
- (a) If replaced by tricycles, gasoline consumption will be changed accordingly.

 (b) Addition of 246 gallons for one day's supply of Sp Engr equipment.
- 28) T/BA provides one truck, 2½-ton, office, not shown on this table.

124. DATA REQUIRED IN RESUPPLY OF ARMORED UNITS.

Periodic Vehicle Report a TANK (LIGHT) MEDIUM) (HEAVY) b

Items Carried	Prescribed Load Per T/B A c	Amount on Hand	Amount Required to Refill
Gasoline Oil Grease Am. Caliber			
.45 .50 37-mm 75-mm 105-mm			
Other authorized items			

NOTES

- a Suggested form to be used by unit commanders as a basis for the consolidated report.
 - b Similar form can be used for other organic vehicles.
- c Prescribed load should be entered by the unit commander for each type of vehicle in his unit.

■ 125. CONSOLIDATED REPORTS ON STATUS OF SUPPLY.—Periodic vehicle reports are consolidated by the unit commanders. The consolidated reports show the totals of Class III and Class V supplies on hand and the amount of each required to complete the load of the vehicles of the unit.

The final consolidation of expenditure reports shows the total amount of supplies on hand and the total amount required to reestablish the pre-

scribed loads of the force.

126. PRESCRIBED LOAD

(T/BA No. 17, 29 Nov. '40 & T/BA No. 10, 1 Nov. '40) QUARTERMASTER BATTALION ARMORED DIVISION

	Trucks, 21/2-ton	Trailer, 1-ton
a. Cargo Capacity (160 ton)	48	40
b. Items of prescribed load.—None*		
c. Total prescribed load.—None		
d. Vehicles without prescribed load	48	40
e. Total vehicles	48	40
As directed by the division commander.		

127. Unit of Fire, Expressed in Rounds, Armored Force Units 3

4 1997		Calibers									
1 Weapon or vehicle	.30(1)	.456	.504	37-mm	60-mm	75-mm	81-mm	105-mm			
2 Pistol	100	10.5									
3 Rifle, M-1	160 500										
5 Machine gun 3	500		150								
6 Inf Weap Plat, MG 7 Sub-MG	2,000	85									
8 Tank (L)	4,135	250	***************************************	®51.5							
9 Tank (M), M-3	4,000	500		®75		1 25					
10 Scout-car	4,000	275	375								
11 Car, half-track	①4,000 2,000	275 275	375								
12 Carrier, personnel 13 Carrier, 81-mm	2,000	275	375								
14 Mortar, 81-mm	2,000						10126				
15 Mortar, 60-mm				150	200			***************************************			
16 37-mm, AT①				.1 150	J	1	1	1			
17 Grenade(1)		SI	hown in p	paragraph :	128 ①						

150

225

18 75-mm, AT(7)

19 105-mm.

[AFB April, 1941] (1) 6,000 for MG Plats, Inf Regt and Armd Regt (L). 2,000 in AT Plat, Inf Regt.

Based on T/BA dated November 1940.

Train defense weapon.
Machine-gun ammunition, caliber .30 and .50,—75% AP and 25% tracer.
75% Ball and 25% Tracer.
90% AP and 10% HE.
80% AP and 20% HE.
64% HE, 30% AP and 6% Cannister.

75% Ball and 25% Tracer.
90% AP and 10% HE.
80% AP and 20% HE.
64% HE, 30% AP and 6% Cannister.
70% HE and 30% AP.
80% M-57 and 20% M-45.

■ 128. Prescribed Allowance of Grenades, Carried on Vehicle.

(Data to be supplied later.)

■ 129. Battery, Regiment, 105-mm Howitzer, Armored Div (T/O 6-127) (Average packed weight, all types, per round = 50 lbs.)

MAXIMUM LOADS ADDITIONAL TO NORMAL PERSONNEL AND EQUIPMENT.

Type vehicle and normal assignment	No. in Battery	Rounds carried on each vehicle	Total rounds carried
Cars, half track, prime mover Cars, half track, other than prime	6	30	180
mover	6	15	90
Cars, half track, 1st Sergeant	1	30	30
Cars, half track, ammunition	3	60	180
Trailers, ammunition	3	39	117
Total No. of roun	597		
Total No. of rounds car	2388		

■ 130. FIELD ARTILLERY TRAIN, AMMUNITION, TRUCK-DRAWN, REGIMENT, 105-MM HOWITZER, ARMORED DIVISION (T/O 6-129).

Type vehicle	No. for 105-mm AM		f rds. carried Bad roads cross-country	Total No. o	of rds carried Bad roads cross-country
2%-ton, truck, cargo, combat	28	90	No Change	2520	No Change

■ 131. Battery, Battalion, 105-mm Howitzer, Armored Division (T/O 6-167) Maximum Loads Additional to Normal Personnel and Equipment.

Type vehicle and normal assignment	No in battery	Rounds carried on each vehicle	Total rounds carried
Car, half track, prime mover Car, half track* exec. Car, half track, ammunition Trailer, ammunition	4 1 4 4	30 30 30 39	120 30 120 156
Total No. of r	426		
Total No.	1278		

^{*}This car is shown by T/O assigned to 1st Section

■ 132. Battery, 75-mm Gun, Antitank, Armored Division (T/O 6-168)
MAXIMUM LOADS ADDITIONAL TO NORMAL PERSONNEL AND EQUIPMENT.

Type vehicle and normal assignment	No. in battery	Rounds carried on each vehicle	Total rounds
Car, half track, prime movers Car, half track, other than prime	8	48	384
movers	4	48	192
Car, half track, ammunition	4	48	192
Trailer, ammunition	4	87	348
Total No. of rounds normally carrie	d in Battery		1116

133-134

■ 133. SERVICE BATTERY, BATTALION, 105-MM HOWITZER, ARMORED DIVISION (T/O 6-169).

Type vehicle	No. for	Max. No. o	of rds carried Bad roads	Total No. of rds. carrie Good roads Bad roads		
	200	Good route	cross-country	0000 70000	cross-country	
2½-ton truck 12 trucks in train	12	81	No Change	972	No Change	

Total No. of rounds in battalion

2262

SECTION VI

CAVALRY DIVISION (HORSE)

- 134. METHODS OF SUPPLY.—The methods of supply used by the cavalry division are based upon the characteristics and missions of cavalry which require the division to operate over broad fronts at a considerable distance from a railhead, and which require great mobility. The following methods or combinations of methods are used:
- a. When army supply points are within normal operating radius of regimental trains.—By drawing supplies from army supply points using regimental and separate unit transportation, see paragraph 102.
- b. When army supply points are beyond normal operating radius of regimental trains.—Three methods are available in this case. They are:
- (1) Supply of regiments and separate units by the division services employing transportation under division control. This method (unit distribution) is similar to that described in a, except as to the transportation used and should be used only when army supply points are sufficiently close to permit it. An alternate method is to use the division transportation to establish truck heads for the service of the regiments and separate units.
- (2) Establishment of advanced supply points (all classes of supply) by army, then supply by either of the methods described in (1) above.
- (3) Attachment by the army of sufficient cargo transportation to insure supply in special operations, the duration of which will be several days, in order to make the division self sustaining for that period of time.
- c. Special Methods.—In special cases supply may be effected by air transport, either from landing fields in possession of the unit, or by dropping in a marked area.

- 135. BASIC DOCTRINE.—Any method of effecting supply of the cavalry division should recognize the following basic doctrine.
 - a. Supplies must be placed within reach of unit trains.
 - b. Supplies must be kept mobile.
- c. The transportation available to separate regiments and units of the cavalry division will provide one day's supply only. All units must be supplied daily.
 - d. Supply, especially of Class III and V, must be adequate.
- e. The method of supply adopted must be flexible to meet unexpected situations.

■ 136. SHIPPING AND MAINTENANCE REQUIREMENTS—CAVALRY DIVISION

									2	U	PP	L	,							
	25		age	Ship		240.	. 78	8.96	8 % 8 %			36.0								
	48		Forage	-	7 0110	95.9	0 0	38	38.7			3.7								
ı	83		Rations	Ship	*	90.5	0	26.5	26.5	5.3	3.6	., 4 x 4	1.2	1.4	1:1					
	33	(day)	Rat	7	r one	36.2	9 60	10.6	10.6	2.1	*	- ×	.48	. 56	•					
	18	Maintenance items (1	Lubricants	Ship	*	.82	.02	.13	2	.14		.05	.02	.03	.02					
ı	08	nance	Lubr	7.4-	200	659.			101.	112.			18		14.					
ı	19	Mainte	Oil	Ship	*	3.7			.57						•					
ı	18	2	0	Cale	2000				53.7											
ı	17		line	Ship	*	131.8	ಣ	8	20.2	22	1-1	TR.	00	4	N .					
ł	16		Gasoline	Cale	Omo	13, 180 131	340		2,020		770	266	370	470	280					
I	15		iage	Gross Ship	3 *	1,023			958	1			22							
ı	14	nent	ith carr	ith car	ith carr	ith carr	Guns with carriage	ith car			133			127	:			7		
۱	13	uipu	in si	2	3	196			160				12							
	12	Organization equipment	Gun	Ship	*	29,462	786	3,379	3,379	2,418	2,047	7,481	549	1,240	1,011					
۱	11	ganiza	90	weight	Load'd	5,558	119	605	605	524	352	302	106	181	280					
١	10	0	Vehicles	Total weight in tons	Emply	3,732	88	445	666	460	240	222	93	133	141					
۱	0			×	0 47	1555	34	202	202	224	97	978	37	57	80					
	90	- I'm	Antmais	Ship	*	994 39,970 1555 3,732 5,558 29,462	130		5, 970		1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	345		1	6 6 6 6 6 6 6					
ı	7	Ame	Jun	Š	7.0		1	,225	194		- 1	308								
I	9		teniente	Ship	*	1,676 43,7857	000	12,799	7,790	2,588	1,751	1,365	585	989	248					
	2	7	ounce	Total	T DEGR	11,676	122	3,413	3,413	069	467	568	156	183	146					
	4	Personnel		EM.	TO TO	11,122 11	117	3,257	3,257	657	451	336	152	177	140					
	ಳಾ			0.ff.	Nur	552	140	156	156	33	16	200	4	9	9					
	<i>0</i> ×			T/0		2-1-2			6-110	2-25	5-115	18-85	2-37	11-48	2-6					
	1	Unit		Cav Div	Ho Tr.	Cav Brig	Cav Brig	Ren Sq.	Engr Sq.	Med Sq.	ATT	Sig Tr	Ord Co							

*Ship tons = 40 cu. ft.

204

137. PRESCRIBED LOADS CAVALRY REGIMENT, HORSE.—a. Class I Supply. -Rations, forage.

Carried by (or for)	Field ration A or B	Field ration C	Field ration D	Grain 1	Fuel, oil, or wood
Each troop for its own use	1 ②		1	1 ③	1
Division (for entire division) on train of quartermaster squadron	1	1 ④	0.0000000000000000000000000000000000000	1 3	- 1
Total in Division	2	1	1	2	2

 For all animals.
 Part may be carried on individual and part on unit trains.
 Part of all of unconsumed portion may be carried on animals; a part may be carried on unit train. May be carried either in units or in quartermaster squadron at direction of division commander; within units, part may be carried on individuals and part or all on unit trains as directed by unit commanders.

b. Class III Supply.—Motor fuel and lubricants.

Unit	Where co	arried
Each wehicle (except Mtcl & Tricycle) Each Mtcl or Tricycle — three 10-gallon containers for resupply on Regtl Tn	1 day in fuel tank plus one 10-gallon container 1 day in fuel tank	1 day in Div Tn for next day issue 1 day in Div Tn

c. Class V Supply.—Ammunition in regiment.

Type of ammunition	Hq & Serv	R Sq	R Tr	MG Tr	Sp W Tr	Regt
Rifle, M-1, cal .30 Pistol, cal .45 LMG, cal .30 (pack)	5,768	66,528 13,216 56,700	21,648 4,228 18,900	13,728 4,452	10,736 3,967	168,960 41,608 75,600
LMG, cal .30 (Tn Def)	13,500			75,000		13,500
MG, cal .30 (Set-c)				75,000	10.000	42,000
MG, cal .50 (HB) (pack) MG, cal .50 (HB) (Sct-c)					10,080	10,080
MG, cal .50 (HB) (Tn Def) Sub-MG, cal .45 (Mtcl)		******************				1,800
Sub-MG, cal .45 (Sct-c) Mortar, 81-mm	-,				288	4,900

REGIMENTAL TOTALS — TYPES AND WEIGHTS OF COMPONENTS

Kind	Number of rounds	Pounds	Tons
Caliber .30. Caliber .45. Caliber .50.	375,060 55,028 19,230 288	31,255 3,036 4,866 2,596	15.628 1.518 2.433 1.298
Тотац			20.877

■ 138. PRESCRIBED LOADS, CAVALRY REGIMENT, HORSE AND MECHANIZED. —a. Class I Supply.—Ration and forage.

Carried in	Field ration A or B	Field ration C	Field ration D	Grain	Fuel, oil, or wood
Regiment	2	. 1	. 1	2	2

b. Class III Supply.—Motor fuel and lubricants.

	Where	e carried	Re	Unit		
Unit	On vehicle	Gas and Oil Section Mecz Sq & Trans Plat	No. vehicles	Gal gas	Gal oil	Mile
Motorcycle and tricycle Scout cars and all trucks Truck tractor with		One 10-gallon container per 5 Mtcls or Tris 1 day supply in 10-gal- lon containers 1 day supply in 10-		1,327 2,940	88.5 196	8.85 29.40
semi-trailer	10-gallon container	gallon containers	77	2,541	170	25.41
		Totals	401	6,808	454.5	43.66

Gasoline Replacement Basis:	150 miles motorcycle at	20 miles per gallon
	100 miles scout-car & truck at	5 miles per gallon
	100 miles truck tractor at	3 miles per gallon

Oil replacement basis: 1 gallon oil to 15 gallons gasoline.

Only actual expenditures are replaced.

Unit mile: amount of gasoline to move all vehicles of regiment 1 mile.

c. Class V Supply.—Ammunition in regiment.

Type of ammunition	Reg Hq & Band	Hq Tr	Hq 1st Sq	3 R Trs	Hq 2d Sq	2 Ron Trs	Mtcl Tr	Serv Tr	Regt total
Pistol, cal .45				12,684		9,240			
Rifle, M-1, cal .30		1,760	2,992	64,944	1 400	10,912		9 100	
Sub-MG, cal .45 (Sct-e) Sub-MG, cal .45 (Mtcl)		6 300			1,400	13 800	99 200	0 300	52 500
LMG, cal .30 (Tr Def)		3.750			500	4.500	2.250	58,500	69,000
LMG, cal .30 (pack)				56,700			_,		56,700
MG, Hv, cal .30 (Set-c)		102,000			12,000	240,000	36,000	18,000	408,000
MG (HB), cal .50 (pack)			4,940						4,940
MG (HB), cal .50 (Set-c)		17,850			2,100	42,000	6,300	3,150	71,400
MG (HB), cal .50 (Tr Def)		750				1,500	750	17,250	
AT, 37-mm		600		***** *** ***					600

REGIMENTAL TOTALS - TYPES AND WEIGHTS OF COMPONENT

Kind	Number of rounds	Pounds	Tons
Caliber .30. Caliber .50. 37-mm AT		7,837.5 52,277.6 33,484.9 1,710.0	3.969 26.139 16.742 .855
TOTAL			47.705

d. Normal loads. Pack, horse squadron.

Pack	Loads	Weight in pounds
Kitchen Pack — Trs A, B & C		234 (approx) 203 196 194

139. PRESCRIBED LOAD (T/BA No. 2, 1 Nov. '40 & T/BA No. 10, 1 Nov. '40) QUARTERMASTER SQUADRON

CAVALRY DIVISION (HORSE)

		Ve	hicles	
	4-ton	$2\frac{1}{2}$ -ton	/	1-ton
	Semi-	Stock	Cargo	Cargo
	trailers	Rack	Gasoline	Trailer
a. Cargo Capacity (352-tons)	48	48	10	50
b. Items of prescribed load.—				
(1) Rations (35-ton) (1)		12		5
(2) Grain (40-ton)	10(1)			
(3) Gasoline (8000 gals) (2)			10	10
(4) Water (4000 gals)		5(1)		5
(5) Small arms ammunition	n			
(104-ton)		30		29
c. Total prescribed load (196.5	-			
tons)	10	47	10	49
d. Vehicles without prescribed	d			
loads	38	1		1
e. Total vehicles	48	48	10	50

NOTES

These items not prescribed by table of basic allowances.
 Organic gasoline supply vehicles consisting of 10 trucks and 10 trailers not included in total cargo capacity.
 If field ration C is also carried, additional trucks and trailers will be utilized.

■ 140. PRESCRIBED AMMUNITION LOADS, ORGANIC ARTILLERY, CAVALRY DIVISION.—a. Consolidated table.

Unit	Units of Fire	Rounds per Piecs	Rounds per Battery	Total Rounds
	75-	MM FIEL	D HOWITZ	ER
Battery (horse) Service Battery Quartermaster Squadron	.4 .5 As prescri	133 151 bed by the	532 606 division co	532 1,818 mmander
Total, Two Battalions	1	284	1,138	6,828
		105-MM I	HOWITZER	
Battery, truck-drawn Service Battery Quartermaster Squadron	.4 .6 As prescri	100 140 bed by the	400 560 division co	400 1,680 mmander
Total, Battalion	1.0	240	960	2;880

b. Battery 75-mm field howitzer (horse) (Cav Div):

MAXIMUM LOADS ADDITIONAL TO PERSONNEL AND EQUIPMENT (AVERAGE PACKED WEIGHT OF ALL TYPES, PER ROUND, 23 POUNDS)

Type vehicle and normal assignment	Number in battery	Rounds carried on each vehicle	Total rounds carried
CaissonsLimbers	6 10	52 22	312 220
Total number of rounds normally carried in battery			532

c. Service battery, 75-mm gun, horse-drawn or 75-mm field howitzer (horse).

	Number		number of carried		umber of carried
Type vehicle	in battery	Good roads	Bad roads cross- country	Good roads	Bad roads cross- country
2½-ton truck 1-ton trailer	6	216 87	129 87	1,296 522	774 522
Total number of rounds normally carried in battery				1,818	1,296

SECTION VII

ARMY CORPS

- 141. METHODS OF SUPPLY.—The divisions of a corps are supplied direct from army supply points as described in Section II of this chapter. Corps troops are supplied by the same methods as those prescribed for the supply of a division. The corps commander and his staff perform the same functions in the supply of corps troops that a division commander and his staff perform in the supply of a division.
- 142. TRAINS OF THE CORPS.—The trains of the corps carry no reserve supplies for its divisions and have no prescribed load therefor. The corps commander prescribes loads for his trains by item and amount as required.
- 143. PRESCRIBED AMMUNITION LOADS, ORGANIC CORPS ARTILLERY BRIGADE.

				T	ypes				
		155-mm	Howitzer			155-	mm Gun		
Unit	Units of fire	Rounds per piece	Rounds per battery	Total rounds	Units of fire	Rounds per piece	Rounds per battery	per rounds	
Battery	.4	60	240	240	.5	50	199	199	
Service battery	.4	66	264	792	.5	50	196	588	
TOTAL IN BRIGADE	.8	126	504	6,048	1	105	395	2,370	

■ 144. PRESCRIBED AMMUNITION LOADS, ORGANIC CORPS ANTIAIRCRAFT ARTILLERY (Regiment with 37-mm gun battalion. attached).

		ı				1				
	Unit		Number of re	rounds		Unit	Nun	Number of rounds	nds	
Unit	S. S. S.	Per piece	Per Btry	Total	Vehicles used (6)	- F.O	Per	Per Btry	Total	Vehicles used (5)
					GUN BATTALION ®					
				3-in	3-inch antiaircraft guns ©		Co	diber .50 c	intiaircraf	Caliber .50 antiaircraft machine guns ©
Btry	9/10	0 272	1,088	1,088	8 trucks, 120 rounds each 4 trucks (prime movers), 32 rounds each	2/6	3,000	12,000 12,000	12,000	2 trucks, 6,000 rounds each
Bn Am Tn	rn 1/10	28	112	336	3 trucks, 112 rounds each	1/6	009	2,400	7,200	7,200 1 truck, 7,200 rounds
TOTAL	-	300	1,200	3,600	24 trucks, 120 rounds each 12 trucks (prime movers), 32 rounds each 3 trucks, 112 rounds each		3,600	14,400	43,200	1 truck, 7, 200 rounds 6 trucks, 6,000 rounds each
21					AUTOMATIC WEAPONS BATTALION (1)	TION	•			
0					ST-mm antiaircraft guns			Calibe	r .50 anti	Caliber .50 antiaircraft machine guns
Btry	1/2	006	7,200	7,200	8 trucks, 900 rounds each	760	3,600	43,200	43,200	12 trucks, 3,600 rounds each
TOTAL	1/2	006	7,200	21,600	24 trucks, 900 rounds each	7%	3,600	3,600 43,200 43,200		12 trucks, 3,600 rounds each
					SEPARATE BATTALION 37-MM GUNS (ATTACHED) @	(ATTA	(CHED)	0		
Btry	1/2	006	7,200	7,200	8 trucks, 900 rounds each					
Toral	1/2	006	7,200	28,800	32 trucks, 900 rounds each					

Based on T/O published November 1, 1940. 0000

Three gun batteries of four 3-inch AA guns each. Each battery is also provided with four caliber .50 AA machine guns for its own protection.

Three 37-mm AA gun batteries of eight guns (four platoons) each and one MG battery of twelve caliber .50 AA machine guns (three platoons).

Unit of fire per piece: 3-inch AA gun, 300 rounds; 37-mm AA gun, 1,800 rounds; caliber .50 AA machine gun, per machine gun in gun batteries: 3,600 rounds; and, per machine gun in the machine-gun battery: 7,200 rounds.

All ammunition-carrying trucks (except prime movers and machine-gun battery vehicles) are 2½-ton.

Pending publication of Tables of Organization and Tables of Allowanes for 90-mm AA guns, prescribed loads for these guns may be taken tentatively as four-fifths of 3-inch AA gun loads; caliber .50 AA machine-gun loads may be taken to be the same as for the 3-inch gun battalion.

Four 37-mm gun batteries of 8 guns (4 platoons) each. 90

- 145. CORPS QUARTERMASTER SERVICE.
 - a. Cargo transportation.

2 Cos Truck—2½-ton trucks & 1-ton trailers.

Trucks per company available for cargo-48

Trailers per company available for cargo-40

Total trucks=96

Total trailers=80

Total truck tonnage=240

Total trailer tonnage=80

Total combined tonnage 320

b. Labor.

1 Service Company (Administrative personnel excluded)

Unit	Number of men	Capacity in tons per 24 hours	
Squad	10	50	
Section	40	200	
Platoon	80	400	
Company	160	800	

c. Gasoline Supply Company.

Capacity-15,700 gallons gasoline

- 300 gallons oil.

(All in 5 or 10 gallon containers)

d. Quartermaster Company, light maintenance, has no general cargo transportation.

SECTION VIII

ARMY

- 146. METHODS OF SUPPLY.—Army troops are supplied by the same methods as those prescribed for corps troops. (See Section VII, Chapter 3.)
- 147. ARMY TRAINS.—Army trains carry no reserve supplies for lower units. Normal loads are prescribed for army trains by the army commander whenever required.

36 trucks, 3,600 rounds each

43,200 129,600

3,600

1/2

24 trucks, 900 rounds each

64,800

006

12

TOTAL IN BRIG

212

(3 Regts)

148. PRESCRIBED AMMUNITION LOADS, ANTIAIRCRAFT ARTILLERY BRIGAADE. (1)

8							SUP	PL	Y	
		Vehicles used		Caliber .50 antiaircraft machine guns (1)	2 trucks, 6,000 rounds each	7,200 1 truck, 7,200 rounds	3 trucks, 7,200 rounds each 18 trucks, 6,000 rounds each		Caliber .50 antiaircraft machine guns	1/2 3,600 43,200 43,200 12 trucks, 3,600 rounds each
	spui	Total		antiaircra	3,000 12,000 12,000		129,600) antiairer	43,200
	Number of rounds	Per Btry		aliber .50	12,000	2,400	14,400 129,600		Caliber .50	43,200
		Per piece		0	3,000	009	3,600	•		3,600
	Unit	0 ¥ 0			9/9	1/6	-	CION		1/2
		Vehicles used ©	GUN BATTALION ®	3-inch antiaircraft guns (6)	1,088 8 trucks, 120 rounds each 4 trucks (prime movers), 32 rounds each	3 trucks, 112 rounds each	72 trucks, 120 rounds each 32 trucks (prime movers), 32 rounds each 9 trucks, 112 rounds each	AUTOMATIC WEAPONS BATTALION (6)	37-mm antiaircraft guns	8 trucks, 900 rounds each
	rounds	Total		3-in	1,088	336	10,800		37	7,200
	Number of ro	Per Btry			1,088	112	1,200			7,200
ı	Nu	Per piece			272	83	300			006
	Unit	5. 2. ©			9/10	1/10	-			1/2
		Und			Btry	Bn Am Tn	Toral IN Brid (3 Regts)			Btry

Based on T/O published November 1, 1940.

Three gun batteries of four 3-inch AA guns each. Each battery is also provided with four caliber .50 AA machine guns for its own protection.

Three 37-mm AA gun batteries of eight guns (four plateons) each and one MG battery of twelve caliber .50 AA machine guns (three plateons). 0000

Unit of free per piece: 3-inch AA gun, 300 rounds; 37-mm AA gun, 1,800 rounds; caliber .50 AA machine gun, per machine gun in gun batteries: 3,600 rounds; and, per machine gun in the machine-gun battery: 7,200 rounds.

90

All ammunition-carrying trucks except prime movers and machine-gun battery vehicles are 2½-ton.

Pending publication of Tables of Organization and Tables of Allowances for 90-mm AA guns, prescribed loads for these guns may be taken tentatively as four-fifths of 3-inch AA gun loads; caliber .50 AA machine-gun loads may be taken to be the same as for the 3-inch gun battalion.

149. ARMY QUARTERMASTER SERVICE.

a. Cargo transportation.

1 Regiment, truck.
Equipment 2½-ton trucks and 1-ton trailers.

Capacity (Administrative vehicles are excluded)

Unit	No. of trucks	No. of trailers	Combined tonnage
Company Bn (4 Cos)	48 192	40 160	160 640
Total 3 Bns	576	480	1920

b. Labor.

6 Battalions, Service.

Capacity (Administrative and foremen personnel excluded)

Unit	Number of men	Tons per 24 hours
Company Bn (4 Cos)	160 640	800 3200
Total 6 Bns	3840	19200

c. Gasoline Supply Battalion.

Capacity (Gasoline and oil carried in containers)

Unit	Gasoline (gallons)	Oil (gallons)
Company	15,700	300
Battalion (4 Cos)	62,800	1,200

d. Passenger Transportation.

1 Company, car.

Vehicles Available (Administrative vehicles are excluded)

Unit	5 passenger cars (light)	Command trucks	Mtcla w/s/c
Platoon	6	7	7
Co (4 platoons)	24	28	28

e. 3 Quartermaster Battalions, light maintenance.

1 Quartermaster Company, depot 1 Quartermaster Company, depot (M.T.) 1 Quartermaster Company, sterilization and bath

These units have no general cargo or passenger transportation.

150 SUPPLY

SECTION IX

GHQ RESERVE UNITS

■ 150. Loading Data for Field Artillery Ammunition

a. Battery 75-mm Gun, Truck drawn (GHQ)
 (Average packed weight of all types, per round, = 23 lbs.)

Maximum loads (1) additional to personnel and equipment

Type vehicle and normal assignment	No. in battery	Rounds carried on each vehicle	
2½-ton truck, prime mover 2½-ton truck, executive's truck 2½-ton truck, ammunition	1 2	90 90 130	360 90 260
1-ton trailer, ammunition Total No. of rounds normally carried in battery	2	87	884

(1) Resupply loads are same as normal loads for similar type vehicle in service battery.

b. Battery 75-mm Gun, Horse Drawn

(Average packed weight of all types, per round, = 23 lbs .)

Maximum loads additional to personnel and equipment

Type vehicle and normal assignment	No. in battery	Rounds carried on each vehicle	Total rounds carried
Caissons	6	72	432
Limbers	10	35	350
Total No. of rounds normally carried i battery	n		782

c. Service Battery, 75-mm Gun, Truck-drawn (GHQ)

Table 1-A

		Maximum No	o. of rds carried	Total No. o	f rds carried
	No. in battery	Good roads	Bad roads Cross country	Good roads	Bad roads Cross country
2½-ton truck	12	216	129	2592	1549
1-ton trailer	12	87	87	1044	1044
Total No. of rounds normally carried in battery			3636	2592	

d. Battery 155-mm Gun, Motorized.
(Average packed weight of all types, per round, 140 lbs.)

MAXIMUM LOADS (1) ADDITIONAL TO NORMAL PERSONNEL AND EQUIPMENT

Type Vehicle and Normal Assignment	No. in battery	Rounds carried in ea. vehicle	Total rounds earried
2½-ton truck, cannoneer 2½-ton truck, executive 2½-ton truck, ammunition 1-ton trailer, ammunition	4 1 2 6	10 25 25 25 14	40 25 50 84
Total No. of rounds normally carried in h	199		

(1) Resupply loads are same as normal loads for similar type vehicles in Service Battery.

e. Service Battery, 155-mm Gun, Motorized.

		Max No. of	Rds. Carried	Total rds. carried		
Type Vehicle	No. in battery	good roads	bad roads or cross country		bad roads or cross country	
2½-ton truck 1-ton trailer	12 12	35 14	20 14	420 168	240 168	
Total No. of rour	nds normally	carried in batte	ery	588	408	

f. Battery 240-mm Howitzer, Motorized.

(Average packed weight of all types, per round, 400 lbs.)

MAXIMUM LOADS (1) ADDITIONAL TO NORMAL
PERSONNEL AND EQUIPMENT

Type Vehicle and Normal Assignment	No. in battery	Rounds carried in ea. vehicle	Total rounds carried.
2½-ton trucks, ammunition 1-ton trailer, ammunition	6 8	10 5	60 40
Total No. of rounds normally carried in b	100		

(1) Resupply loads are same as normal loads for similar type vehicles in Service Battery.

g. Service Battery, 240-mm Howitzer, Motorized.

	1	Max. No. of	Rds, carried	Total No.	of Rds. carried
Type Vehicle	No. in battery	good roads	bad roads or cross country		bad roads or cross country
2½-ton truck 1-ton trailer	12 12	12 5	8 5	144 60	96 60
Total No. of rour	nds normally	carried in batte	ery.	204	156

h. Prescribed Ammunition Loads, Field Artillery Brigade, GHQ Reserve.

	155-r	nm GUN		
Unit	u/f	Rounds per Piece	Rounds per Battery	Total Rounds
Battery	.5	50	199	199
Service Battery	.5	49	196	588
Total per Regiment	1	99	395	2370

240-mm HOWITZER

Unit	u/f	Rounds per Piece	Rounds per Battery	Rounds Total
Battery	.8	50	100	100
Service Battery	.5	34	68	204
Total per Regiment	1.3	84	168	1008

151. PRESCRIBED AMMUNITION LOADS, CHEMICAL REGIMENT a b. GHQ Reserve

			4.2-inch Che	mical Morte	ar
Unit	Unit of Fire	Rounds per Piece	Rounds per Company	Total Rounds	Vehicles Used
Ammunition Train Bn Hq and Hq Co	.22	22	540	2080	16 trucks, 1½-ton, 90 rounds each 16 trailers, 1-ton, 40 rds. ea.
Chemical Regt.	.22	22	540	6240	48 trucks, 1½-ton, 90 rounds ea. 48 trailers,1-ton, 40 rds. ea.

NOTES

a. Based on T/O published 1 Nov., 1940.
b. The load of ammunition vehicles will be prescribed to meet the anticipated action.

**
52
-
Z
UNITE
6
E
GROUI
R
5
4.4
X
4
A
TANK
SERVE TANK GROUP
>
8
150
G
2
0
GHQ R
25
T
1
02
REMENT
Q
8
2
EQU
2
-
E
Z
3
0
00
A
0
52

(E)

					PPLY		
08	Total	gals to move unit 150 miles	1,998 1,449 326 150	7,919	2,602 1,932 566 150	10,453	1,230
19	Total	tank capa- city per unii (refill)	1,132	5,808	2,770 2,520 755 200	11,786	1,625
18	. mile	Total per unit	13.00.7.	52.8	17.4 12.9 3.8 1.0	69.7	7.6
17	Gallons of gasoline per	Tank group train ve- hicles	6 3.0	3.0	6.4	6 6.4	6
91	s of gas	Unit train.	1.0	3.2	8.0.	4.8	00
15	Gallon	Com- bat ve- hicles	13.3	46.7	17.4	58.6	6 6.3
14		Total unit ve- hicles	250	160	2011	186	500
13		7rk, 14-7 liai- 30n (11)	12	13	9	12	9
65		Trk, gas 600 gals (40)			0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		2
11	gallons	Trk, 10- ton wreck- er (65)			-	-	
10	ty in g	21/2- ton, cargo (40)	16000	33	33	55	0 32
6	vehicles and vehicle tank capacity in	Cond.	(3)	12	-1-0	12	10
00	le tank	Mtcl, 300 (3%4)	14	26	13.3	22	0 4
5-	d vehic	Car, light, 5-pas sedan (17)				1	2
9	es an	(88) (88) (98)		-		П	
9		Car, half- track (60)	10	19	6 7	25	00
*	Unit	(38) (38)			0 0		4
92		77, (186) (186)			17	54	2
95		\$£2	17	54			
		Organisation	2 Armd Co, L (3 Cos) 6. 3 Bn Hq & Hq Co, L 0. 4 C Trk Sec 0 0.	TOTAL, TK BN, L	7 Armd Co, M (3 Cos) (0. 8 Bn Hq & Hq Co, M (0. 9 C Trk Sec (0. 0. 0. 10 Ki Trk Sec (0. 0. 0. 10 Ki Trk Sec (0. 0. 0. 10 Ki Trk Sec (0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0	Total, Tk Bn, M.	12 Ord Co Hv Maint (Atchd)
		-	000 4 ro	8	11-000	-	100

The assembled C and Ki trucks of companies normally march with the Transportation Platoon of Headquarters Company.

Includes company C trucks and attached medical vehicles.
Less C and Ki Trucks (see note (3).

Trucks for second day's supply of gasoline and/or ammunition.

Based on T/O's dated November 15, 1940.

Motorcycles and trucks, 1/4-ton liaison, march with C vehicles unless otherwise noted. Includes ½-ton, pick-up, and emergency repair trucks.
One with side car.
One with side car.
Includes company C trucks of companies normally material.
Includes company C trucks and attached medical vehicles.
Leas C and Ki Trucks (see note 3).
Trucks for second day's supply of gasoline and/or ammunit.
Based on TAO's dated November 15, 1940.
Motorcycles and trucks, ¼-ton liaison, march with C vehicles includes special ordnance vehicles.
Includes special ordnance vehicles.
Includes special ordnance vehicles.
Based on tank capacity of 1941 model vehicles.

Includes special ordnance vehicles.

If replaced by tricycles, gasoline consumption will be changed accordingly.

Based on tank capacity of 1941 model vehicles.

[AFB April, 1941]

153 SUPPLY

■ 153. For shipping and Maintenance Requirements of GHQ tank units see Section V, Armored Division.

SECTION X
AIR FORCE UNITS

(Data to be issued later)

Chapter 4

EVACUATION, REPLACEMENTS, AND PRISONERS OF WAR

		PARAGRAPES
SECTION I.	Evacuation	154-162
II.	Replacements	163-168
	Prisoners of war	169-170

SECTION I EVACUATION

- 154. CASUALTY ESTIMATES—GENERAL.—a. Classification.—All casualties are classified as follows:
- (1) By nature of disability, into the sick, the gassed, the wounded, and the dead. The sick are further classified as communicable or noncommunicable.

(2) By severity of disability, into walking and litter patients.

(3) By suitability for evacuation, into transportable and nontransportable.

(4) By type of accommodations required for evacuation, into recumbent and sitting.

b. Sick casualties.—(1) Casualties from sickness and nonbattle injuries among front-line troops of a seasoned command in campaign, except in a particularly unhealthful region, cause an average daily increment of sick of about six-tenths of one per cent (0.6%). This average rate may be expected at certain seasons of the year, without epidemics, to reach one and five-tenths per cent (1.5%) or even more. Of these, two-thirds may remain under treatment in their own organization (at aid stations) or in division clearing stations if there be no interference with the primary mission of reception, treatment, and evacuation of battle casualties. In any event, the other one-third will be evacuated from the division area, half of them recumbent and half of them sitting.

(2) The daily admission rate to the hospitals for an entire field force, made up of seasoned troops and serving in a temperate climate, for sick and nonbattle injuries will be approximately .165 per cent. After some months, this will cause a constant noneffective rate of about 4.5 per cent. However, for unseasoned troops, in the same climatic conditions, the noneffective rate will reach 6 per cent, and even higher under unfavorable conditions of climate and location.

(3) Of the sick admitted to hospitals in the theater of operations about 1.5 per cent die, 3 per cent will be invalided home, and 95.5 per cent will be returned to duty eventually. The average stay in the hospital is 27 days.

c. Battle casualties.—(1) The following table has been developed from American experience in active operations of the World War:

BATTLE CASUALTIES, INCLUDING KILLED, IN PER CENT OF THE UNIT STRENGTH

1	. 2		4
Unit	Average for all days in line	Severe battle day	Maximum battle day
Infantry regiment Division	2.5 per cent 1.0 per cent 0.5 per cent 0.35 per cent ①	12-15 per cent 6-8 per cent 2-3 per cent 0.7-1.5 per cent	35 per cent 12 per cent 5 per cent 2 per cent

NOTE

- 1 As this is for sustained active operations, the average for one or several armies over a long period of time would be less, and may be taken as 0.2 per cent.
- (2) In estimating battle casualties in an army, an estimate based on frontline divisions engaged will usually be more accurate than if based on a rate for corps or the army as a whole.
- (3) The battle casualties of an entire expeditionary force or theater of operations can best be estimated by using the rates incurred in the component divisions or armies, as the relative proportion of front-line troops to the total force will vary widely in each situation.
- (4) The following data relative to battle casualties are approximately accurate for a severe engagement and can be used as the basis for calculations:
- (a) In temperate and tropical zones, the ratio of killed to wounded is as follows:

Open opera	tions	about	1:5
Trench open	rations	about	1:4

Hence, it may be expected that from 16 2/3 per cent to 20 per cent of all battle casualties will be classed as killed. In the arctic zone, the ratio of killed to wounded will be considerably higher due to death of the wounded from exposure to cold.

(b) The transportation requirements for battle casualties of a division are as follows:

Per	cent
Dead	20
Able to walk to the collecting station but	
requiring transportation (sitting) farther to the rear	40
Require transportation (recumbent)	40
Of all casualties, about 1 per cent are nontrans-	
portable beyond the surgical hospital, except by air	

(c) Of gunshot wounded about—

8.12 per cent die in hospital.

12 per cent recover in 15 days.

TOTAL 100

12.86 per cent recover in 15 to 30 days.

21.29 per cent recover in 30 to 60 days.

9.56 per cent recover in 60 to 90 days.

16.17 per cent recover after 90 days.

20 per cent are of no further military value.

The average stay in hospital for all gunshot wounded is about 90 days.

(d) Of gas casualties-

1.73 per cent die in hospital.

25 per cent recover in 15 days.

26.81 per cent recover in from 15 to 30 days.

24.44 per cent recover in from 30 to 60 days.

16.02 per cent recover after 60 days.

6 per cent are of no further military value.

■ 155. FORMULA FOR COMPUTING NUMBER OF BEDS REQUIRED.—The number of beds (in fixed hospitals) required in the theater of operation after several months accumulation equals strength × daily admission rate × average days in hospital.

Example (when all cases that will eventually be returned to duty are retained in the theater):

Strength of force: 2,000,000.

Strength of troops in combat zone: 1,000,000.

Daily admission rate for sick and injured: 0.165 per cent.

Daily admission rate for wounded on basis of troops in combat zone: 0.2 per cent.

Average days in hospital for sickness and nonbattle injuries: 27.

Average days in hospital for wounded: 90.

Solution:

Beds required in the theater of operation after several months: For nonbattle casualties.

Total beds required 269,100

Per cent of the total force 13,45

156-157 EVACUATION, REPLACEMENTS, AND PRISONERS OF WAR

■ 156. MAXIMUM CAPACITY OF MEANS OF TRANSPORTATION FOR CASUALTIES:

	~	0	4	6
Vehicle		Men		4 . 7
v enicle	Sitting	Recumbent	Average	Animals
mbulance, air	16	10	13	
mbulance, animal-drawn	8	4	6	
mbulance, motor, field		4	6	
mbulance, cross-country		4	5	
ruck, 1½-ton	10	4	5	
ruck, 2½-ton		6	7	
Railway car, coach	88	0.4		
Pullman car — 12 section.		24	36	
16 section	64	32	48	
Iospital train	700	300	500	
mbulance, veterinary—				0
Trailer, 2-horse van				. 2
Truck, 2½-ton, stock rack body				. 6
tock car				
Veterinary lead line				20

■ 157. TIME ELEMENT OF EVACUATION:

a. Personnel:

For round trip evacuation (including loading and unloading):

Litter squads: 1,000 yards each way in one hour

Wheeled litters: 1,250 yards each way in one hour

Ambulance, animal-drawn: 2 miles in one hour

Ambulance, motor, during combat in division area: 5 miles each way in one hour.

b. Animals:

For round trip evacuation (including tying and untying): Lead line: 2,000 yards each way in one hour.

c. To calculate the time required for evacuation of casualties from the field, or the number of ambulances required to evacuate casualties in a given time, use the following formulae:

W = number of casualties

t = time required for round trip


M = number of vehicles or litters

N = number of patients per load


T = time required or allowed

$$T = \frac{W \times t}{M \times N}$$
 $M = \frac{W \times t}{T \times N}$


■ 158. DIAGRAM OF MEDICAL SERVICE OF A SQUARE DIVISION.



■ 159. DIAGRAM OF MEDICAL SERVICE OF A TRIANGULAR DIVISION.




■ 160. DIAGRAM OF EVACUATION AND HOSPITALIZATION OF PERSONNEL:



■ 161. DIAGRAM OF EVACUATION AND HOSPITALIZATION OF ANIMALS.

Figure 36



162. ESTIMATED DAILY LOSSES IN CAMPAIGN OF PERSONNEL AND ANIMALS, DEAD AND EVACUATED, PER 1,000 ■ 162. ESTIMATED DAILY OF ACTUAL STRENGTH: ③

1	95	مى	*	9	9	2	90	6	10	11	156	13	14	15	16	17	18	61	08
							100	Men								- 4	Animals		
General type of operations	Info	Infantry regiment	F	Front-line division	2 4	arm	Corps and army troops (except cavalry)	nd ps	Com in c	Combat troops in corps and army reserve	ops nd	Atto cav in reinj	Attached cavalry including reinforcements	g	Artillery regiment (horse- drawn)	lery nent 'se- on)	reing	Attached cavalry including reinforcements	nts
for the forces as a whose	Dead	To Cir Sta	Dead	To Evac Hosp	To Gen Hosp	Dead	To Evac Hosp	To Gen Hosp	Dead	To Evac Hosp	To Gen Hosp	Dead	To Evac Hosp	To Gen Hosp	Dead	To Vet Aid Sta	Dead	To Evac Hosp	To Gen Hosp
Covering and security force action	6.0	30.0	2.0	12.0	10.0	0.2	6.2	4.3	0.1	5.6	3.9	9.0	12.5	8.5	6.0	7.0	1.5	12.0	2.0
Attack Meeting engagement of a Position — First day Succeeding days Succeeding days	16.0 25.0 12.0 21.0	80.0 125.0 62.0 210.0 105.0	6.0 10.0 17.0 8.0	32.0 50.0 25.0 42.0	27.0 21.0 70.0 35.0	0.100	8.0 10.0 13.4 9.0	2.7.2.6. 0.2.4.8.	00000	7.0	4.04.04	20029	16.0 20.0 15.0 18.0	11.0 14.0 10.4 19.0	16.0 25.0 12.0 21.0	20.0 31.0 15.0 26.0	0.084.00.77	16.0 20.0 15.0 15.0	0.004.60
Defense Meeting engagement of a Position — First day. Succeeding days of a Zone — First day. Succeeding days. Inactive situations (2)	10.0 15.0 7.5 7.5 12.5 5.0	20.00.00 20.00.00	4.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0	20.08 0.00.08 0.00.00	17.0 23.0 11.5 36.0 18.0	4.0.00.00	66.95.75.2	400044	0.3 0.15 0.25 0.25	0041-00 0000000	040000 040000	80.00.04	123.00.00	80.08.08	10.0 15.0 125.0 5.0	12.000.00	0000000	12.0	000000
Pursuit	8.0	42.0	3.0	17.0	14.0	0.3	6.5	4.5	0.3	30.00	4.1	9.0	13.0	0.6	8.0	10.0	2.5	13.0	2.0
Retirement and delaying action	4.0	20.0	2.0	8.0	7.0	0.3	0.9	4.2	0.1	5.5	3.9	0.4	12.0	8.5	4.0	5.0	1.5	12.0	2.0

						_	_	_				_	_		_	_				3
1	63	93	+	9	9	7	Q O	6	10	11	12	18	14	16	91	17	2 8 4 6 6 7 8 9 10 11 12 13 14 16 16 17 18 19 80	61	08	
Under conditions of campaign not enumerated above, casualty rates for men will be approximately the same for all troops. The following rates will be assumed: Dead, negligible; evacuation from clearing stations to evacuation hospitals, 1.5 per 1,000. For animals: Dead, negligible; evacuation from veterinary aid stations to evacuation hospitals, 1.25 per 1,000; from evacuation hospitals to general hospitals, 0.1 per 1,000.	Und The For	troops follow 2.5 p anima from	ditions ing ra er 1,00 lls: De evacua	of can tes wil 00; fro ad, ne tion h	npaigr Il be am m eva gligible ospital	ssumecountion e; evac s to ge	numer l: Des n hosp suation meral	ated al d, neg itals to from hospita	ligible, gener gener veteri	asualt evacual hos nary	y rates nation pitals, nid sta	from crions trions t	en will learing er 1,00	be app station uation	ns to hospi	evacu	Under conditions of campaign not enumerated above, casualty rates for men will be approximately the same for all troops. The following rates will be assumed: Dead, negligible; evacuation from clearing stations to evacuation hospitals, 2.5 per 1,000; from evacuation hospitals to general hospitals, 1.5 per 1,000. ① For animals: Dead, negligible; evacuation from veterinary aid stations to evacuation hospitals, 1.25 per 1,000; per 1,000. ①	ospita	11 %	P. VACIDATE

NOTES

For the independent corps: disregard columns headed "To Gen Hosp" and assume all patients in evacuation hospitals must be evacuated to general hospitals.

Forces in contact, neither side attacking.

This table is intended primarily for use in school work and in field exercises. 0 00

SECTION II REPLACEMENTS

- 163. GENERAL.—Replacements are classified as loss and filler. Filler replacements are those required to bring units initially to authorized strength, i.e., to fill a vacancy not previously occupied. A loss replacement is a replacement to fill a vacancy which has been occupied and thereafter vacated. Plans for the number of replacements required, both loss and filler, is a function of the zone of the interior. The commander of a theater of operations makes representations when necessary as to replacement needs of the theater.
- a. Replacements like supplies are echeloned in depth. The replacement system is shown diagrammatically in paragraph 168.
- b. Daily loss rates are shown in paragraph 164. The cumulative loss for any period may be determined by selecting one of the listed daily loss rates or any other daily loss rate determined to be correct and applying the selected rate in accordance with footnotes to the table in paragraph 165 and the example in paragraph 166. The expected accumulated losses in manpower, thus determined, may be used by the theater commander as a basis of requisitions on the zone of the interior for loss replacements.
- 164. RATES OF LOSSES.—a. Daily loss rate per 1,000, theater of operations (except Air Corps).—
 - (1) Disease and nonbattle injuries:
 - (a) Temperate and arctic zones, favorable conditions....1.92
 - (b) Temperate and arctic zones, unfavorable conditions. 2.49
 - (c) Tropical zone, favorable conditions 2.11
 - (2) Gas injuries:
 - (3) Gunshot injuries:
 - (4) Captured and missing:
- b. Daily loss rate per 1,000 Air Corps, theater of operations: Disease and nonbattle; gas, and gunshot injuries same as for ground forces.

164 EVACUATION, REPLACEMENTS, AND PRISONERS OF WAR

- c. Flying losses, theater of operations: 1% per day of the combat crews in the theater.
 - d. Daily loss rate per 1,000, zone of the interior:
 - (1) Disease and nonbattle injuries......2.15

NOTES

The casualty rates stated above are only a general guide and where possible the casualty rates should be determined for each specific theater of operations.

Troops in the theater of operations are considered seasoned troops, while those in the zone of the interior are both seasoned and unseasoned.

165. FACTORS FOR USE IN CALCULATING LOSSES (less Air Corps training wastage and flying losses) (1).—a. When and 27.4% of gunshot admissions to hospital are returned to the zone of the interior from the theater of operations: the duration of hospital treatment in theater of operations is 120 days, 2.63% of disease and nonbattle, 5.4% of gas,

ACCUMULATED LOSSES IN MANPOWER, USING A CASUALTY RATE OF 1 PER 1000 PER DAY

1	1	95	ಹಿ	4	9	9	4	90	O3	10	11	12	13	14
		THE	TER OF	THEATER OF OPERATIONS	TIONS									
1	Category	M	SOM	W09	W06	120M	150M	180M	210M	210M 240M	270M	300M	330M	360M
1 =	1. Disease and nonbattle injuries, including hospital cases, deaths, and 2.63% of admissions sent to the zone of the interior.	1.00	17.40	24.12	27.85	30.19	1.00 17.40 24.12 27.85 30.19 31.94	33.38	34.72	35.97	37.22	33.38 34.72 35.97 37.22 38.44 39.65	39.65	40.87
231	 Poison gas injuries, including hospital cases, killed in action, died in hospital, and 5.4% of admissions sent to the zone of the interior. 	1.00	23.49	35.63	1.00 23.49 35.63 42.77 47.53	47.53	51.07		56.92	54.13 56.92 59.58	62.17	64.73	67.19	69.84
က်	Gunshot injuries, including hospital cases, killed in action, died in hospital, and 27.4% of admissions sent to the zone of the interior	1.00	1.00 36.71		95.19	119.97	142.79	164.23	184.60	204.25	223.38	67.76 95.19 119.97 142.79 164.23 184.60 204.25 223.38 242.09 260.52 278.74	260.52	278.74
4	4. Captured and missing. Use 60% of total killed in action by poison gas and gunshot missile (2).													
			CONE OF	THE I	ZONE OF THE INTERIOR	-								
10	5. Disease and nonbattle injurit : deaths, and discharges in hospital for physical disability	1.00	13.88	18.21	1.00 13.88 18.21 20.97	23.08	23.08 24.85 26.44 27.95 29.39	26.44	27.9	29.39	30.83	32.24	33.63	35.03
i														

10.85% of gas, and 35.15% of gunshot admissions are returned to the zone of the interior from the theater of operb. When the duration of hospital treatment in theater of operations is 90 days, 5.70% of disease and nonbattle, ations:

	1	95	62	*	9	9	4	oc	65	10	11	12	13	14
		THEA	THEATER OF OPERATIONS	OPERA	TIONS									
	Category	M	30M	M09	** 90M 120M 150M 180M 210M 240M	120M	150M	180M	MOIS	240M	270M 300M	300M	330M 360M	360M
	1. Same as 1, paragraph a 0. 2. Same as 2, paragraph a 0. 3. Same as 3, paragraph a 0. 4. Same as 4, paragraph a 0.	1.00	17.81 23.85 37.05	25.23 38.05 68.99	29.75 32.94 45.79 52.07 97.69 124.05 1	32.94 52.07 124.05	35.52 57.28 148.66	37.84 61.96 172.03	40.04 42. 66.42 70. 194.45216.	998	44.26 75.03 237.55	46.36 79.20 258.60	75. 03 79. 20 83. 50 87 73 237. 55 258. 60 279. 18 299. 69	50.52 87.73 89.69
23	c. When the duration of hospital treatment in theater of operations is 60 days, 12.39% of disease and nonbattle, 21.96% of gas, and 45% of gunshot admissions are returned to the zone of the interior from the theater of operations:	ent in ns are	theate	er of o	peration the	ions is	60 da f the	ys, 12 interio	.39% or fron	of dis	sease a	nd no	nbatt	e, is:
2	I	95	ಿ	4	S.	9	7	90	6	10	11	120	13	14
	Category	M	30M	M09	M06	120M	150M	180M	ROIS	WO73	270M	300M	\$30M	360M
	1. Same as 1, paragraph a 1. 2. Same as 2, paragraph a 1. 3. Same as 3, paragraph a 1. 4. Same as 4, paragraph a 1.	98.6	18.72 24.91 37.47	27.70 41.24 70.53	34.01 51.62 100.83	39.05 61.11 129.181	43.53 69.53 156.03	47.76 77.45 181.85	51.90 85.24 206.38	55.93 92.90 231.28	59.98 100.49 255.41	64.06 108.05 279.21	43.53 47.76 51.90 55.93 50.98 64.06 68.00 72. 69.53 77.45 85.24 92.90100.49108.05115.60123. 156.03 181.85 206.38 231.28 255.41 279.21 312.75 326.	72.12 23.15 26.01
											-			

d. When the duration of hospital treatment in theater of operations is 30 days, 28.26% of disease and nonbattle, 46.50% of gas, and 66% of gunshot admissions are returned to the zone of the interior from the theater of operations:

1	95	62	4	9	9	2	00	03	10	11	32	13	14
Category	M	30M	MOSS MOSS MOOK BOOK STOM STOM STOM SOOM SSOM SCOM	M06	120M	150M	180M	MOIS	840M	STOM.	300M	330M	₩098
1. Same as 1, paragraph a 1. 2. Same as 2, paragraph a 1. 3. Same as 3, paragraph a 1. 4. Same as 4, paragraph a 2.	888	20.89 27.04 38.37	33.58 44.11 53.55 62.50 71.30 80.06 88.63 97.28 105.87 114.54 123. 48.28 65.02 81.16 96.69 111.81 126.96 141.98 156.93 171.85 186.77 201. 73.82 107.58 140.15 171.82 202.87 233.35 263.54 293.51 323.27 352.89 382.	44.11 65.02 107.58	53.55 81.16 140.15	62.50 96.69 171.82	71.30 111.81 202.87	80.06 126.96 233.35	88.63 141.98 263.54	97.28 156.93 293.51	105.87 171.85 323.27	114.54 186.77 352.89	23.27

The tabulations set forth are for a daily loss rate of 1 per thousand per day in each type of loss. With the tables, thus based on units, as a guide, the losses to be expected in any operation may be computed as follows: Θ

.53, and .24, respectively. Using the selected rate, enter the table and select the cumulative loss for the type of casualty under consideration for Select the daily loss rate per thousand per day for disease and nonbattle, gunshot, and gas casualties. For example, those in the AEF were 1.65,

the period desired. Multiply the figure so obtained by the selected loss rate and obtain the cumulative losses for the desired period under the type of loss being considered.

In estimating the replacements for a particular category for the first 30 days when, for example, the troops do not reach the theater of operations Captured and missing. — Losses due to this cause are computed on a constant daily percentage of the killed in battle. They will, therefore, vary as the battle losses. Experiences of three combatants in the World War (not including the AEF) indicate that captured and missing totalled above 60% of the number killed in action, which, in turn, was 16% of the total battle casualties. The daily number of captured and missing is therefore $0.10 \times 0.00 \times 0.00$ loss rates due to gunshot and gas casualties. It is a constant rate, occurring daily. In any situation, to obtain the predicted daily losses due to captured and until 120M, the factor for "accumulated losses — theater of operations" under 30M should be used and not the corresponding factor under 150M missing, multiply the sum of the gunshot and gas daily rates per thousand by . 10 and by the number of thousands in the force under consideration. 3 (00)

166-167

b. L

- 166. AN EXAMPLE OF COMPUTATION OF LOSSES.—The number of replacements required to replace losses for 30 days for a force consisting of 500,000 (including 10,000 Air Corps with 1,500 in combat crews) initially operating in a major theater of operations in the temperate zone, favorable conditions (duration of hospital treatment in the theater of operations is 120 days):
 - a. Losses except Air Corps:

(1)	Disease and nonbattle injuries: 1.92×17.40×4901	6,370
(2)	Gas injuries: .24×23.49×490	2,763
(3)	Gunshot injuries: .53×36.71×490	9,534
(4)	Captured and missing: .08×30×490	1,176
	Total2	9,843
Losse	s, Air Corps:	
(1)	Disease and nonbattle injuries: 1.92×17.40×10	335
(2)	Gas injuries: .24×23.49×10	57
(3)	Gunshot injuries: .53×36.71×10	195
(4)	Flying losses: .01×30×1,500	450

NOTES

Total...... 1,037

The total monthly loss (30,880) is about 6.2% of the total force. In order that sufficient replacements will be available in the theater of operations at all times, an initial pool of at least 20% of the strength of the force should be provided for.

In computing replacements for combat crews, Air Corps, for any month, consideration must be given to the number of aircraft available to replace those destroyed.

■ 167. DISTRIBUTION OF BATTLE LOSSES—THEATER OF OPERATIONS (except Air Corps):

Arm or Service	Per cent
Infantry	88.16
Field Artillery	4.90
Engineers	. 3.29
Cavalry	. 1.00
Coast Artillery Corps	34
Quartermaster Corps	08
Medical Department	. 1.46
Signal Corps	.77
Ordnance Department	.00
Total	.100.00

NOTES

The distribution set forth above is based on AEF experience. The percentages must be modified in accordance with the strength and composition of our own and the enemy's forces; nature and location of the theater of operations; nature of the warfare, open or stabilized; degree of training; and morale.

Distribution of losses (other than battle) are in direct proportion to percentage strength of each branch.

Five per cent of the loss replacements are officers.

■ 168. DIAGRAM OF PERSONNEL REPLACEMENT SYSTEM.




Figure 37

SECTION III

PRISONERS OF WAR

ments may be made for the care, reception and disposition of prisoners of war, it will be necessary to estimate the number of prisoners that will probably be captured over a period of time. Knowing the approximate strength of the enemy's forces and the daily loss rates for gunshot injuries and gas injuries, the approximate number of prisoners of war can be estimated. For an enemy force in a major war, if the average daily loss rate per 1,000 is estimated to be .53 for gunshot and .24 for gas injuries, the average daily rate for captured and missing will be 10% of the gunshot and gas injuries or approximately .08 per 1,000. Hence for an enemy force of 1,000,000, the average daily number of prisoners captured will be 80. As prisoners are not received at a uniform rate, special preparation's must be made for the reception of unusual numbers when important engagements are anticipated. As a factor of safety, facilities for three or four times the estimated numbers per month should be available.

■ 170. DIAGRAM OF EVACUATION OF PRISONERS OF WAR.

SURES OR BARRACKS Zone of the Interior Port or other ENCLOSURE Control Enclosures for Enclosures for officers Enlisted Men Communications ENCLOSURES Zone PW Cos (labor) (Nobor) Central Enclo-Regulating Station ROUTING PW Cos (labor) ENCLO-QUARTERS SURES Army For examination only Corps HEAD-COLLECTING POINTS Div Regrs Bns PANIES COM-

Figure 38

Chapter 5

MILITARY MAPS

■ 171. RESPONSIBILITY FOR MAPS AND MAPPING:

Individual or agency	Duties
Commander of unit	Advance planning, which is necessary if mapping situation is to keep ahead of the tactical situation. Good maps will seldom be on hand without special command effort.
G-2 in divisions and larger units	Preparation of plans and policies and supervision of all activities concerning military topographic surveys and maps, including their acquisition, reproduction, and distribution.
Corps of Engineers	Prosecution of surveys, photogrammetric processes or compilations for the production or revision of maps required for military purposes. Map reproduction, supply, and distribution.
Air Corps	Aerial photographic work for: Military mapping operations in accordance with specifications prepared by Corps of Engineers, and Photography to meet intelligence needs of combat troops.

■ 172. CLASSIFICATION OF MAPS.—a. General:

- (1) Standard—ordinarily made in time of peace as an element of preparedness or for the economic development of the country.
- (2) Special—especially made for military use.

b. According to scale:

- (1) Small scale—1:1,000,000 to 1:7,000,000.
- (2) Intermediate scale—1:200,000 to 1:500,000.
- (3) Medium scale—1:50,000 to 1:125,000.
- (4) Large scale—normally not greater than 1:20,000.

c. According to use:

- (1) General (geographic)—maps of small scale, covering the States and United States, for general planning and strategical studies.
- (2) Strategic—maps of intermediate scale, covering extensive areas, for strategical and logistical studies.
- (3) Tactical—maps of medium scale, covering extensive areas, for tactical and logistical studies.
- (4) Battle—maps, prepared normally by photogrammetric means and at a scale of 1:20,000, covering limited areas, for tactical and technical uses.
- (5) Aeronautical charts—maps of small and intermediate scale, covering extensive areas and with air facilities data denoted thereon, primarily for aerial navigation.

- (6) Map substitutes—sketches, provisional maps, and various types of aerial photographs and mosaics of various scales, covering such areas as may be required, for detailed studies or temporary use.
- d. According to methods of reproduction:
 - (1) Lithograph—reproduced by lithography in one or more colors.
 - (2) Fluid duplicator—reproduced by dye printing process in one or more colors.
 - (3) Contact prints—reproduced by photographic methods. Includes black and white, blue, and brown prints.
 - (4) Mimeograph—reproduced by mimeograph or similar means in one color.
 - (5) Hectograph—reproduced by hectograph or similar means in one or more colors.

■ 173. TYPES OF MAPS AND PHOTOMAPS FOR THEATER OF OPERATIONS:

		IMI	LIIAKI MAPA	9	
10	Probable time or conditions when available	Army topographic Limited numbers: battalions, Corps topographic companies photography. Quantities: 48 hours after photography (3)	Army topographic Limited numbers: battalions, Corps topographic after companies photography. Quantities: 48 hours after photography (3)	For limited areas: 7 days or more after photography	For limited areas: 2 weeks or more after photography
6	Reproduced in quantity by	Army topographic battalions, Corps topographic companies	Army topographic battalions, Corps topographic companies	GHQ and army topographic battalions	GHQ and army topographic battalions
Oro.	Originals and limited number of copies prepared by—	Air Corps, Civilian agencies	Air Corps, Civilian agencies	GHQ and army topographic battalions	GHQ and army topographic battalions
٨	Natural features and works of man shown	Varies	Varies	Stream lines and vegetation Railroads, roads, towns, air fields, etc.	Stream lines, vegetation, and ground forms Railroads, roads, towns, air fields, etc.
9	Purpose	tailed reconnais- sance. Intelligence. Minor tactics. Mosaics, prepara- tion of stereo-pairs and triplets	Target location. Detailed reconnaissance. Intelligence. Minor tactics.	General field uses. Horizontal control for unobserved fires by artillery	Used by all arms. Horizontal and vertical control for unobserved fires by artillery. Suitable for tectical and technical uses
0	Size of area	Varies, depend- ing on scale	Varies depend- ing on scale	10,000 to 15,000 yards square	10,000 to 15,000 yards square
4	Sheet size (inches)	Varies	Varies	22 by 28	22 by 28
93	Contour interval (feet)				20
95	Scale	1:5,000 to 1:40,000 (12 inches = 1 mile to 1½ inches = 1 mile)	Varies	1:20,000 (3 inches = 1 mile)	1:20,000 (3 inches = 1 mile)
1	Kind of map	Vertical aerial photo- graphs	Oblique aerial photo- graphs	Battle map, uncon- toured	Battle map, con- toured

240

TYPES OF MAPS AND PHOTOMAPS FOR THEATER OF OPERATIONS (Continued):

10	Probable time or conditions when available	24 to 48 hours after photography	24 to 72 hours after photography, depending on amount of control used	24 to 48 hours after photography
6	Reproduced in quantity by —	GHQ and army topographic battalions, Corps topographic companies	Army topographic Carps topographic after battalions, battalions, companies, companies companies amount of amount of control used	Army topographic Army topographic 24 to 48 hours battalions, Corps topographic Corps topographic companies, Companies, Civilian agencies, Air Corps units up to ten prints, when directed by proper authority
80	Originals and limited number of copies prepared by—	GHQ and army topographic battalions	Army topographic battalions, Corps topographic companies, Civilian agencies	Army topographic battalions, Corps topographic companies, Civilian agencies, Air Corps units up to ten prints, when directed by proper authority
L	Natural features and works of man shown	Varies	Varies	Varies
9	Purpose	Photogrammetry by topographic engineers. Copies of early availability for general field uses. Approximate horizontal control for limited unobserved fires by artillery	Firing map for infantry. Horizontal control for unobserved fires by artillery	General field uses
9	Size of area	Varies, depend- ing on scale	Varies, depend- ing on scale	Varies, depend- ing on scale
*	Sheet size (inches)	to 22 by 28 depending on organic sation printing	to 22 by 28 depending on organic sation printing	to 22 by 28 depending on organization printing
S	Contour interval (feet)	7/3119		
øż	Scale	1:20,000 to 1:60,000 1:60,000 (3 inches = 1 mile to 1 inch	As taken, enlarged, or reduced	As taken, enlarged, or reduced
1	Kind of map	Com- posite photo- graph	trolled	Mosaic, uncon- trolled

TYPES OF MAPS AND PHOTOMAPS FOR THEATER OF OPERATIONS (Continued):

01	24 hours after photography	Tracing of planimetric details: 24 to 48 hours after photographs. With form lines added: 48 to 72 hours. Roughly contoured in color: 3 to 5 days	Limited quantities on M-day. Reproductions: 24 hours	Limited quantities on M-day. Reproductions: 24 to 48 hours (very limited areas of U.S.)
O,	Corps topographic 24 hours after companies photographi	Army topographic Army topographic Tracing of planibattalion. Corps topographic Gorps topographic Gorps topographic Gorps topographic Gorps topographic Corps topographic Corp	GHQ and army topographic battalions	Geological survey, GHQ and army topographic battalions
90	Air Corps, Corps topographic companies, Civilian agencies	Army topographic battalion, Corps topographic companies	Corps of Engineers	Geological survey (i Corps of Engineers (i)
7	Varies	Stream lines and vegetation Varies, normally principal features only	Drainage systems, water, and mountain ranges Cities, rail lines and terminals, maintained airways and terminals, and roads of military importance	Drainage systems, water, relief, and forested areas Railroads, roads, bridges, dams, towns, buildings, etc.
ū	try. Approximate horizontal control for limited unobserved fires by artillery. General field uses	Map of carly availability for field uses. Approximate horizontal control for limited unobserved fires by artillery	4 and longi- tude (215 by 280 miles)	and longitude General field uses. Tactical and longitude logistical studies by (25,000 units from corps 30,000 yards)
20	Varies, depend- ing on scale	Varies, depend- ing on scale	and longi- tude (215 by 280 miles)	15' latitude and longitude (25,000 by 30,000 yards)
**	Depends on number of photo- graphs	17 by 19 to 22 by 28 depending on organization printing		Maximum 19 by 22 (maxi- mum impres- sion 18 by 21)
*>		Stand- ard, if con- toured	1,000 (con- tours seldom shown)	8
01	As taken, enlarged, or reduced	1:20,000 to 1:60,000 (3 inches = 1 mile to 1 inch = 1 mile)	1.500,000 (1 inch = 8 miles)	1:62,500 (1 inch = 1 mile)
1	Strip	Provi- sional map map	Strategic 1.500,000 map (1 inch 8 miles)	Topo-graphic map, con-toured

242

TYPES OF MAPS AND PHOTOMAPS FOR THEATER OF OPERATIONS (Continued):

01 .	Probable time or conditions when available	Limited quantities on M-day. Reproductions: 24 to 48 hours (limited areas of U.S.)	Limited quantities on M-day. Reproductions: 24 hours or more	Limited quantities on M-day. Reproductions: 24 to 48 hours	Limited quantities on M-day. Reproductions: 24 hours or more
.03	Reproduced in quantity by—	Geological survey GHQ and army topographic battalions	GHQ and army topographic battalions	Coast and Geodetic Survey GHQ and army topographic battalions	Civilian agencies GHQ and army topographic battalions, Corps topographic companies
DE	Originals and limited number of copies prepared by—	Geological survey (1) Corps of Engineers (1)	Corps of Engineers Other Govern- ment agencies	Coast and Geodetic Survey, U.S. Hydrographic Office, U.S. Lake Survey Office	Federal, State, railroad, and other civilian agencies
2	Natural features and works of man shown	Stream lines, vegetation, and ground forms Railroads, roads, towns, air fields, etc.	Stream lines, vegetation, and ground forms Railroads, roads, towns, air fields, etc.	Bydrography, stream lines, coast line Harbor, docks, aids to navigation, railroads, roads, towns, air fields, etc.	Orainage systems, water, etc.
8	Purpose	30' latitude Substitute for 1:62,500 Stream lines, and longitude longitude Railroads, ro towns, air letc.	Strategy and logistics	Coast artillery in harbor defense. All arms in coastal frontier defense	Logistics, maintenance, Drainage systems, and operation of water, etc. communication
10	Size of area	30' latitude and longitude	Varies, depend- ing on scale	Varies, depend- ing on scale	Varies
4	Sheet size (inches)	17 by 19	17 by 19	Varies	Varies
93	Contour interval (feet)	20	Varies		Seldom shown
95	Scale	1:125,000 (1 inch == 2 miles)	1:125,000 or smaller	Miscellaneous	Miscellaneous Contours Varies
1	Kind of map	Topo- graphic map, con- toured	Topo- graphic map, scale smaller than 1:125,-	Coast charts and harbor charts	Miscel- lane- ous maps

TYPES OF MAPS AND PHOTOMAPS FOR THEATER OF OPERATIONS (Continued):

10	Limited quantities on M-day. Reproductions: 24 to 48 hours	Limited quantities for U.S. on M-day. Reproductions: 24 to 48 hours	Limited quantities for U.S. on M-day. Reproductions: 24 to 48 hours
6	American Automobile Association, oil companies, etc. (1)	Coast and Geodetic Survey, U.S. Hydrographic Office Corps of Engineers	Coast and Geo- detic Survey, U.S. Hydro- graphic Office Corps of Engineers
90	Civilian agencies (i)	Coast and Geo- detic Survey, U.S. Hydro- graphic Office(1) Corps of Engineers (1)	Coast and Geodetic Survey, U.S. Hydrographic Office() Corps of Engineers ()
. 7	Drainage systems, water, etc.	e d	Stream lines and ground forms Railroads, roads, towns, air fields, and aids to aerial navigation
9	Logistics. Concentra- tion of mechanized units. Maintenance and operation of communication	Aerial navigation and Stream lines and as strategical ground forms map substitute Railroads, roads, towns, air field and aids to aerinavigation	Aerial navigation and as strategical map substitute
2	Varies	Varies	Varies
*	Varies	Varies	Varies
6 0		Eleva- tions shown by color gradi- ents	Eleva- tions shown by color gradi- ents
0 8	Miscellaneous	.500,000 (1 inch = 8 miles)	1:1,000,000 (1 inch = 16 miles)
1	Road	Aero- 1 naut- ical charts, sec- tional	Aero- naut- ical charts, region- al

NOTES

The data as to existing maps contained in this table concern primarily the continental United States. Appropriate modifications are necessary in order to conform to conditions in other theaters of operations.
 Time estimates are predicated upon adequately organized, equipped, and trained mapping (Air Corps, Engineer) and reproduction (Engineer) troops. Under less favorable conditions more delay must be

(3) Under most favorable conditions, a single wet-print can be dropped within 30 minutes after photography, when the rapid type of photography is used, in which case no negative is available.

© 5,000-yard grid lines overprinted, or shown by tick marks at edge of map.

■ 174. ENGINEER MAPPING TROOPS:

1	2	3	4	5	
Unit	Maps reproduced	Methods of reproduction	Sheet size (inches)	Remarks	
Engineer battalion, topo- graphic, GHQ	Maps in large quantities Maps of perma- nent utility Special sketches and drawings Various types of provisional and photomaps	Lithography in 1 or more colors	24 by 34 (impression 22 by 28)	(impression operate presses of larger sizes.	
		Contact prints (black and white, blue, and brown)			
		Duplicator (hectograph and similar means)			
Engineer battalion, topo- graphic, army	Battle maps of unmapped areas for tactical and fire-control use Sketches and drawings	Lithography in 1 or more colors	24 by 34 (impression) 22 by 28)	Battalion organized for quantity reproduction to meet the more local reproduction needs of the army. Battalion equipped to provide maps to a depth of about 30 miles into hostile terrain. First sheets should appear about 2 weeks after receipt of aerial photographs; subsequent sheets should be published at a rate of about 100 square miles per day.	
		Contact prints (black and white, blue, and brown)			
		Duplicator (hectograph and similar means)			
company, topo- graphic, corps	Provisional and photomaps Mosaics Maps of limited areas Overprints, overlays, and sketches	Lithography in 1 color	Impression 17 by 19	Multicolor reproduction possible in cases where exactness in matching color plates is not essential and time is available.	
		Contact prints (very limited numbers only)			
		Duplicator (hectograph and similar means)			
Division engineers	Simple sketches, overprints, and overlays	Duplicator (hectograph and similar means)	14 by 18	Lithographic reproduction not possible in time of war except in certain square (infantry) and other divisions.	

■ 175. AIR CORPS PHOTOGRAPHIC TROOPS.—a. General:

1	2	3	
Unit Photographs furnished		Remarks	
Reconnaissance aviation with GHQ	Various types incident to its reconnaissance missions (large scale vertical and oblique photographs)		
Army recon- naissance aviation	Specialized photography needed by topographic battalions for photogrammetry (multiple-lens or wide-angle single-lens type) Large-scale vertical and oblique photographs and mosaics for intelligence purposes	Such photography ordinarily not suitable for intelligence purposes because of small scale and lack of detail. May contain important information, however, and prints should be made available to military intelligence officers for study.	
Corps aviation	Wide-coverage small-scale photographs required by corps topographic company for preparation of map substitutes Large-scale photographs needed for intelligence or combat purposes (single photographs, vertical and oblique, stereo-pairs and triplets, night photographs, and rapid production photographs)	Can produce but limited quantities of contact prints and can lay small mosaics of less than ten prints. Laying of mosaics of a large number of prints or quantity reproduction of mosaics is the responsibility of engineer troops.	

b. Capabilities of aviation units.—The GHQ reconnaissance squadrons and army and corps observation squadrons are provided with trailer laboratory facilities. Working at maximum speed under favorable conditions, a trained photographic section is capable of the following photographic production:

	Time required to produce (hours)		
Photographs	From trailer laboratory	From trailer laboratory and other facilities	Remarks
Negatives: 15 (5 prints each)	2 4 5 24	1½ 3 4	Prints partially dried; titled but not interpreted

■ 176. MAP DISTRIBUTION IN THE FIELD:

1	2	3
Organization or unit	Agency responsible for securing and issuing maps 3	Agency from which maps are secured
GHQ and GHQ troops	Engineer-GHQ ②	War Department, GHQ topographic battalion ②, and base plants ②
Army	Army engineer ②	Army topograpic battalion ②, and engineer—GHQ ③
Corps	Corps engineer ②	Corps topographic company ②, and army engineer ②
Division	Division engineer ②	Corps engineer ②
Regiment	Regimental S-2	Division engineer ②
Battalion ①	Battalion S-2	Regimental S-2
Company ①	Company commander	Battalion S-2

NOTES

1) Applies similarly to squadrons, troops, or batteries.

These agencies only are authorized to maintain stocks of maps. Maps are issued to G-2 for head-quarters distribution.

The distribution of confidential or secret maps will be governed by the provisions of AR 330-5.

■ 177. INITIAL ALLOWANCE OF MAPS.—a. Map allowances are based on the principle that each individual or organization should have an adequate supply of maps of areas in which they are currently operating, or in which they have an immediate prospective interest. Units should not be burdened with maps of areas outside their zone of operations, but should have adequate maps of regions of their present operations and of their immediate future operations. Difficulties of production and distribution, as well as the considerable weights involved, necessitate economy in map issues. Sectors assigned and operations contemplated are the basis for map distribution. The allowances prescribed herein are sufficient for minimum needs only; intervening organizations not specifically authorized to stock maps will not retain copies, but will distribute those received with the object in view of furnishing front-line units with maps needed by them for operations. Proper economy dictates that the only large-scale maps furnished shall be those of the areas of immediate importance to the individual or unit. The initial allowance of military maps will normally be as follows:

	Small scale: Normally 1:1,000,000 to 1:7,000,000		Medium scale: Normally 1:50,000 to 1:125,000	Large scale	Aero- nautical Charts
(1) HEADQUARTERS: GHQ	**************************************	100 75 40 25 7 1 1 ②	50 50 75 55 7 6 1	10 10 10 20 14 6 1	50 25 25 25 10
(3) ARMY AIR FORCES: Air Force Combat Command	25 5	15 15 7 7 7	15 15 7 7 7 7	1 (3)	50 100 10 10 4 4

NOTES

① Allowance for separate battalions, Cavalry, Armored Force, and Motorized Infantry will be increased 50 percent.

2 For Cavalry, Armored Force, Motorized Infantry, and attached troops only.

Except for officers of Army Air Forces. (Allowances for artillery observation missions prescribed in note (3) below.)

Except Army Air Forces, see note below. (Use by Cavalry and Armored Force will be exceptional.)

(§) Observation squadrons only. Airplanes observing artillery fire will be issued same scale maps used by artillery firing batteries.

b. (1) If maps of any of the scale groupings in a above are not available, substitution is authorized of maps of the scale nearest to that desired, and in quantities provided above for the map replaced.

(2) Special maps and road maps will be issued as directed by the commanding officer.

■ 178. MISCELLANEOUS.—a. Grid coordinates:

- (1) Size of military grid.—The military grid is formed by lines spaced 1,000 yards apart on maps of 1:20,000 scale, and 5,000 yards apart on maps of 1:62,500 scale.
- (2) Atlas grid.—(a) The military grid is not applicable to map substitutes due to inherent distortions, variations in scale, and the resultant difficulty of accurately locating the military grid lines thereon. A suitable atlas grid will therefore be applied to photographs, photomaps, provisional maps, and to maps whose accuracy does not warrant the use of the military grid. In applying the atlas grid to the map, the grid lines will be lettered from left to right and numbered from bottom to top. The purpose of the atlas grid is to facilitate description and identification of points of interest. The grid lines will be equally spaced and

approximately 1.8 inches apart. Starting at the left edge of the sheet, the vertical grid lines will be assigned letters A, B, C, D, etc., and from the bottom of the sheet the horizontal grid lines will be numbered 1, 2, 3, 4, etc. Important features within the grid squares may be designated by abbreviated title and decimal coordinates, such as RJ-C.5-7.2.

(b) On single verticals used for map substitutes, the grid numbers and letters with ticks only will be applied. On controlled mosaics, the approved

military grid system will be applied as accurately as possible.

(3) Expressing grid coordinates.—Regardless of grid spacing, grid coordinates are expressed by stating the reading east along the X (horizontal) coordinate, followed by a dash and the reading along the Y (vertical) coordinate, the whole being enclosed within parentheses. Example: (350.7-754.6)

b. Relation between scale and contour interval of maps:

Scale	Contour interval (feet)
1:62,500	20
1:20,000	20
1:10,000	10
1:5,000	5

■ 179. REFERENCES.—Further details pertaining to military maps and mapping will be found in the following publications:

AR 300-15, Maps and Mapping.

FM 21-25, Map and Aerial Photograph Reading.

FM 21-26, Advanced Map and Aerial Photograph Reading.

FM 21-30, Conventional Signs, Military Symbols, and Abbreviations.

FM 30-20, Military Intelligence, Military Maps.

Chapter 6 CHARACTERISTICS OF MATERIEL

	10		Effective radius of burst frag-mentation (yards)	30			
	8	tiles	Maximum effective range (yards)	35	1, % 4, % 4, % 6, 000 0, % 6,	1,800 @ 3,000 @ 4,000 @@	500 1,800 6,900 0 0 0
	90	Projectiles	Maximum range (yards)	50	5, 500 © 0, 500 ©	3,450 © 5,500 ©	7,200
	٨		Weight per round (pounds)	1.25	250-round belt 15.25	(100 rounds loaded in belt: 6.13)	(100 rounds 30 pounds)
	9	Practical	free for prolonged periods (rounds per minute)		125	09	Rapid125
APONS:	5	Maximum	fore free (rounds per minute)		525	Maximum useable rate: 150	500
ALRY WE	4		Type of feed		250-round fabric belt	50, 100, 150- round fabric belts	Metallic disin- tegrat- ing link belt
AND CAV	<i>დ</i> ე		Method of operation	Manual	Recoil, auto- matic	Recoil, auto- matic	Recoil, semi- auto- matic & auto- matic
ANTRY	93		Weight in fring position (pounds)	1.25	31.50 91.75 84.50 20.50 22.50 9.00	20.80 20.80 20.80	84 129.38 119.00 31.5 5 to 6 35.87
180. CHARACTERISTICS OF INFANTRY AND CAVALRY WEAPONS:	1		Weapon	Grenade, hand, Mk II, fragmentation Box of 24 — 38 pounds	Gun, machine, M1917, cal. 30 (heavy). Gun and tripod M1917A1, with water. Gun and tripod, without water. Chest with filled belt. Spare parts chest with contents. Chest. L5.50 Accessories. Water chest, full.	Gun, machine, M1919A4, cal .30 (light) Ammunition chest, empty. Ammunition chest, loaded (Capacity: three 100-round belts) Spare parts chest with contents.	Gun, machine, M2, cal. 50 (flexible). Gun with tripod M3, 45" barrel. Gun with tripod M3, 36" barrel. Accessories and spare parts chest. Ammunition chest, empty. Ammunition chest, 100 cart AP(SNL A39)

CHARACTERISTICS OF INFANTRY AND CAVALRY WEAPONS (Continued):

10		10	10 (HE)	15	Light 25 Heavy 35	
6	300	1,800 ©	1,000 (1)	(1)		22
80	1,600	4,300	7,500	1,935	100 to 3,290 300 to 2,655 100 to 1,275 300 to 2,470	1,600
7		HE. 1.57 LE. 1.44	HE 1.23 AP 1.92	2.96	HE 6.87 10.75 15.05 11.40	(Carton of 20 rounds: 1.1)
9	9 4 0 00 00 00	32	8	18	18	10
19	700	25	25	35	35	(21 rounds in 12 seconds)
*	20-round box maga- sine 50-round drum maga- zine	Hand, breech loading	Hand, breech loading	Hand, muzzle loading	Hand, muzzle loading	7-round box maga-
93	Recoil, semi- semi- auto- matic & auto- matic	Manual, single shot	Manual, single shot	Manual, single shot	Manual, single shot	Recoil, semi- auto- matic
91	10.75 .38 1.31 2.63 4.95	342.00 342.00 8.00 33.12 31.04	912.0	38.30	136.00 59.00 57.00 45.00	2.76
1	Gun, submachine, M1928A1, cal. 45 Gun without magazine, empty 20-round magazine, empty 50-round magazine, filled 50-round magazine, empty 50-round magazine.	Gun, 37-mm, M1916 (i). Gun on tripod. Gun on wheels. Ammunition chest, 16-round, empty. Ammunition chest, full (HE shell). Ammunition chest, full (LE shell).	Gun, 37-mm, M3 (antitank). Gun and carriage, M4 One 20-round box Am M51, shot fixed AP	Mortar, 60-mm, M2 One 6-round carton shell, HE, M49A1	Mortar, 81-mm, M1, & mount. One 6-round bundle shell, HE-M43. One 3-round bundle shell, HE-M45. One 3-round bundle shell, smoke, WP-M57.	Pistol, automatic, cal 45 Pistol with loaded magazine Pistol with empty magazine

CHARACTERISTICS OF INFANTRY AND CAVALRY WEAPONS (Continued):

1	65	63	4	Ş	9	8	00	65	10
	-			Maximum	Practical		Proje	Projectiles	
Н'епроп	Weight in firing position (pounds)	Method of operation	Type of feed	of fire (rounds per minute)	fire for prolonged periods (rounds per minute)	Weight per round (pounds)	Maximum range (yards)	Maximum effective range (yards)	Effective radius of burst frag- mentation (yards)
Rifle, automatic, cal. 30, Browning, M1918. Rifle with filled magazine Magazine, filled. Magazine, empty.	16.93 1.43 7 ounces	Gas, semi- auto- matic & auto- matic	20-round box maga- zine	0 09	40		3, 450 (6) 5, 500 (4)	009	
Rifle, automatic, cal. 30, Browning, M1918A1 Rifle with bipod, hinged butt plate, stock rest, speed regulator, sling, and loaded magazine	23.50	Gas, semi- auto- matic & auto- matic	20-round box maga- sine	09 120 00 00	40		3,450 (5) 5,500 (4)	009	
Rifle, US, cal. 30, M1903. Rifle without bayonet. Rifle with bayonet.	9.69	Manual	5-round clip	10 to 15	10		3,450 © 5,500 ©	009	
Rifle, US, cal .30, M1 Rifle without bayonet Rifle with bayonet	9.62	Gas, semi- auto- matic	8-round clip	16 to 24	16		3,450 © 5,500 ©	009	

For other than automatic weapons, personal proficiency is a controlling factor. The construction of the weapon, heating, and other conditions influence sustained or prolonged performance. 9

Fragments may fly over 200 yards. M2 ammunition.

M1 ammunition.

Observed fire, distance varying with visibility. Indirect fire.

With a cool gun, a single burst of 100 to 150 rounds can be fired. Penetrates 5/8-inch armor plate at 500 yards, normal impact.

Semi-automatic fire. Automatic fire.

Aimed fire.

All-over width of vehicle with trails closed: 39.25 inches.

Penetrates 11/2-inch armor plate at 1,000 yards, 20 degrees of incidence. Within limits of maximum range, observation is a controlling factor. Fragments may fly as far as 400 yards. All-over width over hub caps 63.5 inches.

253

CHARACTERISTICS OF MATERIEL

ERV.	
ja.	
ARTIT	
V	
Frer.n	
F	
OF	
CHARACTERISTICS	
RA	
CHAI	
181	
A.	

	CH	ARACT	ERIST	ics of M	MATERIE	L	
11	Unit of fire (rounds	per piece)	300	300	300	150	225
13	0	plete round packed	22	22	23	23	21
120	Approximate weight of ammunition (pounds)	Pro- jectile fused	14.6	14.6	14.6	14.6	32.7
11	Maximum efective range (yards) (85%) extreme	standard ammu- nition)	8,100	8,100	11,500	11,500	10,300
10	Normal rate of fire rounds per minute)	Pro- longed	က	ಣ	ಣ	က	63
0,	Normal rate of fire (rounds per minute)	Short	9	9	9	9	4
00	Tra- verse (de-	grees)	5	45	85	99	45
7.	Time to to emplace or change from	traveling position	3 min- utes	3 min- utes	3 min- utes	3 min- utes	3 min- utes
9	mal th tth ting tion tees)	Prime		Mecz 86	98	98	88
20	Normal overall width traveling position (inches)	Piece	84	88	18	18	81
* *	Weight of prime mover with normal	(pounds—approx-		Mecz 111,500	Mtz 10,000 15,000	Mtz 10,000 15,000	15,000
**	Piece transportation		6 pack mules (3)	HD 6-horse team Mecz. Trk, 1½-ton, half-track	HD 6-horse team MtzTrk, 1½-ton, 4x4 Trk, 2½-ton, 6x6	HD 6-horse team MtzTrk, 1½-ton, 4x4 Trk, 2½-ton, 6x6	Truck, 2½-ton, 6x6
63	Weight of piece, carriage (and limber) in traveling position with	except personnel (pounds— approximate)	Gross 2,050 Net pay load 1,390	HD 3,340① Mecz 2,090	HD 5,800(1)	HD3,460	4,300
1	Type and caliber (the model designation refers	carriage)	Howitzer, 75-mm, M1 (pack)	Howitzer, 75-mm, M3A1 (field)	Gun, 75-mm, M2A2	Gun, 75-mm, M2A3, AT	Howitzer, 105-mm, M2

CHARACTERISTICS OF FIELD ARTILLERY (Continued):

I	93	63	*	ů	9	2	o c	0	10	11	92	13	14
Type and caliber (the model designation refers	Weight of prece, carriage (and limber) in traceling poeition	Piece transportation	Weight of prime mover with	Normal overall width traveling position (inches)	mal rall ith ling tion 'tes')	Time to emplace or change	Tra-	Normal rate of fire (rounds per minute)	mal tre fire nds rr	Maximum effective range (yards) (85% extreme	Approximat veight of ammunition (pounds)	Approximate weight of ammunition (pounds)	Unit of fre
to the carriage)	normal load except personnel (pounds — approximate)		load (pounds-approx-imate)	Piece	Prime	fring to traveling position	grees)	Short	Pro- longed	range, using standard ammu- nition)	Pro- jectile fused	Com- plete round packed	per prece)
Howitzer, 155-mm, M1918A3	9,120	Truck, 4-ton, 6x6	24,000	06	96	5 min- utes	9	67	-	10,500	95	106	150
Gun, 155-mm, M1918A1 (mdf-GPF)	30,000	Truck, 7½-ton, 6x6	27,500	901	96	1 to 6 hours	09	8	-	15,200	92	135	100
Gun, 155-mm, M1	30,740	Tractor, hvy, 10-ton Truck, 7½-ton, 6x6	27,500	93	84	12 to 1 hour	99	63		22,100	95	142	100
Howitzer, 8-inch, M1	30,200	Truck, 7½-ton, 6x6.	27,500 34,000	66	25	12 to 1 hour	99	1,53	74	15,900	200	243	08
Howitzer, 240- M1918	58,600 ©	5 Tractors, hvy, 10-ton @	27,500	102	25	3 to 12 hours	30	120	14	13,900	345	400	99

NOTES

A limber is provided with this weapon.

8-inch and 240-mm howitzers fire high explosive shell only. The other types may also fire smoke and persistent gas shell.

Maximum weight on a single animal: 354 pounds. Maximum pay load: 248 pounds.

15,000 pounds, if armored.

Transported in four loads. Weight of maximum load: 16,230 pounds.

Four bowitzer loads. One accessories load.

182. CHARACTERISTICS OF COAST ARTILLERY (MOBILE):

		CHARAC	CTERISTICS OF MA				ATERIEL	
16	Marches	Aser- age day's march (miles)	300	800	800	30	175	175
14	Mar	Average rate of march (miles per hour)	20	20	15-20	31/2	10-25	10-25
50		Width of track (inches)	561/2	561/2	561/2	06	99	881/2
150	tion	Rounds per ve- hicle	96	84	24	35	120	88
11	Ammunition	Kind	Railway	Railway	Railway	2½-ton truck	2½-ton truck	2½-ton truck
10		Piece trans-	Railway	Railway	Railway	Towing trac-	Towing truck	Towing truck
6	Time	in firms position or change from fring to tracking position	3 hours	3 hours	8 hours (1) 10 days (1)	1 to 6 hours	20 minutes day 30 minutes night	20 minutes day 30 minutes night
90		Unit of fire (rounds per piece)	96	48	20	100	300	250
8	Rate	fire formation priece per mrin- ute)	1/3	2/3	1/2	ಣ	25	17
9		Traverse (degrees permitted by carriage)	360	360	360 8	09	360	360
9		Range (yards)	33,850	14,650	48,200	17,400	6,000 ©	8,000
4	Approximate	ammunition, of ammunition, complete round, packed (pounds)	340	763	1,860	148	150 pounds per box of 4 rounds	225 pounds per box of 4 rounds
93	Total	verght prece and carriage (tons — approx-imate)	113	88	341	12	00	o,
93		Caliber and type	Gun, 8-inch	Mortar, 12-inch	Gun, 14-inch	Gun, 155-mm	Gun, 3-inch	Gun, 90-mm
1				Railway		Tractor- drawn		aircraft (1)

CHARACTERISTICS OF COAST ARTILLERY (MOBILE) (Continued):

			CHARACTERIS
15		175	175
14		10-25 175	10-25 175
13		×0	
100		006	3,600
11		Towing 2½-ton truck	Truck 1½-ton 3,600 truck
10		Towing	Truck
6		120 1,800 5 minutes	5 minutes (1)
00		1,800	7,200
4		120	200
9	000	999	360
9		2,500	1,850
4		85 pounds per box of 20 rounds	120 pounds per 300 rounds
62		27/2	Gun and mount (3 loads): 485 pounds pounds
93		Gun, 37-mm	Machine gun, cal .50
1	Antiair-	(cont)	

NOTES

1) Data pertaining to antiaircraft searchlights:

Average effective range of illumination: 6,000 yards.

Average time required to emplace: 20 minutes. Traverse: 360 degrees.

Includes separate powder charge for railway and tractor-drawn artillery ammunition.

For powder train fuze. Maximum effective horizontal range at altitude of 17,100 feet. Range increases at lower altitudes to a maximum horizontal range Maximum horizontal range. of 7,550 yards.

Maximum effective horizontal range at 25,800 feet. Range increases at lower altitudes to a maximum horizontal range of 12,600 yards.

Maximum effective horizontal range. At lower altitudes the range increases to a maximum horizontal range of 3,500 yards. Total traverse on carriage when gun is put in position on track without base ring.

360 degrees traverse when gun is mounted on prepared emplacement with base ring.

Unit of fire for machine guns in 3-inch gun batteries is 3,600 rounds.

8 hours required for position indicated in (7).

Includes construction of concrete emplacement for all-around fire.

For slopes not exceeding 5 degrees. More time is required for slopes exceeding 5 degrees, as digging is necessary. For slopes not exceeding 4 degrees, More time is required for slopes exceeding 4 degrees, as digging is necessary.

The gun can be fired effectively from truck.

Routings restricted to certain railway lines by requirements of curvature, clearance and bridge capacities. Weight loaded 17 tons.

■ 183. CHARACTERISTICS OF ARMORED VEHICLES: ①

	CHAR	ACTER	ISTICS	OF I	MATERIE	EL	
14	Width (inches)	7774	2774	773/4	777.4	93	28
13	Length (inches)	2311/2	221	2421/2	2351/2	163	122
122	Height (inches)	88	78	88	∞ ∞	\$	18
11	Mileage on one fill (miles)	250	250	250	250	125	150
10	Fuel capacity (gallons)	09	30	09	09	09	26
6	Safe fording depth (inches)	30	28	30	30	42	30
∞	Stope climbing ability (degrees)	30	30	30	30	35	30
7	Spanning capacity (feet)					9	
9	Maximum speed on roads (miles per hour)	45	555	45	45	45	50 00 00 00 00 00 00 00 00 00 00 00 00 0
9	Crew	10	∞	13	9	4	4
~*	Main armor (inches)	Front 1/2 Body 1/4	Front 1/2 Body 1/4	Front 1/2 Body 1/4	Front 1/2 Body 1/4		
99	Armament	2 MG, cal .30 1 MG, sub, cal .45 1 MG, cal .50	2 MG, cal .30 1 MG, sub, cal .45 1 MG, cal .50	1 MG, cal .30 1 MG, sub, cal .45	1 MG, cal .30 1 MG, sub, cal .45 1 MG, cal .50 1 Mortar, 81-mm	3 MG, cal .30 1 MG, sub, cal .45 1 MG, cal .50	1 MG, cal .30 1 Mortar, 4.2-inch
95	Weight (tons) (gross-equipped with crew)	8.5	5.5	8.25	8.25	g.	ro.
1	Type of vehicle	Car, half-track, M2	Car, scout, M3A1	Carrier, personnel, half-track, M3	Carrier, 81-mm, mortar, half-track, M4	Combat car (The old single turret light tank. The old infantry light tank with 2 turrets has similar characteristics.)	Mortar, SPM, 4.2-inch mortar (old type)

258

CHARACTERISTICS OF ARMORED VEHICLES (Continued):

			CHARA	CTERISTICS
14	102	103	108	123
13	1923/4	509	223	277
12	981/4	109	122	122 3/8
11	125	195	175	125
10	55	130	200	425
63	36	53	42	48
00	30	23	30	30
7	9	6	7.4	11
9	37	32	25	25
0	4	3	9	9
*	11/2		63	က
65	4 MG, cal .30 1 Gun, 37-mm	8 MG, cal .30 1 Gun, 37-mm	4 MG, cal .30 2 MG, sub, cal .45 1 Gun, 37-mm 1 Gun, 75-mm	3 MG, cal .30 2 MG, sub, cal .45 3 MG, cal .50 1 Gun, 37-mm 1 Gun, 3-inch
95	13.5	18	28	
1	Tank, light, M3	Tank, medium, M2	Tank, medium, M3	Tank, heavy, Tl

NOTES

These characteristics pertain to the latest type (as of June 1, 1941) vehicles approved for, or already in production. However, since several earlier models of each type vehicle listed are still in use, the data contained in this table must be considered as approximate only. The cross-country speed of the vehicles listed will vary from 5 to 25 miles per hour, depending on the nature of the terrain, whether employed during day or night, and, if employed at night, whether with or without lights. (2)

184. CHARACTERISTICS OF AIR CORPS UNITS:

-	0	9	7	10	9	4	oc	0
7	3	Probable	Bomb load		Tactical	Operating	,	Take off and
Classes of aviation	I otal airplanes in	operating strength of	N=Normal	racacal operating range	operating radius of	per hour	Cumo	over 50' obstacle
	squadron	squadron (1)	M = Maximum	(mules)	actron	(mues)	Time to/feet	Take off/Land
Bombardment, light, 2-engine (A-20B)	13	10	N-1,000 M-2,400	650 650	325 325	275		2,510//2,163/
Bombardment, medium, 2-engine (B-26)	13	10	N-2,400 M-6,200	1,150	575	180	5.9/10,000	2,500'/2,200'
Bombardment, heavy, 4-engine (B-24C)	∞	1	N-2,400 M-8,800 ©	2,000	1,000	220		2,400′/1,950′
Pursuit, single-engine (P-40F)	25	18	N- M-120	1,040	520 385	300	6.9/15,000	2,300/1,800′
Pursuit, 2-engine (P-38E)	25	18	M	650	325	330	6.9/20,000	2,550'/2,500'
Observation, single-engine (0-52) (Corps and Division)	13	10	M—	624	312	192		910/920′
Observation, 2-engine (0-53) (Corps and Division)	13	10	N-1,000 M-	603	300	325		2,392//2,205/
Reconnaissance, medium range, 2-engine (B-26)	13	10	M-	2,760	1,380	200		2,500//2,200′
Reconnaissance, long range, 4-engine (B-24A) ②	∞	2	M-	4,100	2,050	194		2,140′/1,810′
Transport, 2-engine (C-47)			21 passengers	1,190	595	170	10/10,000	1,880/1,900′
			NOTES					

260

The actual operating strength will vary and should be determined accurately by communication with the unit. Bombardment airplanes used for reconnaissance have greater ranges due to the substitution of fuel for bomb load. Eight 1,100-pound bombs.

000

185. CHARACTERISTICS OF CHEMICAL WEAPONS:

1	93	62	*	Q	9	7	00	01	10
417	Weight	Rate of fire (rounds per minute)	Rate of fire (rounds) per minute)	Time to	Time to emplace	Effective	An (co	Ammunition load (complete rounds)	load inds)
Wedpon	(bounds)	Short	Pro- longed	Day	Night	range (yards)	Trucks (1½2-ton)	Trailer (1-ton)	Man
4. 2-inch chemical mortar MIA1 ① Barel, CM, MIA1 Baseplate, CM, MII Standard, CM, MI Shell, CM, 4.2-inch, loose Shell, CM, 4.2-inch, 2 rounds in box Hand cart, loaded with chemical mortar complete Hand cart, loaded with 20 rounds in boxes.	91 150 53 25 65 491 479	20	rO	5 minutes	10 minutes	2,400	90 © 117 ©	@ 09	8
D. Livens projector, 8-inch Barrel Baseplate Shell, loose, Shell, boxed, I round Livens charge, boxed Livens projector complete with ammunition ready to fire.	110 288 61 83 9 9 56	Fired but once. One round po projector per installation fired simultaneously by electricity	red but once. One round per projector per installation fired simul- taneously by electricity	100 per plateon in 2½ hours	100 per platoon in 5 hours	1,450	10 50	10 ①	1/3 ①

NOTES

Overall width of hand cart: 3 feet 6 inches.
 Boxed.
 Loose.
 Livens projector, complete with ammunition ready to fire.

CHARACTERISTICS OF MATERIEL

186. CHARACTERISTICS OF CHEMICAL AGENTS:

			CHA	RACT	TERISTICS OF	MATERIEL	
10		Muntions suitable for use	Candle, burning type munitions, air bombs	75-mm artillery shell, airplane spray	Grenades, artillery and chemical mortar shell, bombs	75-mm, 155-mm, and chemical mortar shells, small air hombs, airplane spray, and hand grenades	Mixed with CG and PS in cylinders and Livens projector shells
6	70.	rnysiological action	Headache, nausea, violent sneezing, followed by tem- porary debility	Severe lacrimation (2) and nose irritation	Eye and skin irritation	Violent eye irriation, vomiting, and mild skin itching	Burns upper respira- tory tracts
80	D1 . 1 . 1	Classification	Sternutator irritant smoke (1)	Lacrimator (2)	Lacrimator (2)	Lacrimator ©	Lung
2		Classification	Harassing agent	Harassing agent	Harassing agent	Harassing agent (training)	Casualty agent
8	Persistency	Winter	Same as summer	Several	Solid form: several weeks Burning mixture: 10 min- utes	6 hours (3) 1 week (4)	Same as summer
9	Persi	Summer	5 minutes (from candles)	Several days	Solid form: several days Burning mixture: 5 minutes	1 hour (3) 2 hours (4)	5 minutes (3) 20 minutes (4)
*	0.3	in air	No pro- nounced odor	Like sour fruit	Like apple blos- soms	Like fly paper	Pungent
85	Marking	munition	1 red band DM GAS	1 red band CA GAS	I red band CN GAS	1 red band CNS GAS	1 green band CI GAS
95	CWS	lod	DM	CA	Š	CSS	ō
1		(common name)	Adamsite	Brombenzylcyanide	Chloracetophenone	Choracetophenoue solution	Chlorine

262

CHARACTERISTICS OF CHEMICAL AGENTS (Continued):

			01111111101	LIVIDIIOD OI	MALL L MIVELIA	4
10	Maniferent	suitable for use	Mixed with CN in 75-mn and chemical mortar shells, airplane spray, and air bombs. Mixed with CG in Livens projector shells	Burning type munitions	Artillery and chemical mortar shells and airplane spray	Burning type munitions only: grenades, candles, smoke floats, special air bombs
6	Disciplinal adias	I nystotogicat action	Lacrimates ②, irritates nose and throat, produces nausea and lung irritation in order as concentration increases	Sneezing, vomiting, headache	Vesicant © 1/6 as powerful as H5. A powerful sternutator ①. Causes paralysis of the fingers	None from solid. Slightly suffocating action by heavy smoke
30	77	Classification	Lung irritant and lacrimator	Sternutator (D.), irritant smoke	Vesicant (5) and sternutator (1)	None
2		Classification	Harassing and casualty agent	Harassing agent	Casualty and harassing agent	Screening
9	tency Winter		12 hours ③ 1 week ④	Same as summer	2 to 4 hours 3 12 hours ①	Only while burning
10	Persistency	Summer	1 hour © 4 hours 4	HE detona- tion: 5 minutes Candle dis- semina- tion: 10 minutes	1 to 2 hours 3 2 to 6 hours	Only while burning
4	- 20	in air	Sweetish, like fly paper	Like shoe polish	Biting, irritant	Acrid, suf- focating when very dense
30	Marking	munition	2 green bands PS GAS	1 red band DA GAS	2 green bands ED GAS	1 yellow band HC SMOKE
65	CWS	lod bol	R	DA	Oa	нс
1		(commen name)	Chlorpierin	Diphenychlorasine (German: blue cross)	Ethyldichlorarsine (German: Dick)	HC mixture

263

CHARACTERISTICS OF MATERIEL

CHARACTERISTICS OF CHEMICAL AGENTS (Continued):

	1		CHARA	CTERISTICS	OF MA	TERIEL		
10	Mainisticae	suitable for use	75-mm gun, 155-mm howitzers, and chemical mortar shells, airplane spray, and air bombs	75-mm gun, 155-mm howitzer, 155-mm gun, and chemical mortar shells, air- plane spray, air bombs, land mines	Livens projector shells, cylinders, and chemical mortar shells	From cylinders under gas pressure, air- plane spray tanks, explosive shells		Artillery and chemical mortar shells, airplane spray, air bombs, special munitions
6	Dhaniological adiom	I wystowy action	Is absorbed in skin and lung tissue, then burns and liberates M1 oxide which poisons body	Is absorbed in skin and lung tissue, then produces burns	Burns lower respira- tory tracts, causes accumulation of serous fluid in lungs	Liquid burns like strong acid. Smoke causes prickling sensation on skin		Liquid burns like strong acid. Vapor and smoke irri- tating to throat
90	Dhumiolomian	Classification	Vesicant ©	Vesicant 6	Lung	None		None
7	Traditor	Classification	Casualty agent	Casualty agent (harassing agent)	Casualty agent (harassing agent)	Screening	Incendiary (harassing agent)	Screening
e	tency	Winter	1 week or more	Several	10 minutes 30 minutes	Same as summer		10 minutes
0	Persistency	Summer	24 hour (8) 2 to 3 days	3 to 4 days 1 week (4)	5 minutes (3) 10 minutes	While container is operating		10 minutes
+	Odos	in air	Like geraniums, then biting	Like garlic or horse- radish	Like ensilage, fresh- cut hay	Acid or acrid		Acrid
93	Marking	munition	2 green bands M1 GAS	2 green bands HS GAS	1 green band CG GAS	1 yellow band FS SMOKE	1 purple band TH INCEND	1 yellow band FM SMOKE
93	CWS	lod lod	M1	HS	50	S.	TH	FM
1	4	(common name)	Lewisite	Mustard	Phosgene	Sulfur trioxide solution (or FS)	Thermite	FM (titanium tetrachloride)

CHARACTERISTICS OF CHEMICAL AGENTS (Continued):

1	65	63	*	29	9	2	90	6	10
Anont	CWS	Marking	Odor	Persistency	tency	Tradion	Dhamological	Tradical Dissiplanian Dissiplanian Indian	Manifolis
(common name)	poq	munition	in air	Summer	Winter	Classification Classification	Classification	I nysowyca wion	suitable for use
White phosphorus	WP	1 yellow band WP SMOKE	Like matches	Usually 10 Same as minutes or less ®	Same as summer	Screening agent (casualty, incendiary)	None	Solid particles burn flesh. Smoke relatively harmless	Grenades, artillery and chemical mor- tar shells, air bombs

Sternutator.—An agent which causes sneezing, vomiting, irritation of the throat and nose, and temporary physical disability.

Lucrimator.—An agent which, in low concentrations, exerts an intense irritant action on the eyes, causing a profuse flow of tears and such discomfort that vision becomes impossible.

(e) (e)

In open. In woods Vesicant.—An agent that blisters.

■ 187. DATA ON CHEMICAL MUNITIONS:

1	2	3	4	б	6
Munition	Agents and weight of filling (pounds unless otherwise indicated)	Weight of complete round (pounds unless otherwise indicated)	Weight of complete round, crated (pounds)	Approximate time for agent to burn or evaporate at point of release	Effective range of weapon (yards)
Grenade, hand, gas, irritant, CN-DM, M-6	CN-DM mix- ture, 4 oz (2 oz each)	17 oz	1.96	40 sec	35
Grenade, hand, gas, irritant, CN, M-7	CN2.9 oz	17 oz	1.96	40 sec	35
Grenade, hand, smoke, HC, M-8	HC20.6 oz	28 oz	2.64	3 min	30
Candle, gas, irritant, DM, MI ①	DM2	9	13.6	2 min	None ②
Cylinder, chemical, portable, M1A2 ③	CG31.7 FS40.0	63	66	1 min	None (4)
Land mine (1 gallon can)	HS8.5	10	16	10 days	Must be placed
Pot, smoke, HC, MI	HC12.5	14.3		5 to 8 min	None
Shell, chemical, Livens projector, MII and MIIA1	CG }28	63	97	1 to 2 min	1.450
Shell, 4.2-inch chemical mortar	CNS	25.5	32.5	CNS	2,400
Shell, chemical, 81-mm, M57	WP	11.4		WP	300-2,470
Shell, 75-mm gun, chemical, Mk II	IIS 1.3 WP 1.8 FS 1.9	16.6	20 (bundle packing)	HS1 week WP30 sec FS15 sec	8,000
Shell, 105-mm howitzer	HS3.3 WP4.7 FS4.8	42.1	51 (bundle packing)	HS1 week WP35 sec FS20 sec	10,000
Shell, 155-mm howitzer, Mk II and 155-mm gun, chemical Mk VII (3)	HS. 11.1 WP. 15.6 FS. 16.3 CG. 10.7	How: 102.4 Gun: 122.8	How: 105.3 Gun: 148.6	HS10 days WP4-5 min FS30 sec	How: 11,000 Gun: 16,000
Tank, airplane, chemical spray (22 gallons)	HS	277 to 300		HS4-6 hr (summer) FS5 sec ③ CNS1 hr CNB1 hr	Radius of action of airplane

DATA ON CHEMICAL MUNITIONS (Continued):

1	2	3	4	õ	6
Munition	Agents and weight of filling (pounds unless otherwise indicated)	Weight of complete round (pounds unless otherwise indicated)	Weight of complete round, crated (pounds)	Approximate time for agent to burn or evaporate at point of release	Effective range of weapon (yards)
Bomb, chemical, 30-pound, M1	HS	33.6	44.2	HS1 week FS30 sec WP2–3 min	Radius of action of airplane
Bomb, gas, persistent (HS), 30-pound, M46	HS20.6	26.8	74.8 (2 in box)	HS1 week	Radius of action of airplane
Bomb, gas, persistent (HS), 100-pound, M47	HS73.0	93	119.5	HS1 week	Radius of action of airplane

NOTES

One chemical sompany can install and fire 300 candles.
 The maximum effective range of cloud attack from candles is 5,000 yards.
 One chemical company can install 300 cylinders in 6 hours at night, if the carry is not over 2 miles.
 The maximum effective range of cloud attack from cylinders is 7,500 yards.
 WP and FS fillings are not authorized for 155-mm guns. CG fillings are not now authorized.
 Time of discharge of tank.

188. CHEMICAL AMMUNITION REQUIREMENTS.—a. Chemical shell:

1	2	3	4	5	6	7	8	9	10	11
Agent		(2	HS), ③ ustard)			CNS @ loraceton solution	ohenone		CG ⑤ phosge	
Weapon	75-mm gun	155- mm how- itzer	155- mm gun	4.2- inch mortar	75-mm gun	4.2- inch mortar	155- mm how- itzer	155- mm how- itzer	4.2- inch mortar	Liven pro- jector
Rounds per target (point target) ①	160	30	30	30	10	8	8		90	
Rounds per square 100×100 yards (area target)	80	15	15	15	5	4	4	25	45	115
Rounds per circle 200 yards diameter (area target)	320	60	60	60	20	16	16	100	180	60

NOTES

1 Minimum depth in line of fire 200 yards (observed fire).

2 Below 50 degrees F, increase HS 25%, CNS 25%. On wooded targets use 50% of the quantities

given. Do not fire HS below 32 degrees F. Use Lewisite.

Rounds per hour.
Fired in not over ½ minute.

b. Smoke.—(1) Rounds per 100 yards per minute for combined screening and casualty effects:

1	2	3	4	5
T17		Wind direc	ction	
Weapon	Following	Head	Flank	Quartering
4.2-inch chemical mortar	1.25 12.00 3.00	1 10 2	0.5 4.0 0.5	1 8 2

(2) Rounds per 100 yards per minute for screening effect only:

1	2	3	4	5
W		Wind di	rection	
Weapon	Following	Head	Flank	Quartering
4.2-inch chemical mortar	0.7 6.0 1.3	0.7 6.0 1.3	0.4 3.0 .5	0.5 4.0 1.0

To obtain the number of rounds required, measure the line to be screened in hundreds of yards. Multiply this length by the quantity shown for the direction of wind given. Multiply this result by the number of minutes the screen is to be maintained plus 1 minute for the establishment of the screen.

c. Airplane munitions.—(1) 30-pound bombs, HS:

(2) HS tanks for airplanes.—Area covered by one wing tank: 500 yards long by 200 to 300 yards wide.

Note.—Based on average meteorological conditions and following conditions of flight:

Altitude of plane: 100 feet.

Wind velocity (at right angles to line of flight): 3 to 8 miles per hour.

Average ground speed of airplane: 200 miles per hour.

Airplane chemical spray tank, 22 gallons, discharge rate approximately 5 seconds.

Airplane carries 2 wing tanks. Length of area may be doubled by release in turn.

(3) Smoke, FS (or FM), airplane chemical spray tank.—One plane can screen 1,000 yards of front, can blanket an area 1,000x400 yards.

d. Land mines, HS filled.—(Effect is obtained by contamination): MINES REQUIRED

Purpose	Mines required
Barriers	Four parallel lines of mines 25 yards apart with mines staggered at 10-yard intervals in each line
Large areas	Lines of mines 25 yards apart with mines staggered at 20-yard intervals in each line
Along roads	One line of mines on each side of the road with mines staggered at 10-yard intervals along each line
Demolitions	Mines placed in lines 5 yards apart at 5-yard intervals along each line

e. Cloud attacks. — (Require favorable wind.) — (1) Cylinders. — Fire one cylinder per yard of front for the first thousand yards in range and add ½ cylinder per yard of front for each additional thousand yards in range. Maximum effective range: 7,500 yards.

(2) Candles.—Use 1/5 candle per yard of front for targets 500 yards away. Add 1/5 candle per yard of front for each additional thousand yards in range. Maximum effective range: 5,000 yards.

■ 189. CAPABILITIES OF CHEMICAL UNITS.—a. Mortar operations: ①

Agent	Platoon	Company	Battalion
Non-persistent Unit too small to use effectively		Covers target area of 7 squares	Covers target area of 28 squares
		Gas also effective downwind equal to initial area covered	
Persistent gas (HS)	Neutralizes area of 28 squares ②	Twice the capability of one platoon	Four times the capability of one company
Irritant gas (CNS) Harasses for 1 hour 54 squares, or for 2 hours, 27 squares, etc. ③		Twice the capability of one platoon	Four times the capability of one company
	Gas remains effective for abo be maintained for at least	out 1 hour after firing ceases. 2 hours.	The concentration should
Smoke (WP)	Screens 800 yards wide for 25 minutes 3	Twice the capability of one platoon	Four times the capability of one company

¹ Figures are based on normal loads of ammunition of one type shell.

<sup>In woods twice as much area can be neutralized.
Based on adverse winds. With flank winds the capabilities are approximately twice the above.</sup>

b. Livens projector operations:

Agent	Platoon	Company	Battalion		
Non-persistent gas (CG)	Non-persistent gas (CG) Unit too small to use effectively	With 200 weapons, covers target area of 13 squares; installed in 5 hours at night	With 800 weapons, covers target area of 54 squares: installed in 5 hours at night		
		Effective downwind on at least an equivalent area			
	Capabilities of a unit are lin	nited by the number of weapon	ns available and the time		

for installation. If additional weapons and time are available, above figures can be increased proportionally.

c. Cylinder operations:

Agent	Platoon	Company	Battalion
Non-persistent gas (CG)	Unit too small to use effectively	Unit too small to use effectively	Can install and fire 3,000 cylinders on front of about 3,000 yards. Effective downwind several thousand yards.
		apons have been delivered nea hand-carry involved; usually 4	

d. Land mine operations:

1	2	3	4	5	6		
	Squad task	Platoon task	Company task	Average	Average time 1		
Nature of task	1 Truck (1½-ton)	6 Squads	12 Squads	Time fuse or detonating chord	Wired for firing electrically		
Barrier, 100 yards deep	500 yards	3,000 yards	6,000 yards	4 hours	8 hours		
Road contamination	1,000 yards	6,000 yards	12,000 yards	5 to 10 minutes	2 hours		
Mines required	200	1,200	2,400				

NOTES

The time should be increased 50% for night work.
 Mines are dropped from truck moving up to 15 miles per hour

■ 190. PENETRATION OF PROJECTILES.—a. Non-armor piercing bullet, caliber .30 (174 grains):

1	2	3	
Material Material	Maximum penetration inches	Thickness in inches to be provided for protection	
Armor plate	.3	.5	
Concrete (plain)	2.0	3.0	
Brick masonry (well cured)	5.0	7.0	
Gravel	8.0	10.0	
Dry sand	12.0	14.0	
Moist sand	14.5	18.0	
Solid oak	20.0	24.0	
Earth loam	30.0	36.0	
Greasy clay	60.0	72.0	
Snow	(1)	(1)	

NOTE

① Varies greatly; 3 feet of packed frozen snow, well consolidated with water, will provide protection, but the penetration will increase as the temperature rises. Soft, unpacked snow affords little protection.

b. Caliber .30 and caliber .50 armor-piercing bullet:

1	2	2 3 4 Armor penetration in inches Projectile at		5
Туре	Projectile			Thickness of armor in inches
	weight	100 yards	300 yards	to provide protection
.30 cal M6	174 gr 753 gr	5/8	1	1 2

c. Antitank weapons:

1	2 3		4	5	6
Tame	Maximum rate of fire (rounds	Projectile	Weight of piece in firing		etration in 600 yards
Type	per minute)	weight	position (pounds)	Normal impact	30 degrees from normal
.50 cal machine gun25-mm antitank gun	600 170	753.00 gr .72 lb.	130 1,200	.55 1.95	.40 1.50
37-mm antitank gun	30	1.85 lbs. 3.50 lbs.	850 1,120	2.20 1.90	1.76 1.45
47-mm antitank gun	6	15.00 lbs.	3,450	1.50	1.40

Data to be supplied.

d. Field artillery projectiles in ordinary compact soil:

1	2	3	4	5
Caliber	Striking velocity	Angle		ration eet)
Canoer	(feet per second)	impact, degrees	Vertical	Horizontal
75-mm	730	45	4	4 5
105-mm	800 770	45 45	5	7
8-inch	790	45	9	9
240-mm	806	45	14	14

■ 191. FIELD ARTILLERY BARRAGE AND CONCENTRATIONS.—Field artillery barrages and concentrations.—(Dimensions in yards):

1	2	3	4	5	6
Caliber and turns			f barrage	Diameter	Effective radius of
Caliber and type	one shell	Normal	Emergency	concentration	large fragments
75-mm gun battery	5x30 9x40 9x70	100x200 100x300	100x300 100x400	100-300 200-400 200-400	150 300 550

Chapter 7

FIELD ENGINEERING DATA

- 192. Purpose.—These data are intended for use as general guides only. Their application should be varied to conform to local field conditions as required in each specific tactical situation, based on the recommendation, after reconnaissance, of the unit engineer charged with the task.
- 193. Roads.—a. Traffic Capacity See par. 48, Chapter 2.

b. Load capacity of civilian roads and bridges.—The design of civilian roads and bridges is based on standard loadings, called H—loadings, in which several vehicles of specified weight follow each other at specified intervals, with, at the same time, loads on the remaining traffic lanes. (Table XXIII, FM 5-35.) This design includes a factor of safety of nearly four to care for variation in strength of materials, variations in construction and minor depreciation. In addition, it is standard civilian practice to design for 100% overload where one lane at a time is used and the interval between vehicles is increased. Thus as a guide for military purposes, for infrequent use, civilian roads and bridges may be expected to carry twice the rated load capacity, where restrictions are placed on the number of lanes in use and the speed and intervals between vehicles is controlled. During hostilities, loads in excess of the above may be carried on the recommendation of the unit engineer, in accordance with the situation.

Plans must in all cases provide for engineer reconnaissance, and, where necessary, reinforcement or repair on roads and bridges under our control, and for engineer troops to accompany advance elements into unreconnoitered terrain.

c. Construction, maintenance and repair.—Advantage is taken of the available road net, and all means are utilized to repair and maintain existing roads to fulfill military requirements, rather than to build new roads. Except for short sections, new road construction is avoided. In the combat zone, no better road should be maintained or built than is essential for the immediate purpose. Minimum width of one-track road is 10 feet; two-track road 18 feet—preferably 20 feet. Drainage is always vital; dry subgrades obtained by ditches, culverts, and smooth graded crowns are most important.

On most roads, bridges are sensitive points which may often become bottlenecks to flow of traffic. Alternate crossings or detour routes should be planned for bridges on important roads.

The following tables are given for the purpose of rapid, rough estimates; more accurate tables should be used for detailed estimates.

(1) Labor for repair of road craters.

Method of repair	Man-hours required
Earth fill with shovels alone Earth fill with shovels and trucks where hauling distance is not over 200 yards and number of trucks	4 x volume in cubic yards
is ¼ number of men	2 x volume in cubic yards
(trained workmen)Spanned with timber bridge (trees in vicinity,	15 x diameter in yards
trained workmen) Detour of corduroy (corduroy available in	60 x diameter in yards
vicinity) Detour of planks	18 x diameter in yards 9 x diameter in yards

NOTES

(1) The volume of a conical road crater is $V = \pi \frac{D^2 d}{12}$ where V = volume of crater in cubic yards.

D = distance across top of crater in yards.

d = depth of crater in yards.

 $\pi = 3.1416$. (2) A rough rule of thumb is:

(2) A rough rule of thumb is:
Fill craters under 7 yards in diameter.
Bridge or detour craters over 7 yards in diameter.

(2) Data for rough estimates of road work.

- (a) Clearing and grubbing with hand tools, medium clearing, 40 feet width, 55—140 man-hours per 100 linear yards.
- (b) Earth handling with hand tools,

Excavation in average soil with pick and shovel 0-6 feet deep —1 cu yd per man-hour.

Loading average soil into trucks, using shovel in loose soil—2 cu yds per man-hour.

- (c) Materials required for plank-tread road (1) for motor transportation—12 tons lumber and spikes per 100 linear yds.
- (d) Materials required for one-track plank road for motor transportation—35 tons lumber and spikes per 100 linear yds.

(e) Average weight of lumber is 40 pounds per cubic foot.

- (f) Materials needed for 10 foot width of crushed stone or gravel roads:
 - 4" depth spread—37 cu yds per 100 lin yd, 650 cu yds per mile.
 - 8" depth spread—74 cu yds per 100 lin yd, 1300 cu yds per mile.

1 cu yd of crushed stone weighs approximately 1½ tons, or is a light load for a 1½-T truck.

(g) Capacity of road-construction equipment:

3/8 yard power shovel—24 cu yds per hour, average soil, good operator.

Bulldozer, 60 HP-50 cu yds per hour on level, 100 ft haul.

Blade grader, 7½-ton—440 sq yds gravel road surface scar-(self-propelled) ified and reshaped per hour.

-50 cu yds of loose rock or loose earth spread per hour.

NOTE

- (1) Planks running lengthwise of road on each tread.
- 194. BRIDGE AND FERRYING EQUIPMENT .- a. Distribution of equipment.

1	2	3	4	5	6	7	8	9
			Foot	Light	Heavy ponton	Fi	xed bridge:	3
	Assault boats	Ferry units (30- ton)	bridge, M-1938 (units of 432 feet)	bridge	bridge (25-ton), M-1940 (units of 250 feet)	Portable steel bridge, H-10 capacity (feet)	Portable steel bridge, H-20 capacity (feet)	Portable trestle bridge (feet)
Engineer Battalion, Combat, Triangular Division (T/O 5-75)	10							
Engineer Squadron, Cavalry Division (T/O 5-115)	10	.,	*************	-0-4-0-0-1-0-1-0		**************	***************	
Engineer Regiment, Combat, Square Division (T/O 5-11) Engineer Regiment, Combat,					************	**************************************		************
Corps (T/O 5-171) Engineer Company, Bridge, Armored Division	30		1		***************************************			***************************************
(T/O 5-215) Engineer Company, Light Ponton (T/O 5-85)	20	2	2	3 ②	1	72	125	300
Engineer Battalion, Heavy Ponton (T/O 5-275)					4 ③	********		

NOTES

Also stocked in Corps and Army depots.
 Will provide approximately 350 feet of reinforced bridge (20-ton capacity).
 Will provide approximately 430 feet of reinforced bridge (50-ton capacity).

b. Characteristics of floating equipment. (1)

1	65	00	4	9	9	4	8 8	10 11
River	for	me of co	Time of construction for stream width of (2)	ion	Standard	Maminum londe	Capacity in units transported per hour per site (1 way) (3)	transported (1 way)
means	150 feet	300 feet	500 feet	1,000 feet	party ©	TIT PARILLE MARGO	150 300 5 feet f	500 1,000 feet feet
Assault boats					Engineer crew — 2 men	9 passengers 8 passengers and 1 MG, 30-50 cal, or 60-mm mortar 7 passengers and one 81-mm mortar	100 feet per minute if allowed to drift with current; 40 feet or less per minute if paddled against current to enable return to same point.	ute if al- with cur- r less per illed against
Footbridge	15 min	20 min	30 min	40 min	1 platoon	Personnel	Day75 men per minute (double time) Nighthalf day rate	men per minute (double time) half day rate
Raft ferries								
10-ton equipment, single ponton					Engineer crew — 7 men if rowed 3 men if use motor	Using oars — 25 men plus crew Using outboard motor — 50 men plus crew (2 infantry heavy weapons with a supply of ammunition will displace 3 men.)	300- 250- 20	2000- 400 300
2 ponton, 1-bay	1:00	1:00	1:00	1:00	1 platoon	One 1½-ton truck One 2½-ton truck, empty One 155-mm howitzer One scout car	9	70
3 ponton, 1-bay	1:15	1:15	1:15	1:15	1 platoon	One light tank One 6-ton truck	6 5	60
3 ponton, 2-bays	1:15	1:15	1:15	1:15	1 platoon	Two 1½-ton trucks One 2½-ton truck with 105-mm howitzer.	12 10 6 5	4 3 6
25-ton equipment, single ponton					Engineer crew — 9 men if rowed 3 men if use motor	Using oars — 50 men plus crew Using outboard motor — 100 plus crew	300- 250- 20 800	200- 150- 400

Other data on 25-ton equipment not yet available

b. Characteristics of floating equipment (1) (Continued):

FLOATING BRIDGES

1	63	90	7	20	9	L	8 9 10 11
River	Ti	me of c	Time of construction for stream width of (2)	on	Standard	77	Capacity in units transported per hour per site (1 way) (
crossing	150 feet	300 feet	500 feet	1,000 feet	party (3)	אל עבירווי נטמעא	150 300 500 1,000 feet feet feet
10-ton bridge	2:00	3:00	4:00	8:00	Company	All organic infantry and cavalry division loads; truck with 10-ton gross weight	500 plus vehicles per hour
20-ton bridge (10-ton reinforced)	2:30	3:30	5:00	5:00 10:00	Company plus platoon (approximately 220 men)	All corps or army loads—trucks with 20 tons gross weight	500-750 vehicles per hour
25-ton bridge	3:00	4:00	6:00 12:00	12:00	Heavy Ponton Battalion plus General Engineer Company	All Corps or Army loads—truck with 25 tons gross weight 30-ton tank at reduced speed and extended distances	500-750 vehicles per hour
50-ton bridge (25- ton reinforced)	Data	not yet	Data not yet available.	ole.			

NOTES

Most of this data is suitable only for staff planning purposes. Conditions in the field may differ widely and allowances therefor must be made.
 Time is from the time of arrival of equipment on the site and includes unloading and construction in daylight. For night increase 75%. It does not include any preparation of approach roads, which may govern. Adequate length of accessible river line is assumed.
 Normally constructed by general engineer troops.
 Two-way capacity of bridges is half that of one-way. Two-way capacity of ferries is about the same as one-way. Capacity given is for daylight; for night decrease 25%.

c. Fixed bridges.—

	Portable steel bridge, H-10 capacity	Portable steel bridge, H-20 capacity	H-15 Timber trestle bridge a
Normal span	72 ft	125 ft	15 feet-25 ft per bay, bays as required.
Width of roadway	One-track	One-track	One-track
Capacity	H-10 b	H-20 c	15-tons
Where stocked	Corps and	l army engineer	r supply points
Time to construct d	1-2 hours	4-8 hours	1-5 hours per bay

NOTES

a Bridges built for H-15 loads will carry any corps load or the tank, light (26,000-30,000 pounds). If time and materials are lacking, an H-10 timber trestle bridge can be built using fewer stringers and omitting one layer of flooring.

b Portable Steel bridge H-10 capacity will carry all organic infantry and cavalry division loads. It will carry any vehicle with a gross weight of not over 10 tons. It will also carry the tank, light (26,000-30,000 pounds) for spans of not over 48 feet.

c Portable Steel bridge, H-20 capacity will carry any corps load and any Armored or Motorized Division load to include the 30-ton medium tank.

d Exclusive of approaches; well trained troops.

195. WATER SUPPLY.—a, Troop requirements.—Average requirements © for water by troops under several conditions of service, expressed in gallons per unit (man, animal, vehicle) per day:

	In battle	March and bivouac	Temporary camp	Semi-permanent camp in rest area	Cantonment
Men	1/2 -2(2)	2	5	30	50
	3 -5(2)	10	10	30	50
	1/4-1	½-1	½-1	½-30	1/4-50

NOTES

(1) Modify according to circumstances, especially in hot climates. Maximum requirement may exceed the average by from 15 to 100 per cent.

2 1/2 gallon per man and 3 gallons per animal is the absolute minimum, for not more than three days.

b. Capacity of water-supply equipment.—

1	2	3	4	5	6
	No. of sets of water supply	Gal.	er	Gal	lons
	equip- ment	Pump	Purify	Store	Transport
Engineer Battalion (Combat) (Triangular Division) Engineer Battalion (Armored Division)	(1) 4 (1) 4	880 880	40 40	24,000 24,000	
Engineer Squadron	1 3	660	30	18,000	
Engineer Regiment (Combat) (Square Division) Engineer Regiment (Combat) (Corps)	1 4	880 440	40 20	24,000 12,000	
Engineer Regiment (General Service)	1 2	440	20	12,000	
Engineer Regiment (Aviation)	0 3	660 220	30 10	18,000	****** /*********
Engineer Battalion (Separate)	(2) 1	165	10	6,000 3,000	
Engineer Battalion, Topographic (Army)	② 1	165	10	3,000	
Engineer Battalion (water supply): Headquarters and Service Company	(3) 1	(4)1,590	(a) 420	® 55,560	
Company		5 100	70	9 22,500	② 22,500
Battalion		1,890	630	123,060	67,500

NOTES

(1) Water supply equipment, engineer. Each set includes: one portable purification unit complete with capacity of 55 g.p.m. as a simple pump, and 10 g.p.m. when purifying (filtering); three 55

g.p.m. power pumps; and two 3,000-gallon canvas storage tanks.

② Water supply equipment, topographic battalion. Each set includes: one portable purification unit (capacity as above); two 55 g.p.m. power pumps; and one 3,000-gallon canvas storage tank. Used normally in connection with map reproduction operations and available for general use in extreme emergency only.

3 Water supply equipment, water supply battalion. Each set includes: eighteen 55 g.p.m. power

pumps; eighteen 3,000-gallon canvas storage tanks; and six 260-gallon canvas storage tanks.

① Water supply equipment listed in note ② plus 6 purification trucks, each of capacity of 100 g.p.m. as simple pump.

(a) One purification truck per company, used as a simple pump.

(b) Six purification trucks listed in note (4) each of capacity of 70 g.p.m. when purifying (filtering).

1 One purification truck per company, used for purifying.

(8) Canvas storage tanks of water supply equipment. (See note (3).)

(9) Storage and transportation capacity of the thirty 750-gallon tank trucks of each company.

c. Equipment issued to troop units.—Organizations are supplied with ten-gallon cans for carrying water. A 11/2-ton truck will carry 30 cans (filled).

■ 196 DEMOLITIONS.—a. Pounds of explosives carried by units:

Unit	In lettered units	In head- quarters units	Total pounds
Armored Force:			
Reconnaissance Battalion, Armored	240		240
Infantry Regiment, Armored	120		120
Armored Regiment, Light	240		240
Cavalry:			
Hq Troop (Cav Div., Horse)		60	60
Antitank Troop (Cav. Div., Horse)	340		340
Reconnaissance Squadron (Cav. Div., Horse)	980	60	1040
Brigade Hq Troop (Cav. Div., Horse)		120	120
Brigade Weapons Troop (Cav. Div., Horse)	360		360
Regiment (Cav. Div., Horse)		140	140
Reconnaissance Troop (Triangular Div.)	320		320
Regiment (Horse-Mechanized)	960	1800	2760
Engineers:			
Battalion, Combat (Triangular Div)	2375	1000	3375
Squadron (Cavalry Div)	1650	1000	2650
Battalion, Armored (Armored Div)	1700	2075	3775
Battalion, Separate	1600		1600
Regiment, Combat (Square Div)	3300	2000	5300
Regiment, Combat (Corps)	4950	2000	6950
Regiment, General Service	3600	2000	5600
Regiment, Aviation	7425	3000	10425

b. Zones of demolitions.—

Approximate amount of explosives to create an effective antimechanized barrier in average rolling terrain with numerous streams

and routes of communication_____1 ton per square mile. In thickly settled areas _____ $\frac{1}{2}$ ton or more per square mile.

- 197. FIELD FORTIFICATIONS.—a. General arrangement of defense areas to include the battalion.
 - (1) Platoon defense area providing for all-around defense.
- (2) Company defense area composed of platoon positions, located for mutual protection by flanking fires.
- (3) Battalion defense area composed of company positions distributed in width and depth, with rearward positions covering the intervals between forward positions, and heavy weapons sited to furnish flanking fires in front of and within the position, and in front of adjacent battalion positions.
- b. Priority of work.—Under average conditions, the defensive measures taken to organize the ground will follow the general group sequence shown below. The priority of tasks within groups is not indicated, since several items of work normally proceed concurrently. The priorities are of value as a general guide, and should be modified to meet existing conditions.
 - (1) Deployed defense (when attack is imminent or already launched): Road blocks.

Antitank obstacles and mine fields.

Digging foxholes (pits for individuals).

Digging shallow emplacements for automatic weapons.

Removing small obstructions to improve the field of fire of individual weapons.

Establishing temporary command and observation posts.

Camouflage of installations and suppression of signs of occupation.

(2) Hasty fortifications (to be completed in approximately six hours):
Machine gun, mortar, and antitank gun emplacements.

Improvement of fields of fire.

Squad trenches, simple standing type, or slit trenches, in platoon positions on main line of resistance (developed by connecting individual foxholes)

Continuous obstacle in front of main line of resistance, based if possible on a natural barrier, to include antitank mine fields, tank obstacles, and road blocks.

Shallow connecting trenches between squad or slit trenches in platoon positions.

Improvement of temporary command posts, observation posts, and aid stations.

Provisions for camouflage, in all tasks, utilizing natural cover to the maximum.

(3) Improvement of hasty fortification:

(a) 1st Priority.—

Camouflage to conceal the nature, extent, and location of the principal installations.

Remaining squad trenches, simple standing type or slit trenches, on main line of resistance and in company and battalion reserve areas.

Shallow connecting trenches.

Obstacles protecting platoon positions.

Strengthening and extending natural and artificial antimechanized obstacles.

Permanent command posts, observation posts, and aid stations.

(b) 2d Priority.—

Squad trenches, simple standing type or slit trenches, in platoon and company positions on regimental reserve line. Completion of fire trenches and obstacles in company areas on main line of resistance.

Strengthening and extending natural and artificial antimechanized obstacles.

Communication trenches from regimental reserve line to main line of resistance.

(c) 3d Priority.—

Completion of trenches and obstacles in the position.

Strengthening and extending natural and artificial antimechanized obstacles.

Improvement and camouflage of covered routes of communication leading from rear areas to the regimental reserve line.

Construction of shelters.

(d) 4th Priority.—

Continued improvement of all defensive works, and their camouflage.




FIGURE 39—Trench nomenclature.




FIGURE 40—Simple standing trench (Showing development into standard fire trench, types A and B).

Type A, communications trench. (No fire step, no parapet, parados on both sides.) 17.5 sq. ft. excavation.

- c. Works (figures given are for daylight work; for work at night, increase labor by 50%).—(1) Trenches.—(a) Work capacity of a platoon of three 12-man squads for eight hours, medium soil, with pioneer tools:
 - (i) Simple standing trench (Figure 40), 120 linear yards.
 - (ii) Standard fire trench, type A (Figure 40), 48 linear yards.
 - (iii) Standard communication trench, type A, 60 linear yards.
- (b) In estimating for slit or other type trenches than the above, allow 15 cu. ft. per man hour, average soil, using pioneer tools.
- (2) Obstacles.—(a) Against personnel.—Single belt of double apron fence, 1000 yards long, requires approximately five (5) tons of materials and 380 man-hours of labor. Work capacity of 3-squad platoon in eight hours is approximately 750 linear yards of double apron fence, or 450 yards of high wire entanglement.
- (b) Against mechanized vehicles.—(i) Antitank mine field, 1000 yards long, mines laid directly from truck in 3-6 rows, density of 1½ mines per yard of front, requires:

Number	1,500 r	nines
Weight	71/2	tons
Man-hours (average)	Daylight	Night
Mines laid on surface	20	30
Mines laid and buried, soft soil	80	120
Mines laid and buried, medium soil	100	150
Mines laid and buried, hard soil	200	300
Man-hours (average) Mines laid on surface Mines laid and buried, soft soil Mines laid and buried, medium soil	Daylight2080100	30 120 150

- (ii) If trucks cannot reach and travel along the axis of the mine field, man-hours for carrying mines should be added at the following rates: in daylight, one man can carry 50 mines a distance of 100 yards in one hour; at night one man can carry 25 mines a distance of 100 yards in one hour.
- (3) Clearing.—Four man-hours of labor for clearing 100 square yards of brush and a few trees up to 12-inches in diameter; if brush only, 2 man-hours.
- (4) Machine-gun emplacement.—Simple shell-hole type requires nine (9) man-hours of labor and 200 pounds of materials.
- d. Intrenching equipment.—Sets of intrenching equipment of pioneer tools are carried in 1-ton trailers by organic combat engineers as follows:

Unit	No. of Sets	No. of Trailers
In infantry divisions (triangular) In infantry divisions (square)	3 Inf 6 Inf	6 12
In each combat regiment (corps) In cavalry divisions	2 Inf 4 Cav	4 6

Weight of cavalry set: 1,800 pounds; volume: 105 cubic feet. Weight of infantry set: 3,048 pounds; volume: 180 cubic feet.

Principal items of intrenching equipment set:

Item	Infantry	Cavalry
Axes	1 26	13
Bars, crow	4	2
Mattocks, pick	125	65
Sandbags	500	500
Saws, crosscut, hand	26	13
Shovels, D-handled	250	130
Tape, tracing, 500-ft rolls	6	6

■ 198. ROAD BLOCKS AND ANTIMECHANIZED MEASURES.—a. Classification of obstacles.

	Classification	General Purposes	Remarks
Location:	Distant-25 miles or more.	Block lines of communication at critical points.	By air bombard- ment; or demoli- tions placed by parachute or ground troops.
	Outlying-beyond normal antitank gun range (700 yards).	Impede reconnaissance, delay advance.	Placed by engineers or other arms.
	Close-in-within normal antitank gun range.	Immediate protection of front and flanks of the basic unit and front, flanks and rear of subordinate units; canalize the movement of hostile mechanized units; gain time for movement of antitank guns and mechanized forces to meet the threat; limit the freedom of movement of hostile mechanized units if portion of main battle position ruptured.	Placed by troops to be protected by the obstacle, assisted by engineers.
	Rear area-on line of communica- tions.	Protect supply routes and instal- lations. Limit freedom of move- ment of hostile mechanized units which have penetrated the main battle position.	By engineers or re- serve units.
Time required for placement	Quick	Block avenues of approach on short notice (matter of minutes).	Examples: wire rolls, cables, antitank mines, wrecked vehicles, contaminated areas (when authorized).
	Semi-quick	Block avenues of approach on fairly short notice (matter of several hours).	Examples: mine fields, demolitions, abatis, barricades, road craters.
	Deliberate	Block avenues of approach with relatively long time available.	Examples: Anti- tank ditches, post obstacles, exten- sive demolitions, inundations, mine fields.

b. Description and use.

1	2	3	4	ő	6	
	· · · · · · · · · · · · · · · · · · ·	Description		Use		
Obstacle	Class	Construction	Trans- portation	Method of installation	Rate of installation	
Wire rolls	Quick	Issue item. Wire wound in spiral. Length extended — 40 feet. Effec- tive against wheeled vehicles by entanglement	75 rolls per 1½-ton truck Group of 4 rolls placed in contact, with first roll suspended by a wire, across road at places where encountered unex- pectedly by vehicles; 30 to 50 yards be- tween groups. Insert logs inside one or two rolls on ground, and place antitank mines in front of and within each group		Two men place 1 roll in 1 minute	
Cables	Quek	Heavy wire	Several slack strands placed diagonally across road, so as to throw vehicle into ditch		Few minutes only, using trees, buildings, etc., as anchorages	
Improvised road blocks	Quick	Local vehicles, telephone poles, felled trees, furniture, rocks, demolished buildings, etc.		Heaped together. Strew with contact and antitank mines (and persistent chemical, when authorized)		
Abatis	Semi- quick	Interlocking bands of felled trees or poles		Trees of 12-inch diameter or larger; tips toward enemy. Strew with contact mines (and persistent chemical, when authorized)	Two men per tree in 15-45 minutes. Power equipment will accelerate rate of instal- lation	
Demoli- tions	Semi- quick to delib- erate	Destroyed culverts, bridges, build- ings, etc.		Explosives, mechanical means, fire	See FM 5-25, and FM 5-30.	
Post obstacles	Semi- quick to delib- erate	Logs, 9-10 feet long, 10-12 inches diameter; railroad rails; concrete blocks, etc., set vertically		Ends protruding 2–3 feet. Multiple rows, staggered	100 men (hand tools) — 20 per hour. 8 men (power auger) — 15 per hour	
Road craters	Semi- quick to delib- erate	Blown by explosives. Must block entire roadway		Minimum requirements: craters 20 feet wide, 8 feet deep, with side slopes made as steep as possible. Water makes passage more difficult	1 squad (hand tools) per crater in 1-5 hours. Power augers desirable for drilling holes for explosive charges	

b. Description and use.—(Continued):

1	2	3	4	5	6	
		Description		Use		
Obstacle	Class	Construction	Trans- portation	Method of installation	Rate of installation	
Mine fields	Semi- quick to delib- erate	3-6 longitudinal rows, 1-3 yards between rows. Density of whole: 1½ mines per yard	300 mines per 1½-ton truck	Placed along fence lines, in draws, brush, etc. for concealment. Reinforce natural obstacle	Maximum overall laying rate didirectly from trucks (carrying and burying in medium soil) about 15 mines per man-hour (Also see paragraph 197 c (2) (b).]	
Timber obstacles	Deliberate	Log or timber crib; saw-horse ramp; log wall, etc.		Space between walls filled with earth, stones, etc. Fasten timbers with drift- pins, cables, etc.	See FM 5-30.	
Inunda- tions	The state of the s					
Antitank ditch			100 feet of triang lar ditch: 32 me (hand tools) — 5½ hours in average soil			
Contamination by persistent chemical (only when specifically authorized by appropriate commander)		Contaminate road blocks, demoli- tions and obsta- cales. Contaminate roads and areas as part of a barrier mission	200 chemi- cal mines per 1½-ton truck	1 or more mines per obstacle. 200 mines per mile of road. Airplane spray: average area covered by one airplane — 800 yards long, 300 yards wide	Road contamination: 8 men— 1 to 2 hours per mile (day); 1½ to 3 hours per mile (night)	



FIGURE 41—Triangular antitank ditch and log hurdle.




FIGURE 42—Trapezoidal antitank ditch and log hurdle.




FIGURE 43—Side hill antitank ditch.

Chapter 8 SIGNAL COMMUNICATION DATA

C *		Paragraphs
SECTION 1.	General	199-202
II.	Message center	203-208
III.	Airplane messengers and pigeons	209-210
IV.	Radio communication	211-224
V.	Visual communication	225-229
VI.	Wire communication	230-235
VII.	Tables of signal equipment	236-237

SECTION I

GENERAL

- 199. CLASSIFICATION OF MESSAGES.—a. Secrecy.—In actual or simulated tactical operations, all messages not classified as Secret will be regarded as Confidential and need not be so marked.
 - b. Urgency.—Messages are classified as to urgency by the writer.
- (1) Urgent (D).—Commanders must restrict the use of the urgent classification to the most urgent messages; excessive use will defeat its purpose. Urgent classification, is reserved for messages requiring the greatest speed in handling.
- (2) Priority (P).—Priority classification is used for messages of less urgency than those entitled to urgent classification but which warrant precedence over routine messages in order to reach the addressee in time for effective action.
- (3) Routine (R).—Used for messages which require no special precedence. They are transmitted in the order in which they are received.
- (4) Deferred (D).—The deferred classification is used for those messages whose delivery to the addressee may be delayed until the beginning of office hours of the morning following the day on which they are filed. Similar to commercial "night letter."
- 200. USE OF CRYPTOGRAMS.—All messages to be transmitted by radio or other means, when danger of hostile interception exists, are cryptographed except in the following cases:
- a. When the tactical situation is such that time cannot be spared for cryptographing or when the information to be transmitted, if intercepted by the enemy, cannot be acted upon in time to influence the situation in question, a commanding officer or his authorized representative may order the transmission of a message in plain language by a radio station serving

his headquarters or command. Such written messages will be marked: "Send in clear" over the signature of the commander or his authorized representative.

- b. Commanders of units smaller than a division may authorize the normal transmission of messages in clear text which are to be acted upon immediately in rapidly moving situations.
- 201. RULES FOR USE OF CODES AND CIPHERS.—The following general rules govern the use of codes and ciphers:
- a. The instructions contained in each code book or furnished with each cipher system must be carefully studied and thoroughly understood before the code or cipher is used.
- b. Care should be exercised to prevent the loss or compromise of a code book or cipher key. If a code book is lost or possibly compromised, the fact should be reported promptly to higher headquarters.
- c. Except as indicated in rule i following, no code or cipher which has not been approved by higher authority should be employed within any unit.
- d. Never repeat a message in a code or cipher system other than in the system in which it was originally sent.
- e. Never cryptograph a message which has been sent previously in clear and never send a message in clear which has been sent previously as a cryptogram.
- f. Never mix cryptograph and clear text in the same message except as indicated in rule i following. This caution applies also to abbreviations and signs of punctuation which are equivalent to clear text.
 - g. A cryptographed message should never be filed with the clear text.
- h. Capital letters should be employed throughout in writing cryptograms in order to avoid errors. In the case of code, the grouping of the letters of the code text corresponds to the length of the code groups as given in the book; in the case of cipher, the text is written and transmitted in groups of five letters. For a complete discussion, see AR 380-5, and FM 24-5.
- i. Prearranged messages and special message codes.—In traffic by radiotelephone, it is often desirable to use some form of prearranged message or groups of letters to indicate meanings which will not readily be apparent to the enemy. These messages or groups will be changed frequently and may be prepared by local commanders as appropriate. These codes being of a temporary nature, the prohibition as to mixing of clear and cryptographed text does not apply. A map coordinate code is particularly appropriate for use in conjunction with such message codes. For example, "Advance guard motors move forward to next position" might be transmitted as "CJ" or a prearranged phrase might be used instead of a letter group. For example, "Objective taken" might be transmitted as "The fox is in his hole."

202. REFERENCES:

- FM 24-5, Signal Communication: methods and technique of signal communication, with special emphasis on that of divisions and smaller units.
- FM 11-5, Missions, Functions, and Signal Communication in General.
- FM 11-10, Organizations and Operations in the Infantry Division. FM 11-15, Organizations and Operations in the Cavalry Division

and Cavalry Corps.

- FM 11-20, Organizations and Operations in the Corps, Army, Theater of Operations, and GHQ.
- FM 24-10, Joint Army and Navy Procedure (JANP) (Applicable to both services whether or not they operate jointly).

FM 30-25, Counterintelligence.

SECTION II

MESSAGE CENTER

- 203. Purpose.—The sole purpose of the message center is to speed the transmission of messages. The message center chief selects the means of transmission of messages which are entrusted to the message center; the encryptographing and decryptographing of messages is also performed by the message center personnel.
- 204. Location.—Message centers are located at all command posts and at the rear echelon of the headquarters of larger units. Advance message centers may be established at advance command posts or at any other location where they are needed to speed the transmission of messages. They are frequently employed as collecting points for messages from several reconnaissance detachments or to facilitate signal communication with advanced units or units operating on a flank. When the commander or an echelon of the headquarters moves in column on a march, a message center operating in a vehicle accompanies the command group.
- 205. LIMITATIONS.—The message center is not organized or equipped to perform stenographic or clerical work pertaining to the headquarters which it serves. It is not equipped to prepare copies of outgoing messages for multiple distribution, nor to prepare additional copies of incoming messages for multiple distribution. When transmission of mimeographed or printed material to a number of addressees is desired, all copies required for each addressee are delivered to the message center, wrapped, packaged, or otherwise secured, and plainly marked with its destination. Each such package, envelope, or container is handled by the message center as a single message and will be delivered by messenger.

The message center is not responsible for those messages which are:

- a. Transmitted directly by the writer to the addressee by telephone or personal agency.
 - b. Handled by the military or civil postal service.
- c. Local messages between staff sections or individuals at the same location.
- 206. NUMBER OF COPIES OF MESSAGES.—Except with secret messages, the writer should provide the message center with an additional copy of each message for use by the message center should verification of delivery become necessary.
- 207. Secret Messages.—In tactical operations when time permits, secret messages will normally be carried by a staff officer or special messenger operating as a direct agent. They may be transmitted by electrical or other means available to the message center when the time of transmission can be reduced thereby. The writer of an outgoing secret message, which is to be cryptographed, submits to the message center only a single copy of the message. When the message is cryptographed the original of the plain text message is marked, "Sent in secret code" and is returned to the writer.
- 208. TIME INVOLVED IN MESSAGE TRANSMISSION.—a. Message Center.—
 (1) Recording.—Maximum time permitted for recording operations should not exceed 20 seconds. The total message center time, unless cryptographing is required, should not exceed 2 minutes.
- (2) Cryptographing and decryptographing.—The rates are based upon one man working alone.

Cipher device or code	Code groups per minute
Cipher device M-94	
Division field code	3
Air-ground liaison code	3
Fire control code	3

b. Operator.—The message rates are based upon calling, transmitting, and acknowledging receipt of a message of ten code or cipher groups or ten words of clear text with address and signature.

	Means					Rate
Telegraph	(Single Line	Manual)_	28-36	messages	per	hour
Telegraph	printer		_60-100	messages	per	hour
Radioteleg	raph		15-25	messages	per	hour
Radiotelep	hone		10-15	messages	per	hour
Lamp			10	messages	per	hour
Semaphore	flag		15	messages	per	hour
Wig-wag f	lag	-	10	messages	per	hour
Panel			30 cod	le groups	per	hour

c. Messenger:

Kind Carlos	Miles per hour
Dismounted (runner)	3-5
Mounted	6-8
Bicycle	6-10
Motor and motorcycle	25-40

SECTION III

AIRPLANE MESSENGERS AND PIGEONS

■ 209. AIRPLANE MESSENGERS.—Messages transmitted by airplane may be delivered directly by the pilot, observer, or other messenger on the ground or from the airplane in flight by radio, pyrotechnics, or other visual means, or by dropping.

Messages are picked up by airplane observers from units down to and including the battalion when requirements for a pick-up field can be met. By prearrangement, messages may be picked up from any unit or detachment. This means of message delivery is available to those ground troops equipped with panels.

■ 210. PIGEONS.—Homing pigeons may be used as one-way message carriers between the point of release and the point where they have become accustomed to find their home loft.

Normally pigeons fly during clear daylight only. By special breeding and long training, pigeons can be taught to fly at night.

Normal rate of flight: 1/2 to 3/4 miles per minute.

Normal range from home loft: 60 miles.

Time required to train birds to return to a loft after each change of location: 5 days to 2 weeks.

Maximum time birds should remain away from home loft before release: 2 days and 3 nights.

SECTION IV

RADIO COMMUNICATION

■ 211. GENERAL.—Radiotelegraphy is the normal means of radio communication.

Radiotelephony is limited to special uses between airplanes, between airplanes and ground, between vehicles of mechanized units, between ground stations and vehicles, for artillery fire control and liaison, and for control of forward combat units.


Radio communication within a tactical unit on the march may be established at prearranged times and places or between vehicular stations accompanying the units and operating while actually on the march.

Within the range of the sets radio communication is the most effective means of signal communication between rapidly moving units when the maintenance of wire and messenger communication is impracticable.


The range and quality of radio communication are seriously affected by the weather. Likewise they are affected to a varying degree, depending upon the frequency used, by the nature of the intervening terrain or obstacles, such as high hills, wooded areas, large structures of reinforced concrete and steel, pole lines carrying conductors, and by the time of day (or night).

- 212. ENEMY INTERFERENCE.—Hostile radio stations can interfere deliberately with our radio communication by blocking a single frequency or band of frequencies and by deception, that is, causing our stations to accept false or erroneous information and messages.
- 213. ENEMY INTERCEPTION AND POSITION FINDINGS.—Radio communication is subject to interception by hostile stations. The approximate number and locations of our radio stations can be determined by hostile position-finder stations. From this information the enemy can estimate the disposition and approximate strength of our forces. These disadvantages of radio communication can be minimized by:
- a. Curtailing the use of radio when the information transmitted would be of most value to the enemy.
- b. Establishing dummy stations and sending false messages to cause errors in his deductions.
- c. Rigid radio discipline and the habitual use of authorized codes and ciphers for all radio messages.
- d. The habitual use of simple prearranged codes during tactical operations. Prearranged messages or phrases containing information which it is anticipated reconnaissance and security detachments will secure, or directing the executing of prearranged plans, can be transmitted by a single code word or group.


■ 214. Type Radio Nets, Square Division.




■ 215. Type Radio Nets, Triangular Division.




■ 216. TYPE RADIO NETS, CAVALRY DIVISION.—(Upper) Antiaircraft-Antitank Warning Net. (Lower) Cavalry Division Command Net.







217. Type Radio Nets, Cavalry Division (Cavalry Brigade).



■ 218. Type Radio Nets, Cavalry Division (Division Artillery).



■ 219. TYPE RADIO NETS, CAVALRY DIVISION (Reconnaissance Squadron, Mechanized).



220. Type Radio Nets, Armored Division.

 Division Command Net:
 a. Div Comdr and or Div AC of S, G-3 a. Div Comar andfor Div AC b. Brig Ex, Armd Brig c. Regtl Ex, Inf Regt, Armd d. Ex O, FA Bn e. Ex O, Div Ren Bn f. Asst to Div AC of S, G-4 g. Div Sig O h. Div Mag Cen O 2. Division Reconnaissance Net: a. Div AC of S, G-2 b. Int O, Ren Bn c. CO Ren Co No 1 d. CO Ren Co No 2 e. Engr Ren O
f. Arty Ren O
g. Arty Ln O 3. Division Air-Ground Net No. 1: a. Div A O
b. A Ln O No 1
c. A Ln O No 2
d. Obsn AP of C Avn F. C Avn Adrm I. Division Air-Ground Net No. 2: a. Div A O b. Obsn Ap in flight c. Adv Landing Fld d. Div Obsn Adrm

5. Division Administrative Net:
a. Div AC of S, G-4
b. CO Div QM Bn
c. CO Div Ord Co
d. CO Div Med Bn
e. CO Div Hq Co
f. CO Div Sig Co

6. Division Relay Net: a, Div CP b. Div Rr Ech c. Div Tns

7. Command Not, Armored Brigade:

Command Not, Armored Brigade:
a. CG Armd Brig
b. Ex O 1st Armd Regt (L)
c. Ex O 2d Armd Regt (L)
d. Ex O Armd Regt (M)
e. Ex O FA Regt 75-mm how Armd
f. Ex O Engr Bn Armd

8. Command Net, FA Regt, 105-mm how, Armd:

a. CO FA Regt b. Ln O No 1 c. Ln O No 2 d. Ln O No 3 6. Ln O No 4 f. OP g. M Maint O h. Regt Sup O i. CO Btry A i. CO Btry B k. CO Btry B
k. CO Btry C
l. CO Btry D
m. Ren O No 1
n. Ren O No 2
o. CO C Tns

9. Fire Direction Net No. 1, FA Regt, 105-mm how,

Fire Direction Net No. Armd:

Armd:

a. Regtl S-3

b. Ln O No 1

c. Ren O No 1

d. Asst Ex O Btry A

e. Asst Ex O Btry B

f. Ln O No 3

10. Fire Direction Net No. 2, FA Regt, 105-mm

how, Armd: a. Regtl S-2 b. Ln O No 2 c. Asst Ex O Btry C d. Asst Ex O Btry D e. Ln O No 4

11. Fire Control Net, Battery A (Nets for Batteries B, C, and D are similar):

a. Co Btry A b. Ren O c. Ex O d. M O

Field Artillery Air-Ground Net:
 CO FA Rgt, 75-mm how, Armd
 Obsn APs in flight

13. Command Net, Field Artillery Battalion, Ar-

mored: a. CO FA Bn Armd b. Ex O FA Bn Armd c. Ln O No 1 d. Ln O No 2 e. Ln O No 3 f. Ln O No 4 g. Ren O No h. Ren O No 2 i. OP j. M Maint O k. Bn S-4 l. CO Btry A m. CO Btry B
n. CO Btry C
o. CO AT Btry
p. CO C Tn

14. Fire Direction Net No. 1, FA Bn Armd:

a. Bn S-3 b. Ln O No 1 c. Ln O No. 3 d. Ren O No 1 e. Ren O No 2 f. Ln O No 2 g. Ln O No 4 h. Asst Ex O Btry A
i. Asst Ex O Btry B
j. Asst Ex Btry C

15. Fire Control Nets, FA Bn Armd:
The Fire Control Nets of Batteries A, B,
C and the Antitank Battery are organized
in a manner identical to the Fire Control
Nets of the batteries of the Field Artillery
Regiment in the Armored Brigade. (See 11 above.)

16. Command Net, Armored Division Reconnais-sance Battalion:

CO Div Ren Bn b. CO R Co
c. CO Armd Co (L)
d. CO Armd Ren Co No 1
e. CO Armd Ren Co No 2 f. Bn S-4 g. Bn M O h. CO Bn Tns

h. CO Bn Tns
i. Plat Comdr 1st Plat Inf Co Armd
j. Plat Comdr 2nd Plat Inf Co Armd
k. Plat Comdr 3rd Plat Inf Co Armd
l. Plat Comdr 4th Plat Inf Co Armd
m. Plat Comdr 1st Plat Armd Co (L)
n. Plat Comdr 2d Plat Armd Co (L)
o. Plat Comdr 3d Plat Armd Co (L)

TYPE RADIO NETS, ARMORED DIVISION (Continued):

- 17. Command Net, Armored Reconnaissance Company No. 1, (Command Net, Armored Reconnaissance Company No. 2 is similar):
 - Armd Co
 - b. Plat Comdr, 1st Plat Armd Ren Co c. Sec Leader 2d Sec Armd Ren Co

 - d. Plat Comdr 2d Plat Armd Ren Co e. See Leader 4th Sec Armd Ren Co f. Plat Comdr 3d Plat Armd Ren Co g. See Leader 6th Sec Armd Ren Co
 - h. Plat Comdr 4th Plat Armd Ren Co i. Sec Leader 8th Sec Amd Ren Co j. Plat Comdr Mtel Plat

 - k. Co M O
- 18. Command Net, 1st Armored Regiment, Light,
 (see also 22):
 a. CO Armd Regt (L)
 b. Regtl M O
 c. CO Serv Co
 d. CO 1st Bn
 e. CO 2d Bn
 f. CO 3d Bn
 g. CO MG Co
 h. Plat Comdr 1st Plat MG Co
 i. Plat Comdr 2d Plat MG Co
 j. Plat Comdr 3d Plat MG Co
 j. Plat Comdr 4th Plat MG Co
 l. Plat Comdr 4th Plat MG Co
 l. Plat Comdr Tomport Co
 k. Plat Comdr Tomport Co
 k. Plat Comdr September Se
- 20. Command Net, Armored Reconnaissance Company, 1st Armored Regiment, Light:
 This net is identical to the Command Net of the Armored Reconnaissance Company shown in 17 above less the motorcycle platoon. (See also 22.)
- Command Net, 1st Battalion, Armored Regiment, Light (Command Nets for the 2d and 3d Battalions are similar. See also 22.):
 - a. CO 1st Bn Armd Regt (L)

 - b. CO 1st Armd Co c. CO 2d Armd Co d. CO 3d Armd Co

 - d. CU 3d Armd Co
 e. Plat Comdr 1st Plat 1st Armd Co
 f. Plat Comdr 2d Plat 1st Armd Co
 g. Plat Comdr 3d Plat 1st Armd Co
 h. Plat Comdr 1st Plat 2d Armd Co
 i. Plat Comdr 2d Plat 2d Armd Co
 j. Plat Comdr 3d Plat 2d Armd Co

 - k. Plat Comdr lat Plat 3rd Armd Co l. Plat Comdr 2d Plat 3d Armd Co m. Plat Comdr 3d Plat 3d Armd Co
- 22. 2d Armored Regiment Light: Nets are organized in the 2d Armored Regiment, Light, in a manner identical to that indicated in 18 through 21 above for the 1st Armored Regiment, Light.

- 23. Command Net, Armored Regiment, Medium:
 - a. C O Armd Regt (M) b. Regtl M O

 - d. Ex O 1st Bn Armd Regt (M)
 e. Ex O 2d Bn Armd Regt (M)
- 24. Command Net, 1st Battalion, Armored Regiment, Medium (Command Net for 2d Battalion is similar):
 a. CO 1st Bn
 b. CO 1st Co
 c. CO 2d Co
 d. CO 3d Co

 - a. CO 3d Co
 e. Plat Comdr 1st Plat 1st Co
 f. Plat Comdr 2d Plat 1st Co
 g. Plat Comdr 3d Plat 1st Co
 h. Plat Comdr 1st Plat 2d Co
 i. Plat Comdr 2d Plat 2d Co
 j. Plat Comdr 3d Plat 2d Co

 - b. Plat Comdr 1st Plat 3d Co l. Plat Comdr 2d Plat 3d Co m. Plat Comdr 3rd Plat 3d Co
- 25. Command Net, Infantry Regiment, Armored:
 - a. CO Inf Regt Armd b. Regtl M O
 - Co


 - c. CO Serv Co d. CO 1 Bn e. CO 2nd Bn f. CO AT Co
 - g. Regtl Com O (also a silent station in division air-ground net)
- 26. Command Net, Engineer Battalion, Armored:
 a. CO Engr Bn
 b. CO 1st Co

 - c. CO 2d Co d. CO 3rd Co


 - e. Plat Comdr Ren Plat Hq Co
 - f. Bn M O
 - g. Bn S-4
- 27. Clear Channel Requirements:

The net organization indicated in 1 to 26 above requires 41 clear channels within the frequency range of the authorized vehicular sets. In addition, channels for the SCR-194 and SCR-195 sets are required in general as follows: 4 for the infantry regiments, armored; 10 for the field artillery regiment; and 8 for the field artillery battalion. The infantry regiment, armored requires in addition, one (1) channel for the operation of a regimental command net employing low-powered portable sets. These channels are minimum requirements; availability of additional channels permits reduction of number of stations in any particular net. Additional artillery air-ground channels are particularly desirable. The net organization indicated in 1


■ 221. Type Radio Nets, Army Corps (Less Field Artillery Brigade and Cavalry Regiment, Horse and Mechanized).



222. TYPE RADIO NETS, ARMY CORPS (Field Artillery Brigade).



■ 223. Type Radio Nets, Army Corps (Cavalry Regiment, Horse and Mechanized).



224. RADIO SETS, CHARACTERISTICS.

1 -	8	3	4		6	7	.8	9
Set SCR		ype nals	Range (miles)		uency KC	Power for trans-	Weight	Description and
	Trans	Rec		Trans	Rec	mitter		remarks
131	CW3	CW3	5	3,960- 4,360	3,960- 4,360	Hand Gen 10V and 400V	76	Loop set. Carried by 2 men. Command net Inf Brig and Regt.
161	CW(3)	CW3	5	4,370- 5,100	4,370- 5,100	Hand Gen 10V and 400V	76	Loop set. Carried by 2 men. Command net for FA within Inf Div
163-A	CW3	CW3	40	2,300- 2,700	2,300- 2,700	Hand Gen 8V and 350V	154	Pack set for transporta- tion on one animal. Replaced by SCR-203.
171	CW3	CW3	15	2,640- 3,040	2,640- 3,040	Hand Gen 10V and 400V	179	Carried in vehicle. Command set Inf Div.
177 177-A 177-B	CW® Tone Voice	CW3 Tone Voice	100 70 30	400 800 and 1,500– 4,500	400- 1,000 and 1,500- 4,500	Gas Eng Gen set 14V and 1,000V	900 177 850 177-A 860 177-B	Carried in vehicle. Command set for higher headquarters. Air-ground set. Replaced by SCR-177-B.
178 179	CW(3) Tone Voice	CW3 Tone Voice	25 20 10	2,400- 3,700	2,400- 3,700	Hand Gen 8V and 500V	203	Air-ground set for FA. When fitted for pack animal transportation is known as SCR-179.
AA-183	Tone Voice	Tone Voice	45 30	6,200- 7,700	② 224 448 and 4,150- 7,850	Dynamotor	63	Aircraft command set. All types of airplanes.
AB-183	CW® Tone Voice	Tone Voice	45 45 30	6,200- 7,700	② 201- 391 and 4,200- 7,700	Dynamotor	50.5	Aircraft command set. All types of airplanes.
VC-183 VD-183	CW(3) Tone Voice	Tone Voice	45 45 30	6,200 7,700 and 3,050- 3,800	224- 7,850	Dynamotor	45	Aircraft command set. All types of airplanes.
AE-183	CW3 Tone Voice	Tone Voice	45 45 30	6,200- 7,700 and 3,050- 3,800	200- 390 and 2,500- 7,850	Dynamotor	45	Aircraft command set. All types of airplanes

⁽¹⁾ Additional coil sets available but not issued with setwill extend receiving range from 150 to 12,500 KC.

² Coil sets available but not furnished as component part of set will extend frequency range. See Signal Corps General Catalog.

③ CW means continuous wave telegraph.

RADIO SETS, CHARACTERISTICS (Continued):

1	2	3	4	5	.6	7	8	9
Set SCR		ype nals	Range (miles)		uency KC	Power for trans-	Weight	Description and
	Trans	Rec	()	Trans	Rec	mitter	(000)	remarks
AF-183	CW3 Tone Voice	Tone Voice	45 45 30	† 3,050– 3,800 and † 6,200– 7,700 * 6,200– 7,700	7,850 201- 398 and 4,150-	Dynamotor 700	45	Aircraft command set. †Frequency band for attack planes. *Frequency band for all other types planes.
AG-183 AH-183 AJ-183 AK-183	CW3 Tone Voice	Tone Voice	45 45 30	2,500- 7,700	201- 398 and 2,500- 7,700	Dynamotor	56	Aircraft command set. All types of airplanes.
AA-185 AB-185	CW① Tone Voice CW③ Tone Voice	Tone Voice	250 100 10 750 500 250	400- 800 1,500- 4,500	400- 4,700	Dynamotor	380	Observation aircraft set.
187-A	CW3 Tone Voice	CW3 Tone Voice	750 500 250	1,500- 12,500	1,500- 18,000	Dynamotor	375	Medium range aircraft liaison set.
AA-187	CW(3) Tone Voice	Tone Voice	750 500 250	3,000- 4,500 and 6,200- 7,700 and 10,000- 12,500	150- 12,500	Dynamotor	144	Medium range aircraft liaison set.
AB-187	CW3 Tone Voice	Tone Voice	750 500 250	1,500- 6,200	150- 12,500	Dynamotor	144	Medium range aircraft liaison set.
AC-187	CW3 Tone Voice	Tone Voice	750 500 250	400- 12,500	150- 12,500	Dynamotor	144	Medium range aircraft liaison set.
188-A	CW(1) Tone Voice	CW3 Tone Voice	‡ 100 ‡ 70 ‡ 50	1,500— 12,500	1,500- 18,000	Gas Eng Gen Set 14V and 1,000V and will operate on 110-220 volts 60 cycles	1,385	Carried in vehicle. Airground set for Air Corps. \$Transmission distances can be greatly increased by using high frequency.

RADIO SETS, CHARACTERISTICS (Continued):

1	2	3	4	5	6	7	8	9		
Set SCR	Set signals		Range in H			Power for trans-	Weight (lbs)	Description and		
	Trans	Rec	, , , , ,	Trans	Rec	mitter		remarks		
193	CW3 Tone Voice	CW3 Tone Voice	‡ 60 ‡ 40 ‡ 20	1,500- 4, 500	1,500- 4, 500	Dynamotor	195	Vehicular set for use in tanks, armored cars, etc. \$Stationary, approximately half these values when moving.		
193-A 193-B 193-C 193-D 193-E	CW(3) Tone Voice	CW(3) Tone Voice	‡ 60 ‡ 40 ‡ 20	1,500- 4, 500	1,500- 18,000	Dynamotor	190	Vehicular set for use in tanks, armored cars, etc. \$Stationary; approxi- mately half these values when moving.		
194	Voice	Voice	5	27,700– 52,200	27,700– 52,200	Battery BA-32 +144V +4½V +3V -13½V	89 * 2 6	Carried by one man, pack animal, or vehicle. Weight includes spare parts chest. *Weight carried by one man for operation.		
195	Voice	Voice	5	52,800- 65,800	52,800 65,800	Battery BA-32 +144V +4½V +3V -13½V	91 * 26	Carried by one man, pack animal, or vehicle. Weight includes spare parts chest. *Weight carried by one man for operation.		
197-A 197-B 197-C	CW3 Tone Voice	CW® Tone Voice	Long range 400W output probably 1,000 on CW 700 on T and 300 on V	1,500- 18,000	1,500- 18,000			Air-ground set for higher headquarters. Aircraft warning service. Vehicular set contained in truck and trailer.		
203	CW3 Tone Voice	CW(3) Tone Voice	30 20 5	2,200- 3,060	2,200- 3,060	Hand Gen 8V and 350V	162	Pack set for transporta- tion on one animal. Replaces SCR-163-A.		
209	CW(3) Tone Voice	CW(3) Tone Voice	25 20 10	2,200- 2,600	1,500- 4,500	Dynamotor 12V and 440V	164	Vehicular set. Replaced by SCR-245.		
210-A 210-B 210-C 210-D	CW® Tone Voice	CW(3) Tone Voice	;	E C	.1,500- 18,000		85	Vehicular set. Receiver only.		

RADIO SETS, CHARACTERISTICS (Continued):

1	2	3	4	5	6	7	8	9		
Set SCR	Type signals		Range (miles)	Frequency in KC		Power for trans-	Weight (lbs)	Description and		
5026	Trans	Rec	(11000)	Trans	Rec	mitter	(100)	remarks		
238-A	CW(3) Tone Voice	CW3 Tone Voice	50 40 30	1,500- 8,100	1,500- 18,000	Dynamotor	129	Aircraft command set.		
245-A to 245-H	CW3 Tone Voice	CW® Tone Voice	45 35 2 0	2,000- 4,500	1,500- 18,000	Dyna- 'motor	181	Vehicular set. Transmitter has provisions for four plug-in type crystals. (FT-171). Number of crystals available will be as authorized for each using organization.		
288	CW3 Voice	CW3 Tone Voice	15 8	3,500- 6,000	2,300- 6,700	Hand Gen 6V and 280V	65	Antenna 30 feet wire. Will temporarily replace sets SCR-131 and 161 until sets SCR-284 and 285 are available.		

SECTION V

VISUAL COMMUNICATION

- 225. EMPLOYMENT.—Visual communication is unsuited for the transmission of long messages but is well suited for transmitting prearranged signals, short code groups, and brief messages for fire control, laterally and from front to rear between small units and between ground and airplanes.
- 226. LAMPS.—Signal lamps are authorized for issue to headquarters of light field artillery battalion, and signal stations of coast artillery harbor defense headquarters only. Signal lamps may be improvised by using standard flashlights.
- 227. FLAGS.—The general use of flags as a means of visual communication has been discontinued.
- 228. PYROTECHNICS.—Pyrotechnics are an emergency means of sending short urgent messages. Due to the limited number of distinguishable signals available, meanings assigned to signals are usually limited to the following uses:

- a. From front-line units to cause artillery fire to commence, cease, or lift.
- b. To indicate arrival of units at important terrain features or to coordinate attacks when no other means are available.
- c. From airplanes to call for display of marking or identification panels.

Meanings are assigned pyrotechnic signals by the superior headquarters in signal operation instructions and should be changed frequently for secrecy and to prevent the enemy from using similar pyrotechnics to confuse infantry-artillery liaison.

229. Panels.—a. Use.—Marking panels are displayed by troops in combat on signal from the infantry liaison airplane in order that the airplane may report their progress and location to higher headquarters. These panels are issued on the basis of 3 black and 3 white to a rifle squad and should be used for no other purpose than that for which issued; the black panels are used on snow.

Signaling panels are issued for communicating with aircraft and for the location and identification from the air of unit command posts on request by aircraft.

An identification code number is assigned to each headquarters in signal operation instructions. The unit is identified from the air on request by friendly aircraft by displaying the identification group indicator prescribed in the current air-ground liaison code in combination with the numerical identification number assigned to the unit in the current signal operation instructions. See FM 24-5.

- b. Display grounds.—Panel display grounds are located near the radio station since the panel operators are normally also the radio operators, and communication from the airplane is normally by radio. Care must be exercised to see that panels are displayed only to friendly aircraft who have identified themselves as such by use of a prearranged signal or code group. Upon the approach of hostile aircraft the friendly airplane should first be warned and then panels should be taken up and concealed.
- c. Communication with airplane.—In an emergency, when a ground station is not equipped for radio reception or when the radio transmitter of an airplane is silenced or out of commission, an airplane may communicate to a limited degree with a ground panel station by means of various maneuvers of the airplane while in flight. No standard code has been developed for this means of communication but any code used should be prescribed in signal operation instructions. Individual units devise such codes by coordination with observation aviation designated to operate with them. Adjustment of the fire of field artillery batteries using only panel signals and airplane wing signals is both rapid and practicable.

SECTION VI

WIRE COMMUNICATION

- 230. TELEPHONE.—a. Powers and limitations.—The distance over which satisfactory telephone communication is possible is determined by the electrical characteristics of the telephone circuit. A given type of wire circuit has a definite talking range (paragraph 232 b). Telephone conversations should be brief. Long conversations deprive others of the use of the circuits. The telephone should not be used for long reports, orders, or messages when messenger or telegraph communication would serve as well or better. Telephone conversation must be discreet since secrecy is never assured.
- b. Urgent calls.—Because of the limited number of wire circuits between telephone centrals, they will often be found busy. In order to avoid delaying an important critical call, certain designated personnel may be authorized to class a telephone call as urgent when they believe it is more important than any call which may be in progress. In placing an urgent call the calling party adds "Urgent call" after the designation of the called party, as: "Magic six, urgent call." The urgent classification should be used cautiously. An urgent call is completed by a switchboard operator with all possible haste by interrupting any routine call which may be in progress.
- 231. TELEGRAPH PRINTER.—The telegraph printer is a telegraph instrument designed for interchanging printed messages between two or more stations. It is employed between headquarters in the same manner as the manual telegraph. Data relative to the employment of the telegraph printer will be found in FM 11-5.
- 232. WIRE COMMUNICATION DATA.—The following data are furnished for use in planning for the construction of wire lines:
- a. Rates of construction.—(1) Field wire line.—Construction unit: 1 wire-laying team (FM 11-10 and 11-15).

1	2	3	4	5	
		Miles 7	per hour		
Wire laying equipment	One c	ircuit	Two circuits concurrently		
	Cross country	Roads	Cross	Roads	
Reel cart RL-16 Carrier RL-24, RL-24-A, or RL-34 Reel unit RL-26 or RL-26-A (mounted	1 1/2	11/2 2	1	11/2	
in truck) Axle RL-27 or RL-27-A Reel unit RL-31 (mounted in truck)	3-5 1 3-5	3-5 1 1/2 3-5	3-5	3-5	

(2) Open wire pole line.—Construction unit: 1 construction platoon of war-strength construction company (FM 11-20).

1	2	3	
Type of construction	Weight of material in pounds per mile	Average miles per 3-hour day a	
Iron pole line, 1 circuit on cross arm and single wire on top of pole	6,420	. 3	
Iron pole line, 2 circuits on cross arms and single wire on top of pole Light pole line, 3 circuits on 6-pin cross arm. (Light 20-	7,042	21/2	
foot poles or 4 by 4's with 2 by 4's for cross arms with knob insulators) Standard pole line, 5 circuits on 10-pin cross arm.	5,093	21/2	
Poles to be serviced and set, using earth-boring ma- chine Stringing wire on installed poles—addition of one 10-pin	11,590	2	
cross arm with 5 circuits Single-bracket line on installed poles	3,598 466	5 20	

NOTE


- a. The rate at which open wire lines may be constructed will depend upon the size of the working party, the number of circuits required, the weather, and the type of terrain, and the facilities for distributing poles and materials. The chief factors are transportation and road congestion. The data listed above are based on the assumption that the poles and material have been distributed along the route and that average conditions prevail.
- b. Normal talking range on wire circuits.—Using standard equipment without repeaters, the normal talking ranges on nonloaded wire circuits are as follows:

1	2 . 3		4				
Wire type	Range in miles	Weight (pounds per mile)	Remarks				
W-38	18	240	Commercial outside distributing wire				
W-73	50	39	No. 17 AWG bronze, 8-inch spacing, dry weather				
W-74	200	166	Commercial bare copper No. 10, AWG, 12-				
W-108	18	216	inch spacing, wet weather Commercial parallel drop wire				
W-110	15	132	Field wire, dry weather				
W-110	10	132	Field wire, wet weather				
W-110-B	17	132	Field wire, dry weather				
W-110 B	11	132	Field wire, wet weather				
W-130, T-1	9	31 31	Infantry assault wire, dry weather				
W-130, T-1	9 6 9	31	Infantry assault wire, wet weather				
W-130, T-3	9	49	Field Artillery assault wire, dry weather				
W-130, T-3	6	49	Field Artiflery assault wire, wet weather				


c. Replacement requirements of field wire W-110 per day of combat (expressed in miles of wire):

1	2	3	4	5	6	7	8	9	10	11
	Infantry Division (Square)					Infantry Division (Triangular)				
Type of combat	Inf Brig	FA Brig	Sig Co	Others	Total	Inf Regt	3 Inf Regts	Div FA	Sig Co	Total
Attack in a										
meeting engagement	20	160	25	2	227	8	24	76	30	130
Defense in a	4.0				000			m o	-	
meeting engagement	10	160	20	2	202	5	15	76	24	115
Attack of a position:	00	177	40		980	10	40	0.4	0.5	107
First day	80	175	40	4	379	16	48	84	35	167
Succeeding days	60	90	30	3	243	10	30	42	30	102
Defense of a position:	20	110	25	4	179	6	18	52	24	94
First day	10	90	20	1	131	4	12	42	20	74
Attack of a zone:	10	30	20	1	101	7	14	*26	20	1.2
First day	40	90	40	2	212	8	24	42	35	101
Succeeding days	60	90	30	ī	241	10	30	42	30	102
Defense of a zone:	00	00	00	1	~~~	10	00	1.00	00	102
First day	20	165	25	4	234	8	24	77	30	131
Succeeding days	10	90	20	1	131	4	12	42	20	74
Delaying action	60	210	60	4	394	10	30	100	40	170
Retirement:			30							
Night	20	165	25	2	232	8	24	77	30	131
Daylight withdrawal	80	210	60	4	434	16	48	100	40	188


■ 233. Type Wire Nets, Square Division.



■ 234. Type Wire Nets, Triangular Division.



■ 235. Type Wire Nets, Army Corps.



SECTION VII

TABLES OF SIGNAL EQUIPMENT

■ 236. GENERAL.—This section lists in ready reference form the principal items of signal equipment issued to troop units of the triangular and square divisions. It indicates a suitable method of asembling signal data applicable to any unit. Similar tables should be prepared and kept up to date by Signal or Communication Officers of each unit.

237. a. PRINCIPAL ITEMS OF SIGNAL CORPS EQUIPMENT.-INFANTRY DIVISION (Triangular).

SIGNAL COMMUNICATION DATA						
AT Biry mm	10					
Firing Biry FA	8 8					
Hq Bhry FA Bn M	8 84 9 8 11 2 1					
Firing Bhry FA	3 3 8					
Hq Bury Bury Bur L	20 20 4 4 2 2					
Hq Bhry Die Arty	0 04 0 1 2 1 1 1 1					
C C C C C C C C C C C C C C C C C C C	2					
Regarder Cook	1 22 1 2 2 1 1 1					
Regul Sec Inf Regul Hq	2 3 4 4 11 6 7 4 15 6 1					
Ren Plat, Ren Tr	1 4					
Ren Tr Hq	910					
Sig Co Co DHQ)	801 120 801 120 80 111 120 80 110 110 110 110 110 110 110 110 110					
S Weight (lbs)	25.55 25.55					
Type	RL 27-A LC-31 SCR 169 M-94 (C-114 C-114 C-161 M-113 M-113 M-113 AL-120 AL-120 AL-120 AL-120 AL-120 AL-120 AL-120 AL-120 AL-120 SCR 131 SCR 131 SCR 177-B SCR 177-B SCR 177-B SCR 177-B SCR 177-B SCR 177-B SCR 177-B SCR 177-B SCR 177-B SCR 177-B					
I Unit	Axie (wire-laying, hand) Axie (wire-laying) Charging set Codes Codes Coil (repeating) Fig kit Fig kit Frequency meter set I Frequency meter set Projector, signal, ground (1) Radio set (5 mile, CW (1) Radio set (15 mile, CW (1) Radio set (25 mile, CW (2) Radio set (5 mile, voice)					
	210 200 200 200 200 200 200 200 200 200					

a. PRINCIPAL ITEMS OF SIGNAL EQUIPMENT. - INFANTRY DIVISION (Triangular) (Continued):

	SIGN	VAL COMMUNICATION DATA
16	AT Bbry 76-mm	10
14	Firing Btry FA M	04 0 0 m 00 m 00 m 00 m 00 m 00 m 00 m
18	Br. F.A.	9 999 91 499
18	Firing Bury FA L	88 8 818
11	H FA Bn L	1686 1-12 888 8
10	Hq Bury Div	1 30 25 5
6	AT Co	1 10
90	Beet Head	4-1 4-4
2	Regul Negul Ho Co	∞ ∺ 40 ∺ 34 ∞ ∞ ∞
9	Ren Plat, Ren Tr	
10	Ron Tr Hq	
4	Sig Co (DHQ)	ගන ශාලාබන ආපිසිසි
92	Weight (lbs)	(28 0) 181 0 275 275 375 375 375 375 375 375 375 375 375 3
- Gr	Type	SCR 196 SCR 245 SCR 245 SCR 288 SCR 288 SCR 288 RL 16 RL 26-A RL 31 RL 36-A RL 31 RL 36-A RL 13 RL 36-A RL 13 RL 36-A RL 13 RL 26-A RU 110 W 110 W 110
I	Unit	Radio set (5 mile, voice) Radio set (15 mile, CW ®) Radio set (15 mile, CW ®) Red unit (hand) Reel unit (truck) Reel unit (truck) Reel unit (hand or truck) Signal lamp Switchboard (40-line, telephone) Switchboard (6-line, telephone) Switchboard (6-line, telephone) Switchboard (12-line, telephone) Switchboard (12-line, telephone) Witch will (12-line, telephone) Telegraph, printer set Telegraph, printer set Telephone Wire, mile (on DR 4, ½ mile) Wire, mile (on DR 5, 1 mile)
		8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8

NOTES

Also 2 per Infantry Company Headquarters and 1 per Infantry Platoon. 3 per Rifle Squadron. Training editions.

1 per Rifle Company and Platoon. CW means continuous wave telegraph.

0000000

Weight carried for operation.

Training set, temporarily replaces SCR 131 and SCR 161.

Consists of telephone and ½ mile assault wire, also 20 per Weapon Company and 2 per Rifle Company.

b. Principal Items of Signal Corps Equipment-Infantry Division (Square).

91	AT	01
15	string Btry 155- mm How	23 44 51 8
14	Hq Bury F FA Bn 155- mm How	20 24 9 00 11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
13	Hq Bury FA Regt 155- mm How	2 24 11 12 1
128	Firing Btry FA 105- mm How	2 # # IS
11	Hq Btry FA Bn 105- mm How	9 24 9 8 11 1 1 1
10	Hq Btry FA Regt 105- mm How	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
6	Hq Btry FA Brig	2 2 4 4 2 2 2 2 2 2 1 1 1 1 1 1 1 1 1 1
00	AT Co	8
8	Regit Regit Had Ban Had	1 24 2 2 1 1
9	Regul Sec Inf Regul Hq	2 24 216 1 8
9	H Co Las Brig	2 2 4 8 1 1 1 1
*	Sig Co (DHQ)	2 17 2 17 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
60	Weight (lbs)	255 225 225 225 225 225 225 225 225 225
63	Type	RL-27-A LC-31 SCR 169 M-94 C-161 C-161 M 133 M 133 M 133 M 133 AL-119 and AP-30-A AP-30-A AP-30-A AP-30-B SCR 171 SCR 171 SCR 171 SCR 178 SCR 178 SCR 178
1	Unii	Axle (wire-laying, hand) 4 Charging set 5 Cipher device. 7 Coil (loading) 8 Coil (repeating) 9 Flag kit (signaling) 11 Frequency meter. 12 Lineman's equipment 13 Panel (front-line marking) 14 Panel (signaling) 15 Frojector, signal, ground @ 16 Radio set (5 mile, CW @) 17 Radio set (15 mile, CW @) 18 Radio set (15 mile, CW @) 19 Radio set (25 mile, CW @) 20 Radio set (25 mile, CW @) 21 Radio set (25 mile, CW @) 22 Radio set (5 mile, CW @) 23 Radio set (5 mile, CW @) 24 Radio set (5 mile, CW @) 25 Radio set (5 mile, CW @) 26 Radio set (5 mile, CW @) 27 Radio set (5 mile, CW @)

320

b. Principal Items of Signal Equipment-Infantry Division (Square) (Continued):

									-					
16	AT	000000000000000000000000000000000000000	10	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		8 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		9 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0			0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	E 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
15	Firing Btry 155- mm How	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0		0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	616			63	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	8 0 0 0 0 0	6	-	00
14	Hq Birry FA Bn 155- mm How	000000000000000000000000000000000000000	61		0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	67 (20.0	1	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	07.	-	14	01	16
13	Hq Btry FA Regt 155- mm How	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		0 0 0	030	79		0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	070	70	10	67	16
18	Firing Btry FA 105- mm How	6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	0 0 0 0 0 0 0 0 0 0		0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	63 (N		63	0 0 0 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	4 8 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	6	-	00
11	Hq Biry FA Bn 105- mm How	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	63		0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	010	20.	1		07.	-	16	01	16
10	Hq Btry FA Regt 105- mm How	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0		0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	010	77		0 0 0 0 0 0 0 0 0	010	20	10	7	16
6	Hq Bhry FA Brig		**			63 (7		***********	631	۵	10	00	24
00	AT Co	5	-	10	-	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0			0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0			6 0 5 4 8 6 8 8 8 9 6 0 8
4	Bn See Inf Regtl Hq Co Co Bn Hq	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Ŧ	63	-	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		-	,	-	4	**	8 S S S S S S S S S S S S S S S S S S S
9	Regtl Sec Inf Regtl Hq	00	yerl	4	67		9 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		2 2 2 2 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	07.	41	90	9	9
9	Hq Co Inf Brig	0 0 0 0 0 0 0 0	61		0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	9 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8		2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	63 6	20	90	90	00
4	Sig Co (DHQ)	0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0		0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	000	ю	က	9	9	x 4	09	62	63
62	Weight (lbs)	91	(26 ©) 181 65	534	73	275	200	250	48	88	0,75	10	176	32
æ	Type	SCR 195	SCR 245 SCR 288 (2)	CE-11 ®	RL-16	RL-26-A	EE-84	Bd-14	Bd-71	Bd-72	Ig-5-A	EE-8-A	W-110	W-110 W-130
Trej	Unit	23 Radio set (5 mile, voice)	25 Radio set (vehicular, 45 mile CW®	_	, ,		29 Keel unit (hand or truck)	31 Switchboard (40-line, telephone)			34 Telegraph set35 Telegraph printer get	-		38 Wire, mile (on DR 5, 1 mile)

NOTES

Also 2 per Infantry Company Headquarters and 1 per Infantry Platoon. 3 per Rifle Squad. Training editions.

per Rifle Company and Platoon.

W means continuous wave telegraph.

Weight carried for operation.

Training set, temporarily replaces SCR 131 and SCR 161. Consists of telephone and 2 per Rifle Company.

Chapter 9

CAMPS AND BIVOUAC AREAS

■ 238. CANTONMENTS.—a. Considering the theater of operations as a whole, barracks probably will have to be provided for about 60% of the total force plus 100% of the prisoners.

b. Space requirements for sleeping quarters are as follows:

Zone of the Interior.

Normal: 60 sq. ft. floor space and 720 cu. ft. air space per person. Minimum: 50 sq. ft. floor space and 500 cu. ft. air space per person. Theater of Operations (for seasoned troops).

Normal: 40 sq. ft. floor space and 400 cu. ft. air space per person. Emergency: 20 sq. ft. floor space and 200 cu. ft. air space per person.

c. In cantonment, the building area for a 1000-man unit is 8.3 acres. However, large forces require a greater proportional area because of the desirability of dispersion, as a security measure, and to provide training, parking, and storage facilities.

Approximate area for square division is 220 acres.

Approximate area for triangular division is 160 acres-

Approximate area for cavalry division is 200 acres.

Approximate area for armored division is 180 acres.

(Areas for drill, supply facilities, hospital and paddocks not included.)

■ 239. BILLETING.—In hostile territory billeting is resorted to when desirable. The capacity of a locality for billeting is approximately as follows:

Rich farming country

—10 per inhabitant— 5 per inhabitant

Cities

Average American city

-20 per vacant dwelling

Average American city Vacant buildings and dwellings

in average city

-20% of population

(Inhabitants may be caused to move to vacancies in order to concentrate military activities.)


With inhabitants furnishing

subsistence

-200% of population for one week.

- 240. SEMIPERMANENT CAMPS.—a. Tactical and terrain conditions will largely determine the actual dimensions of sites for semipermanent camps. Whenever possible, areas should be selected for semipermanent camps which will permit such camps to be so arranged as to provide for the comfort and convenience of the command.
- b. There are many possible arrangements of facilities in a semipermanent camp. Data on them are given in a number of arm and service field manuals. A typical arrangement of such a tent camp which has been found satisfactory is shown in the following diagram:

CAMPS AND BIVOUAC AREAS DIAGRAMMATIC LAYOUT OF A TENT CAMP



It is desirable to assign 6 men per large pyramidal tent with a maximum of 8 men. The area of open ground for an infantry regimental combat team (war strength) would be about 50 acres. The initial estimate of the total area for any unit may be figured on the basis of 50 sq. yds. per man, 50 sq. yds. per animal, and 100 sq. yds. per vehicle (10 acres per 1000 men or animals, 5 acres per 100 vehicles). This includes room for roads and assembly areas.

- c. In a camp for units of the combined arms it will usually be desirable or necessary to have regimental or separate unit camps dispersed to a greater or less degree, with a minimum area for a division of about 480 acres. In the presence of the possibility of air attack, such a camp should not be established, but shelter should be dispersed, by battalion or company units, camouflaged, and advantage taken of existing cover and shelter.
- d. SHELTER TENT CAMP.—The camp may be arranged as shown in the diagram, or shelter tents may be pitched in lines parallel to the vehicles of each company or similar unit (motorized units). Parking of vehicles abreast facilitates the use of individual vehicles; parking in close column facilitates the entry into camp and resumption of the march. Because a shelter tent camp generally is occupied only a short time, intervals may be reduced from those used in a semipermanent camp.
- 241. BIVOUAC AREAS.—In the presence of a hostile air threat, or when tactical considerations govern, or when the nature of the terrain makes it desirable units will bivouac in a dispersed formation and without formal alignment of their elements. Full use will be made of cover, and vehicles will be camouflaged, and parked to facilitate their movement. The bivouac area of a regimental combat team, consisting of an infantry regiment and a field artillery battalion under conditions requiring maximum use of overhead cover, will vary in excess of 50 acres in proportion to the amount of cover available.
- 242. REFERENCES.—FM 100-5, Halts and Security during halts, for tactical considerations in the selection of camp and bivouac areas.

FM 100-5, for detailed information regarding security measures.

FM 100-10, for administrative considerations.

FM 5-5, Shelters and Camps; FM 5-10, Construction; and Quartermaster Handbook for data on construction of shelter.

FM 21-10, for sanitation.

NOTE.—The number of acres in a rectangular tract is approximately equal to the product of one-seventieth of the length in yards by one seventieth of the breadth in yards. One acre equals 4840 square yards (about 70 yards square).

Chapter 10


MOVEMENT BY AIR TRANSPORT

Paragr	aph
	243
Orders to unit to be moved	244
Orders to the air task force	245
	246
Conference between commander of the unit to be moved and	
	247
Plans and orders of unit to be moved	248
Plans and orders of air task force commander	249
Form for showing strength and composition of unit	250
Form of equipment table	251
Airplanes required	252
Airplane loads	253
Air transport movement table	254
	255
Supply factors	256

- 243. OUTLINE OF PROCEDURE.—The following outline presents a procedure which may be followed in a troop movement by air transport (see diagram below).
- a. Orders are issued by higher authority to the commander of the unit to be moved and to the commander of the air task force (see paragraphs 244 and 245).
- b. The commander of the unit to be moved and the commander of the air task force prepare initial studies of requirements and means available (see paragraph 246).
- c. The commander of the unit to be moved and the commander of the air task force confer with reference to matters of combined action (see paragraph 247).
- d. As a result of the conference(s) the commanders concerned prepare a general plan for the operation.
 - e. This general plan is submitted to higher authority for approval.
- f. Based upon the approved general plan, the commanders concerned agree on matters which require further coordination.
- g. Respective commanders prepare detailed plans and orders for the operation (see paragraphs 248 and 249).

Figure 58

MOVEMENT BY AIR TRANSPORT OUTLINE OF PROCEDURE



Unit to be moved.

Air Corps.

Numbers indicate sequence of procedure.

- 244. ORDERS TO UNIT TO BE MOVED.—Orders from higher authority to the unit to be moved include such of the following as are applicable:
 - a. Composition of unit.
 - b. Destination(s).
 - c. Mission of unit and general plan of the operation.
 - d. Designation of departure airport(s).
 - e. Movement to departure airport(s).
 - (1) Movement from training areas.
 - (2) Quartering arrangements at or near airport(s).
 - f. Date and hour air transport movement begins.
- g. Probable length of time during which the unit must be self-sustaining as to supply.
- h. Restrictions on amount or type of equipment or supplies to be taken.
 - i. Provisions for subsequent supply.
- 245. ORDERS TO THE AIR TASK FORCE.—Orders from higher authority to the air task force include such of the following as are applicable:
 - a. Composition of air task force.
 - b. Mission of the air task force and general plan of the operation.
 - c. Unit to be transported.
 - d. Destination(s).
 - e. Designation of departure airport(s).
 - f. Date and hour air transport movement begins.
 - g. Probable length of time during which air transport will be required.
- 246. Initial Studies.—Based upon the orders received, commanders concerned make initial studies covering such of the matters indicated below as are applicable:
 - a. By the commander of the units to be moved:
 - (1) General plan(s) of action of unit upon arrival at destination.
 - (2) Strength and composition of unit (see paragraph 250).
 - (3) Total weight of supplies and equipment (see paragraph 251).
- (4) List of bulky items, including name, volume, weight, and number of items.
 - (5) Method of loading desired (combat, convoy, commercial).
 - b. By the commander of the air task force:
- (1) Number and type of airplanes that can be made available for the operation.
 - (2) Distance between airport(s) and destination(s).
 - (3) Plan of support by combat aviation.
 - (4) Maintenance and supply requirements.

- 247. CONFERENCE BETWEEN THE COMMANDER OF THE UNIT TO BE MOVED AND THE COMMANDER OF THE AIR TASK FORCE.—Upon completion of initial studies, the commanders concerned discuss such of the following subjects as are applicable:
 - a. General considerations.
- (1) Number and type (s) of airplanes available for the air transport movement.
 - (2) Loading capacity of each type of airplane.
- (3) Determination of number and type of airplanes for each unit to be moved (see paragraph 252).
 - (4) Priority of movement of units.
 - (5) Consideration of composition of serials.
- (6) Adjustment between the airplanes and time available for the movement; and the troops, equipment, and supplies to be moved.
- (7) Airplanes required for resupply of unit to be moved (see paragraph 252).
 - (8) Total number of airplanes by type to be used for the movement.
 - (9) Employment of observation aviation.
- (10) Coordination with Air Defense Command to include number of airplanes, type, formation and time of take-off and landing.
- (11) Training matters; such as, combined training, rehearsals, practice loading and unloading.
 - b. Arrangements at departure airport(s).
 - (1) Date and hour of arrival of unit to be moved.
 - (2) Loading point for each airplane.
 - (3) Loading materials to be furnished.
 - (4) Hour loading begins.
 - (5) Ground traffic control measures.
 - (6) Provisions to keep runways clear of personnel and equipment.
 - (7) Coordination between loading and servicing of airplanes.
 - (8) Air defense measures.
 - (9) Communications to be employed during movement.
 - c. Arrangement for movement to destination(s).
 - (1) Support by combat aviation.
- (2) Movement of serial commander and air commander in the same airplane in order to facilitate arrangements for landing.
- (3) Air reconnaissance of landing field by serial commander and air commander prior to landing at destination.
 - d. Arrangements at destination(s).
- (1) Coordination of operations of combat aviation, parachute troops. and air-landing troops. This includes such matters as: time at which, and area within which, bombing operations cease; seizing and clearing of landing areas by parachute troops; time of landing of airplanes; and air support of ground operations.

- (2) Provisions for taxiing to unloading points immediately upon landing.
 - (3) Rapid unloading of personnel and equipment.
- (4) Movement of personnel and equipment from unloading points to positions off the field.
- (5) Provisions for unloaded airplanes to take the air without delay as protection against hostile combat aviation.
 - (6) Provisions for keeping runways clear of obstructions.
 - e. Subsequent movements.
 - (1) Completion of troop movement.
 - (2) Provisions for resupply and evacuation.
 - (3) Continuation of air support by combat aviation.

NOTE

While in flight, control of parachute and air landing troops is necessarily exercised by the commander of the supporting air task force. After their landing has been effected, the control of these troops reverts to their own commander.

- 248. Plans and Orders of Unit to be moved include such of the following as are applicable:
 - a. Movement from training area to vicinity of departure airport(s):
 - (1) March table.
 - (2) Entraining table.
 - b. Movement to loading points at departure airport(s):
- (1) Loading of trucks to correspond to loading of airplanes (loading of personnel and equipment for one airplane on one truck or two trucks, depending on capacity of trucks).
- (2) Orders for movement to loading points, including such matters as time, route, traffic control, loading arrangements, guides, and marking of loading points.
 - (3) Loading airplanes (see paragraph 253).
 - c. Movement to destination(s):
 - (1) Air transport movement table (see paragraph 254).
- (2) Initial operations at destination, including such as unloading arrangements, procurement of transportation, and tactical dispositions.
- 249. Plans and Orders of Air Task Force Commander.—The detailed plans and orders prepared by the air task force commander include such of the following as are applicable:
 - a. Arrangements for procurement of necessary transport airplanes.
 - b. Arrangements for procurement of supporting combat aviation.
 - c. Provisions for gaining air superiority.
- d. Arrangements with Air Defense Command for antiaircraft protection.
- e. Coordination with Air Defense Command regarding number of airplanes employed, type, formation, and time of take off and landing.

- f. Arrangements at departure airdromes for the following:
- (1) Servicing and maintenance facilities.
- (2) Messing and housing of air and ground crews.
- (3) Use of meteorological facilities.
- (4) Coordination with units to be moved for the time of their arrival at departure airdrome(s).
- (5) Arrangements for the time of arrival of airplanes for the movement.
 - (6) Designation of loading point for each airplane.
 - (7) Ground traffic rules.
 - (8) Air traffic rules around airdrome(s).
 - (9) Issuance of maps and orders for the movement.
 - g. Movement to destination(s).
- (1) Orders issued for continuous support of air transport movement by combat aviation.
 - (2) Arrangement for reconnaissance of landing fields.
 - h. At destination.
- (1) Coordination of operations of parachute troops, air landing troops, and combat aviation.
 - (2) Orders issued to cease bombing operations in certain areas.
 - (3) Arrangements for landing of the transport airplanes.
 - (a) Air traffic rules.
 - (b) Ground traffic rules.
 - (4) Tentative unloading points designated.
- (5) Orders for immediate takeoff of transport airplanes after unloading and return to departure airdrome.
 - (6) Continuous air support of ground operations.
- 250. FORM FOR SHOWING STRENGTH AND COMPOSITION OF UNIT.

UNIT (INFANTRY BATTALION & DETACHMENTS)

Organization	Personnel transporte		Personn rema	
	Officers	Men	Officers	Men
Hq & Hq Det (Bn) Com Sec Med Sec Rifle Co Hv W Co Aggregate			—— (a)	—— (a)

(a) Includes: (list of personnel to remain)

NOTE

Similar tables are required for all units to be moved.

251. FORM OF EQUIPMENT TABLE.—The following extract illustrates the preparation of an equipment table. The figures are only illustrative and should not be considered as the number actually involved.

EQUIPMENT TABLE
1sr Bn 1sr Inr
(Designation of unit)

			(Designation of unit)						
I	95	6 2	ħ	9	9	4	00	6	10
No. of Items	Item	Pounds per item	Basis for computation	Bn Hq Det	Com	Med Sec	Rife Cos	H _v KV	Total pounds per item
350	O and EM (pistol, 7 w/o arms)	190	Includes light pack, pistol & am, 1 D-ration. (Med: same except no pistol & am)	1,900	3,800	(30)	(140)	(150)	(350)
*	Other personnel	*	* * * * * * * * *	*	*	*	*	*	*
Ordnance	Ordnance equipment & ammunition (in addition to individual)	ition to in	dividual)						
41	Mortars, 81-mm, complete	136						544	544
Quartern	Quartermaster equipment								
Signal equipment	uipment								
Medical	Medical equipment								
	Total men and equipment with D-ration	ration		*	*	*	*	*	*
*	C-ration	9	Accompanies personnel	*	*	*	*	*	*
	Total men, equipment and rations			*	*	*	*	*	*
					-				

NOTE Similar tables are required for all units to be moved.

Organization (Co A 1st Inf)

■ 252. AIRPLANES REQUIRED.—A method of computing the number of airplanes required by type for an air transport movement is indicated below.

Unit to be	Pounds to be	Airplanes required				
moved	transported (a)	Type (b)	Type (b)			
Inf Bn FA Bn						
Parachute Bn						
(List all other units						
similarly)						

(a) Ordinarily weight is the controlling factor. In the case of bulky items, volume and dimensions must be considered.

(b) The number of airplanes required by type is determined by dividing the pounds to be transported by the net cargo capacity of each type.

■ 253. AIRPLANE LOADS.—Based upon the type of airplane assigned, a detailed loading plan, as indicated below, is prepared for each type of unit to be moved.

LOADING TABLE

Loading Point No. _____

Quantity	Unit	Where carr	ied Unit Weight	Total Weight	Remarks
1	Officer	Pilot's compa	rt- 190	190	Co. Comdr.
*	Ms	ment	* *	*	*
12	Chests, Cal .30	Main cabin	20		
*.	MG am (lt)	*	* *	240	*
	Total weight, p	ersonnel and e	quipment.	1	

254. AIR TRANSPORT MOVEMENT TABLE.—The following extract illustrates the method of preparing an air transport movement table.

		IVIOV.	EWE
1 1 1	111	Remarks	
Organization	10	Hour of arrival	
tion	6	Desti- nation	
Organization Place. Date; Hour	00	Hour of departure	
LE	8-	Hour loading begins	
OVEMENT TAB	9	Troops to be loaded	ST WAVE)
AIR TRANSPORT MOVEMENT TABLE	Ď	Departure	D-DAY (FIRST WAVE)
АП	4	No. airplanes required	
	85	Air transport airplanes annit required	
Annex to FO	કર	Serial commander	
N N	1	Serial No.	

	*	
	*	
	* # *	
	* **	
	H minus 28	bo
	H minus 58	Commanding
ST WAVE)	901st Par Bn H minus 58 H minus 28 *	
D-DAY (FIRST WAVE)	Municipal # 90	
	* * *	OFFICIAL: B G-3
	1st Gp * *	OFF
	CO 901st Par Bn	
	*	

 Serials are numbered consecutively throughout.
 He-hour and the designation of the destination(s) are given in separate orders when secrecy is desired.
 In arriving at the various hours shown, consideration must be given to the time required for loading, taking off, flying to destination, landing, unloading, taking off, return to departure airport, and landing.

255. WEIGHTS OF PERSONNEL, EQUIPMENT AND SUPPLIES.—a. Weight of personnel and component units.

	**	Pounds	
	Item	per item	Remarks
(1)	Individuals:		
	1 officer or enlisted man (pistol),		
	individual equip & 1 D-ration	190	
	1 enlisted man (rifle), individual		
	equipment & 1 D-ration.	210	With 40 rounds.
	1 enlisted man (auto rifle), indi-		
	vidual equipment & 1 D-ration	235	With 2 loaded magazines.
(0)	TTT at all to a f		
(2)	Weights of component units:	477.04.4	The mainter since should be
	(a) Infantry Rifle Company	47,014	The weights given should h
	Rifle Squad	2,570	used only as a guide. The
	Auto-rifle Squad	1,697	total weight of each uni
	Rifle Platoon	11,491	will depend upon the num
	Lt MG Squad	1,190	ber of men transported b
	Lt MG Section	3,213	air, the equipment carrie
	60-mm Mortar Squad 60-mm Mortar Section	1,203	for each unit, and the
	Weapons Platoon	4,442	rations transported wit
	(b) Infantry Heavy Weapons Company	8,543	the troops. The weight
	.30 Cal MG Squad	43,861	given provide for the fo
	.30 Cal MG Section	1,707 3,644	lowing ammunition: 10
	.30 Cal MG Platoon	9,046	rounds per rifleman; 30
	81-mm Mortar Squad	2,238	rounds per automatic rifle
	81-mm Mortar Section	4,686	5000 rounds per .30 Ca
	81-mm Mortar Platoon	11.042	MGs: 1000 rounds per .5
	.50 Cal MG Squad	1,804	Cal MG: 75 rounds per
	.50 Cal MG Section	3,838	60-mm mortar; and 8
	.50 Cal MG Platoon	9,220	rounds per 81-mm morta
	(c) Infantry Battalion Units	0,220	D-ration only included i
	Bn Ha	6,379	totals.
	Com Sec	3,336	000000
	Med Sec	5,450	
	Rifle Co (47,014)	0,100	
	3 Rifle Cos	141,042	
	Hy Wp Co	43,861	
	Total Inf Bn	200,068	
	(d) Infantry Antitank Co. (37-mm)	42,193	
	Squad	2,238	
	Section	4,676	
	Platoon	12,845	
	(e) Infantry Regt's Hq and Hq Co	20,924	

NOTE: For a rough estimate for infantry armed, equipped and supplied for a limited combat operation for a twenty-four hour period, use a weight of 235 lbs. per man.

Item	Pounds per item	Remarks
(f) Field Artillery Battalion Units FA Btry (75-mm How pack) Bn Hq FA Bn (75-mm How pack) FA Bn (75-mm How pack) (3	41,674 24,012	Following equipment not included: barrack bags, officers bedding rolls, field desks, cooking outfits, wall
Btrys and Bn Hq) (g) Engineers 1 Engineer Squad 1 Engineer Platoon 1 Engineer Company	3,279 10,610 33,796	tents, and non-portable typewriters. Includes reasonable quanti- ties of engineer equipment and supplies.
(h) Detachment—Div Sig Co (i) Parachute troops Rifle Platoons: Each airplane should be capable of transporting, in addition to airplane crew: 13 parachutists and 3 equipment delivery con-	3,480	Includes 2 SCR 177 sets. See FM 7-20.
tainers (each 300 lbs net cargo capacity). Co Hqs One airplane required for each rifle company headquarters. Bn Hqs Two airplanes required for each Bn Hq and Hq Co.		

b. Weights of essential items of equipment and supplies.

Item	Pounds per item	Remarks
Rations and water	1	
Reserve ration (extra) (C-ration)	5.25	One meal 1.75
Can, water, 10-gal (with water)	100.00	lbs.
Ordnance equipment and ammunition	100.00	
Cartridge, Very, assorted	.20	
Chest, cal .30 MG Am (250 rounds)	20.00	
Chest, cal .30 LMG Am (250 rounds)	20.00	
Chest, cal .50 MG Am (100 rounds)	36.00	
Chest, spare parts, MG	12.50	
Gun, submachine, cal .45	10.75	
Gun, 37-mm, Antitank	912.00	
Howitzer and carriage, pack, 75-mm M1	1,269.00	
Tube221.00	1,200.00	

74	Pounds	D
Item	per item	Remarks
Breech mechanism121.00		
Top sleigh121.00		
Bottom sleigh and recoil203.00		
Cradle100.00		
Front trail235.50		
Rear trail		
Axle and traversing mechanism 65.50		
Wheels96.50		
Telescope and mount 10.50	50.00	
Machine gun, cal .30, light complete	50.00	
Machine gun, Browning, cal .30, complete	137.00 124.00	
Machine gun, Browning, cal .50, complete	5.00	
Magazine, submachine gun (50-rd) filled Mortar, 60-mm, complete	42.00	
Mortar, 81-mm, complete	136.00	
Projector, ground signal	4.20	
Rifle, automatic, cal .30 (B&R), M1918A2	23.50	
Rifle, automatic, cal .30, M-1	9.00	
Round, 37-mm antitank gun Am, AP	3.41	
Round, 37-mm antitank gun AM, HE	2.72	
Round, 60-mm mortar Am	3.50	
Rounds, 81-mm mortar Am (L)	7.20	
Signals, ground, assorted	.75	
Quartermaster equipment		
Axe, handled	4.00	
Bag, water sterilizing	16.75	
Pick, handled	6.00	
Shovel, general purpose	4.50	
Medical equipment		
Bucket, canvas	2.00	
Chest, MD (99280)	121.00	
Chest, MD (99281)	150.00	

Item	Pounds per item	Remarks
Medical equipment (contd) Chest, MD (99282) Litter Set, splint Set, blanket Set, lantern Signal equipment Axle, RL 27-A Batteries for radio set SCR-195 Chest, BC-5 Codes (special for the operation) Devices, code Lineman equipment Panel set Radio, SCR-195 Radio, SCR-178 Telephone, EE-8 Wire, field telephone, 1-mile	161.00 15.00 50.00 138.00 30.00 5.00 12.00 35.00 .25 .50 15.00 23.00 27.00 203.00 9.75 132.00	Spare

- 256. SUPPLY FACTORS.—Factors, other than tactical, influencing supply by air transport consist of:
 - a. Characteristics of air transport:
 - (1) Pay load carrying capacity of the airplane in tons.
 - (2) Cubature of space available.
 - (3) Door dimensions and conformity of fuselage areas.
- (4) Amount of pay load capacity to be reserved for fuel for the airplane for return trip when required.
 - b. Supply characteristics:
 - (1) Weight of supplies to be moved.
 - (2) Volume and dimensions of items.

Chapter 11

MISCELLANEOUS DATA

257. FACTORS FOR CONVERSION OF UNITS.—To convert A to B, multiply A by C. To convert B to A, multiply B by D.

1	2	3	4
Unit	Facto	or .	Unit
A	C	D	В
Length:			
Miles Miles Miles Knots (nautical miles)a Meters	63,360. c 5,280. c 1.609 1.1516 3.281	0.00001578 0.0001894 0.6214 0.8684 0.3048	Inches Feet Kilometers Miles Feet
KilometersInches	3,281.0 2.540	0.0003048 0.3937	Feet Centimeters
FeetSurface:	.1667	6.	Fathoms
Square miles Square miles Acres Square inches Square meters	640. c	0.00000003587 0.001563 0.00002296 0.0002471 0.1550 0.0929	Square feet Acres Square feet Square meters Square centimeters Square feet
Volume: Cubic feet Cubic feet Cubic inches Cubic meters Cubic feet Cubic feet U.S. gallons U.S. gallons Imperial gallons Fluid ounces	1,728. 16.39 35.31 7.481 6.23 28.32 231.	40.0 0.0005787 0.06102 0.02832 0.1337 0.1605 0.03531 0.004329 0.2642 0.8327 0.5540	Tons (shipping) Cubic inches Cubic centimeters Cubic feet U.S. gallons Imperial gallons Liters Cubic inches Liters U.S. gallons Cubic inches
Velocities:			
Miles per hour Meters per second Meters per second	3.281	0.6818 0.3048 0.4470	Feet per second Feet per second Miles per hour
Pressure: Atmospheres (mean) Atmospheres (mean) Pounds per square inch Feet of water	14.70 29.92 2.036 62.42	0.0680 0.03342 0.4912 0.01602	Pounds per square inch Inches of mercury Inches of mercury Pounds per square foot
Weight:			
Ounces Pounds Kilograms Short tons Long tons	7,000.0 c 2.205	16.0 0.0001429 0.4536 0.0005 0.8929	Pounds Grains (avoirdupois) Pounds Pounds Short tons
Angular measurement: Circle Degree Degree Mil b Minute	60.0 17.8 3.27	0.056 0.296	Degrees Minutes Mils Minutes Seconds

NOTES

a Normally express speed as a number of nautical miles per hour.

b A mil is the angle subtended by an arc of 1 unit on a radius of 1,000 units or, in other words, an angle the tangent of which is approximately (small angles) 1/1,000. The arbitrary value of the mil adopted by the United States Army is 1/6,400 of a circle.

c Exact values.

258. COMMON CALIBERS (DIAMETER OF BORE):

1	2	3	. 4
Millimeters	Inches	Millimeters	Inches
6. 7. 8. 9. 11. 12. 13. 20. 25. 37. 47. 57. 60. 65 76. 76. 199 77. 81. 83.819 88. 90. 93.977 100	.236 .276 .315 .354 .433 .472 .512 .787 .984 1.457 1.850 2.244 2.362 2.559 2.953 2.992 3.000 d 3.032 3.189 3.300 e 3.465 3.543 3.700 3.937	105. 106.678 114.298 120. 126.998 150. 152.397 155. 180. 203.196 210. 220. 233.676 240. 320. 420.	4.134 4.200 4.500 4.725 5.000 f 5.906 6.000 6.103 7.087 8.000 8.268 8.662 9.200 9.449 12.599 16.536

- a Also called 1-pounder.

- b Also called 3-pounder.
 c Also called 6-pounder.
 d Also called 13-pounder.
 e Also called 18-pounder.
- f Also called 60-pounder.

259. FORDABLE DEPTH OF WATER:a

	Depth of water
Type unit .	(feet)
Infantry	31/2
Horse cavalry	
Artillery (horse-drawn)	
Wagons	
Trucks and truck-drawn artillery	2

a Moderate current; hard bottom.

■ 260. CARRYING CAPACITY OF ICE:b

3 inches	Small groups of men
4 to 5 inches	Horse cavalry in small groups
7 inches	Wagons and 75-mm guns
	Division loads (10 tons)
12 inches	Light tanks (singly)
16 inches	Twelve-ton loads
20 inches	_Army loads (approximately 20 tons)
b New sound ice in	floating contact with the water.

■ 261. CHARACTERISTICS OF METHODS OF EXPRESSING DIRECTIONS OF ANGULAR MEASUREMENTS:

Designa- tion	Units of angular measure- ment used	Base direction	Direction of measurement	Method of expression
Azimuth	Degrees or mils	True, magnetic or grid (Y) north un- less otherwise stated (south may be used)		True (magnetic) (grid) (Y) azimuth mils (°')
Bearings	Degrees	True or magnetic north and south; whichever is desig- nated	Direction which gives smallest arc (must not exceed 90°) is used and is designated	N (S)°′ E (W)
Compass	Points (11° 15' each)	Magnetic or true north and south	Direction which gives smallest arc	(N E by E)
Clock face, horizontal	Hours on a clock face	12 o'clock, observer at center	From 12 o'clock to the hour indicated	At o'clock
Clock face, vertical	Hours on a clock face	Vertical, target or reference point at center	From 12 o'clock to the hour indicated	At o'clock
Vertical angle	Degrees or mils Per cent or ratio (slopes and roads)	Horizontal	Vertically	Elevation, + (-)mils (^') slope, 10%, gradient 1:10
Air and forward observers (FA)	Yards R or L Yards O and S	Line of fire	Right or left and short or over and from ob- served point	R (L) O (S)

NOTE

For military purposes, exact directions should normally be expressed as azimuths measured from grid, true, or rarely, magnetic north.

■ 262. WEIGHTS—(approximate) GASOLINE, OIL AND WATER:


	Pounds per gallon a	Pounds per cubic foot	Pounds per barrel (42 gallons)
Gasoline	6.1	45.6	256.2
Oil, lubricating	7.0	52.4	294.0
Water, fresh	8.345	62.4	350.5

NOTE

- a. Weight of container not included. Commercial 10-gallon milk cans weigh approximately 27 pounds.
- 263. Speed of Sound.—a. In air.—At 50° Fahrenheit equals 1,107.6 feet per second, in still air. With a 10 mile per hour wind against or in the direction of sound travel, the speed of sound decreases or increases about 15 feet per second; for a cross-wind, no effect. Speed increases one foot per second for each degree Fahrenheit. Humidity has little effect on speed.
 - b. In water.—At 33° Fahrenheit equals 4,938 feet per second.
- 264. JOINT ARMY AND NAVY OPERATIONS.—See FM 31-5 for information concerning joint operations and data in regard to the following:
 - a. Boat nomenclature.
 - b. Types of navy ships and aircraft.
 - c. Small boat types.
 - d. Definitions of sea terms.
- **265.** Methods of Designating Time.
- a. NAVY.—Hours are designated from 0 to 24 beginning with midnight.
- b. AIR CORPS.—Hours are designated from 0 to 24 beginning with midnight except that four figures are always used. For example: 8:00 AM becomes 0800 hour; 1:15 PM becomes 1315 hour, etc.

266. MAP OF NORTH AMERICA SHOWING LATITUDE AND LONGITUDE.

Figure 59 LATITUDE AND LONGITUDE, NORTH AMERICA



- 267 TABLES OF DAYLIGHT, DARKNESS, SUNRISE AND SUNSET.—Use tables as given to obtain the hour of daylight, darkness, sunrise or sunset in Local Civil Time. For greater accuracy when the station is not on one of the following standard meridians: 15, 30, 45, 60, 75, 90, 105, 120, 135, 150, 165, or 180 degrees east or west of Greenwich, increase the time given by four minutes for each degree the station is west of the standard meridian, or decrease the given time by four minutes for each degree the station is east of the standard meridian.
 - a. NORTHERN HEMISPHERE.—Use following Tables.
- b. SOUTHERN HEMISPHERE.—Use the time as taken from the table of the corresponding latitude, not for the given date but for a date six months earlier or later, and make a total correction to the time as given (plus or minus).

EXAMPLE.—To find the hour of daylight for May 12, latitude 35 degrees South. The date six months from May 12, gives the hour of daylight as 5:24 AM and a correction of plus 12 minutes. Thus 5:24 plus 12 equals 5:36 AM, the hour required.

NOTE: Times of daylight and darkness are based on nautical twilight, i.e., when the sun is 12 degrees below the horizon.

LATITUDE 0°

Date	Daylight h m		Su h	nrise m	Su h	inset m		kness m	0	ours of light m		ours of cness m	Correction for south latitude
January 1	5	09	6	00	6	07	6	58	13	49	10	11	- 1
11	5	14	6	04	6	12	7	02	13	48	10	12	$-\frac{1}{4}$
21	5	18	6	08	6	15	7	04	13	44	10	16	-6
31	5	22	6	10	6	17	7	05	13	43	10	17	- 9
February		24	6	11	0	10	7	05	10	44	10	10	
10 20	5	24	6	10	6	18 17	7	05 03	13 13	41 39	10	19 21	$-11 \\ -12$
March		42	U	10	0	1.4		00	19	00	10	21	-12
2	. 5	24	6	09	6	16	7	01	13	37	10	23	-14
12	5	22	6	07	6	13	6	58	13	36	10	24	-15
22	5	19	6	04	6	10	6	55	13	36	10	24	-15
April		10		01		011		**	10	0.0	-		
11		16 13	6 5	01 58	6	07 05	6	52 50	13 13	36 37	10	24	-15
11		09	5	55	6	02	6	48	13	39	10	23 21	$-15 \\ -14$
May		00		00		02		20		1	10	21	-14
1	5	07	5	54	6	00	6	48	13	41	10	19	13
11	. 5	05	5	53	6	. 00	6	48	13	43	10	17	-11
21	5	04	5	53	6	00	6	49	13	45	10	15	- 9 - 7
31	5	04	5	54	6	01	6	51	13	47	10	13	- 7
Tune 10	5	05	5	56	6	03	6	54	13	49	10	11	- 5
20		06	5	58	6	05	6	56	13	50	10	10	- 2
30		09	6	00	6	07	6	58	13	49	10	11	o o
July													
10		11	6	02	6	09	6	59	13	48	10	12	+ 3
20		13	6	03	6	10	6	59	13	46	10	14	+ 5
30	5	14	6	03	6	10	6	58	13	44	10	16	+ 8
August 9	5	14	6	02	6	09	6	56	13	42	10	18	+10
19		14	6	00	6	07		. 54	13	40	10	20	+12
29	_ 5	12	5	58	6	04	6	50	13	38	10	22	+13
September								4.0					
8	. 5	10	5	54	6	01	6	46	13	36	10	24	+14
18	5	06 03	5	51 48	5 5	58 54	6	42 39	13 13	36 36	10	24 24	+15
28 October	9	03	9	450	9	04	0	99	19	90	10	24	+16
8	5	00	5	44	5	51	6	36	13	36	10	24	+15
18	001	56	5	42	5	49	6	34	13	38	10	22	+15
28		54	5	41	5	47	6	34	13	40	10	20	+14
November		**	tur.	40	_	Atro		0.5	10	10	4.0	10	
7	. 4	53	5	40	5 5	47 48	6	35 37	13	42 42	10	18	+12
17		53 54	5 5	44	5	51	6	41	13 13	47	10	18 13	+10 + 8
27 December		0.3	U	77	0	01	0	41	10	31	10	10	70
7	4	57	5	48	5	55	6	46	13	49	10	11	+ 6
17	5	01	5	52	6	00	6	51	13	40	10	20	+ 3
27		06	5	57	6	05	6	56	13	50	10	10	+ 1

LATITUDE 10° NORTH

Date		aylight Sunrise m h m			Su h	nset m	20 10110110			urs f ight m	0	urs f eness m	Correction for south latitude m
January 1	. 5	25	6	17	5	50	6	41	13	16	10	44	- 1
11	. 5	30 33 34	6 6	20 22 23	5 6 6	56 00 04	6 6	46 50 53	13 13 13	16 17 19	10 10 10	44 43 41	- 4 - 6 - 9
February 10 20	. 5	34 32	6	21 18	6	08 10	6	55 56	13 13	21 24	10 10	39 36	-11 -12
March 2 12	5 5	28 24 18	6 6	14 09 03	6 6	11 11 11	6 6	57 57 57	13 13 13	33 33 39	10 10 10	27 27 21	-14 -15 -15
22 April 11	. 5	12 06	5 5	58 52	6	11 11 10	6	57 57	13 13	45 51	10 10 10	15 09	-15 -15 -15
21 May	4	59 54	5	47	6	11	6	59	14	00	10	53	-14 -13
11	4	50 47 45	5 5 5	40 38 38	6 6	13 15 17	777	03 07 10	14 14 14 14	13 20 25	9 9	47 40 35	$\begin{bmatrix} -13 \\ -11 \\ -9 \\ -7 \end{bmatrix}$
June 10 20 30	. 4	45 46 49	5 5 5	38 40 42	6 6	20 22 24	7 7 7	13 16 18	14 14 14	28 30 29	9 9	32 30 31	$-5 \\ -2 \\ 0$
July 10 20 30	. 4	52 55 58	5 5 5	45 47 49	6 6	25 25 23	7 7 7	18 17 14	14 14 14	26 22 16	9 9	34 38 44	+ 3 + 5 + 8
August 9 19 29	5 5	00 03 04	5 5 5	50 51 51	6 6	20 16 11	7 7 6	10 04 58	14 14 13	10 01 54	9 9 10	50 59 06	+10 +12 +13
September 8 18 28	5	04 04 03	5 5 5	50 50 49	6 5 5	05 59 53	6 6	52 45 38	13 13 13	48 41 35	10 10 10	12 19 25	+14 +15 +16
October 8 18 28	5	02 02 03	5 5 5	48 49 50	5 5 5	47 42 38	6 6	33 28 25	13 13 13	31 26 22	10 10 10		+15 +15 +14
November 7	5 5	04 06 09	5 5 6	52 55 00	5 5 5	36 35 36	6 6	24 24 26	13 13 13	20 18 17	10 10 10	42	+12 +10 + 8
December 7	5 5	13 18 23	6 6	04 10 15	5 5 5	38 42 47	6 6	29 34 39	13 13 13	16 16 16	10 10 10	44	+ 6 + 3 + 1

LATITUDE 20° NORTH

Date		ylight m	Su h	nrise m	Su h	inset m	Dan h	kness m	(nurs of light m	(ours of kness m	Correction for south latitude m
January	5	40	6	35	5	32	6	26	12	46	11	14	- 1
11		44	6	38	5	38	6	32	12	48	11	12	$-\frac{1}{4}$
21	5	45	6	38	5	45	6	38	12	53	11	07	- 6
31	5	44	6	36	5	51	6	43	12	59	11	01	- 9
February	5	42	6	32	5	57	6	48	19	06	10	E 4	11
10 20	5	37	6	27	6	01	6	51	13 13	06 14	10 10	54 46	-11 -12
March		0.		21		01	0	01	10	11	10	20	-12
2	5	31	6	20	6	05	6	55	13	24	10	36	-14
12	5	23	6	12	6	09	6	58	13	35	10	25	-15
22	5	14	6	03	6	12	7	01	13	47	10	13	-15
April	5	05	=	54	6	1.4	7	04	10	50	10	01	15
11		55	5 5	46	6	14 17	7	08	13 14	59 13	10	47	$-15 \\ -15$
21		46	5	38	6	20	7	12	14	26	9	34	-14
May				00								0.2	
1		38	5	31	6	23	7	17	14	39	9	21	-13
11		31	5	26	6	27	7	23	14	52	9	08	-11
21	4	25	5 5	22	6	31	7	28	15	03	8	57	$-9 \\ -7$
31 June	42	21	0	20	0	35	1	34	15	13	8	47	- 1
10	4	20	5	20	6	39	7	38	15	18	8	42	- 5
20		21	5	21	6	42	7	42	15	21	8	39	- 2
30	4	23	5	23	6	43	7	43	15	20	8	40	0
July		00		OW		40	-	40				40	
10		28 33	5 5	27 30	6	43 42	7	42	15 15	14 06	8	46 54	+ 3 + 5
20 30		38	5	34	6	38	7	39 34	14	56	9	04	+ 8
August		90		02	0	00		0.7	12	00	0	0.4	7 0
9	4	43	5	38	6	33	7	27	14	44	9	16	+10
19	4	48	5	41	6	26	7	19	14	31	9	29	+12
29	4	52	5	43	6	18	7	10	14	18	9	42	+13
September	4	55	5	46	6	10	7	00	14	05	9	55	1.14
8		58	5	48	6	00	6	50	13	52	10	08	+14 +15
28		00	5	50	5	51	6	41	13	41	10	19	+16
October													
8		03	5	52	5	43	6	32	13	29	10	31	+15
18	5	06	5	56	5	35	6	24	13	18	10	42	+15
28	5	09	6	00	5	28	6	18	13	09	10	51	+14
November	5	13	6	04	5	23	6	14	13	01	10	59	+12
7		17	6	09	5	20	6	12	12	55	11	05	+10
27		22	6	16	5	19	6	13	12	51	11	09	+8
December													
7	5	28	6	22	5	20	6	15	12	47	11	13	+ 6
17	5	33	6	28	5	24	6	18	12	45	11	15	+ 3
27	5	38	6	33	5	29	6	24	12	46	11	14	+ 1

LATITUDE 30° NORTH

Date	Day h	yligkt m	Su:	nrise m	Su h	nset m	Dar h	kness m	0	urs f light m	(nurs of cness m	Correction for south latitude m
January 1	5	55	6	56	5	11	6	12	12	17	11	43	- 1
11	5	57	6	57	5	19	6	20	12	23	11	37	- 4
21		56	6	56	5	27	6	27	12	31	11	29	- 6
31	5	54	6	51	5	36	6	34	12	40	11	20	- 9
February													
10	5	48	6	45	5	44	6	41	12	53	11	07	-11
20 March	5	40	6	36	5	52	6	48	13	08	10	52	-12
2	5	31	6	26	6	00	6	55	13	24	10	36	-14
12	5	20	6	14	6	06	7	02	13	42	10	18	-15
22	5	07	6	02	6	13	7	08	14	01	9	59	-15
April								-					
1		54	5	50	6	18	7	15	14	21	9	39	-15
11	4	41	5	38	6	24	7	23	14	42	9	18	-15
21 May	4	28	5	28	6	30	7	31	15	03	8	57	-14
1	4	15	5	18	6	37	7	40	15	25	8	35	-13
11		05	5	10	6	43	7	49	15	44	8	16	-11
21		56	5	04	6	50	7	58	16	02	7	58	- 9
31		50	5	00	6	56	8	06	16	16	7	44	- 7
June		40		***	-	00				00	-	0.4	
10	3	46 46	4	58 59	7	00	8	12 16	16 16	26 30	7	34 30	$-5 \\ -2$
2 030	3	49	5	02	7	05	8	17	16	28	7	32	$-\frac{2}{0}$
July		20	0	02		00	0	7.0	10	20		U.S.	
10	3	55	5	06	7	04	8	15	16	20	7	40	+ 3
20	4	02	5	11	7	01	8	10	16	08	7	52	+ 5
30	4	10	5	17	6	55	8	01	15	51	8	09	+ 8
August	4	19	5	23	6	47	7	51	12	20	8	28	1.10
9		28	5	29	6	38	7	39	15 15	32 11	8	49	$\begin{array}{c c} +10 \\ +12 \end{array}$
19 29		35	5	35	6	27	7	26	14	51	9	09	+13
September	_									0.2			1
8		43	5	40	6	15	7	12	14	29	9	31	+14
18		49	5	46	6	02	6	58	14	09	9	51	+15
28	4	55	5	51	5	50	6	45	13	50	10	10	+16
October 8	5	01	5	57	5	38	6	33	13	32	10	28	+15
18		07	6	04	5	27	6	23	13	16	10	44	+15
28	5	14	6	11	5	17	6	13	12	59	11	01	+14
November													
7		20	6	18	5	09	6	07	12	47	11	13	+12
17	5	27	6	26	5	03	6	02	12	35	11	25	+10
27	5	34	6	35	5	00	6	00	12	26	11	34	+ 8
December 7	5	41	6	43	5	00	6	01	12	20	11	40	+ 6
17		48	6.	50	5	03	6	04	12	16	11	44	+ 3
27		53	6	54	5	08	6	09	12	16	11	44	+1

LATITUDE 35° NORTH

Date		ylight m	Su h	nrise m	Su h	inset m	Dar h	kness m	(ours of light m		ours of kness m	Correction for south latitude m
January		00) to	00	4	20		0.5	10	00			
11	6	02 03	77	08	5	59 08	6	05 13	12 12	03 10	11 11	57 50	$-\frac{1}{4}$
21	6	02	7	06	5	17	6	21	12	19	11	41	- 6
31	5	58	7	00	5	27	6	30	12	32	11	28	- 9
February	-	P 1	0	70	-	027		00	10	40	1 11	10	
10	5	51 41	6	52 41	5	37 47	6	39	12	48	11	12	-11
20 March	3	4:1	0	41	5	41	6	48	13	07	10	53	-12
2	5	30	6	29	5	56	6	56	13	24	10	36	-14
12		16	6	16	6	05	7	05	13	49	10	11	-15
22	5	02	6	02	6	13	7	14	14	12	9	48	-15
April		Alm		40		01	_	00		0.0			
1		47 31	5 5	48	6	21	7	23	14	36	9	24	-15
11 21		15	5	21	6	29 37	7	33 43	15 15	02 28	8 8	58 32	$-15 \\ -14$
Mav	- 4	10	0	21	0	01	1	10	10	20	0	02	-14
1	4	01	5	10	6	45	7	55	15	54	8	06	-13
11	3	47	5	00	6	53	8	06	16	19	7	41	-11
21	3	36	4	53	7	01	8	17	16	41	7	19	— <u>9</u>
31	3	28	4	48	7	08	8	27	16	59	7	01	- 7
June 10	3	23	4	45	7	13	8	35	17	12	6	48	- 5
20		23	4	46	7	17	8	40	17	17	6	43	_ 3 _ 2
30		26	4	49	7	18	8	40	17	14	6	46	0
July													
10		33	4	54	7	16	8	37	17	04	6	56	+ 3
20	. 3	42	5	00	7	12	8	30	16	48	7	12	+ 5
30	3	52	5	07	7	05	8	19	16	27	7	33	+ 8
August 9	4	03	5	15	6	56	8	06	16	03	7	57	+10
19		14	5	22	6	44	7	52	15	38	8	22	+12
29	4	24	5	30	6	32	7	36	15	12	8	48	+13
eptember		0.4	~	-		10	-						
8		34	5	37	6	18	7	20	14	46	9	14	+14
18		43 52	5 5	44 52	6 5	04 49	7 6	04 49	14 13	21 57	9 10	39 03	$+15 \\ +16$
28 October		02	0	92		TO	0	70	10	01	10	00	710
8	4	59	6	00	5	35	6	35	13	36	10	24	+15
18	5	07	6	08	5	22	6	22	13	15	10	45	+15
28	5	15	6	17	5	11	6	12	12	56	11	04	+14
Vovember		94	0	96	2	01	0	02	10	20	11	01	1.10
7		24 32	6	26 35	5 4	01 54	6 5	03 57	12 12	39 25	11	21 35	$+12 \\ +10$
17 27		40	6	46	4	49	5	54	12	14	11	46	+ 8
December		10		10		10		O'A	3.44	11	11	10	
7	. 5	48	6	54	4	48	5	54	12	06	11	54	+ 6
17	5	55	7	02	4	50	5	57	12	02	11	58	+ 3
27		00	7	07	4	55	6	02	12	02	11	58	+ 1

LATITUDE 40° NORTH

Date	Day h	ylight m	Su h	nrise m	Su h	inset m	Dar h	kness m	0	urs of light m	0	ours of cness m	Correction for south latitude m
January 1	6	09	7	22	4	45	-	58	11	49	12	11	1
11		09	7	22	4	55	5	07	11	58	12	02	$-1 \\ -4$
21	6	07	7	18	5	06	6	16	12	09	11	51	- 6
31	6	02	7	10	5	17	6	26	12	24	11	36	- 9
February 10	5	53	7	00	5	29	6	37	12	44	11	16	-11
20	. 5	41	6	47	5	41	6	48	13	07	10	53	-11
March													
2		28	6	33	5	52	6	58	13	30	10	30	-14
12 22		12 55	6	18 01	6	03 13	7	09 21	13 14	57 26	10	03	-15
April	42	99	0	01	0	19	1	21	14	20	9	43	-15
1	4	37	5	45	6	24	7	33	14	56	9	04	-15
11	_ 4	19	5	29	. 6	34	7	45	15	26	8	34	-15
21	. 4	00	5	14	6	44	7	59	15	59	8	01	-14
May 1	3	42	5	01	6	54	8	13	16	31	7	29	-13
11		26	4	49	7	04	8	28	17	02		58	-13 -11
21	. 3	11	4	40	7	13	8	43	17	32	6	28	- 9
_ 31	3	00	4	34	7	21	8	56	17	56	6	04	- 7
June	2	53	4	31	l by	28	9	06	18	10	-	417	
10 20		51	4	31	7	32	9	11	18	13 20	5 5	47 40	$-5 \\ -2$
30		55	4	34	7	33	9	11	18	16	5	44	- 2
July													
10		03	4	40	7	30	9	06	18	03	5	57	+ 3
20		15 29	4	47 56	7	25	8	56 42	17	41	6	19	+ 5
30 August	0	49	4	90	6	16	0	42	1.6	13	0	47	+ 8
9	. 3	44	5	05	7	05	8	26	16	42	7	18	+10
19	3	58	5	14	6	52	8	08	16	10	7	50	+12
29	4	11	5	24	6	37	7	50	15	39	8	21	+13
September 8	4	23	5	34	6	21	7	31	15	08	8	52	1.14
18		35	5	43	6	05	7	12	14	37	9	23	+14 +15
28		46	5	53	5	48	6	54	14	08	9	52	+16
October													
8		56	6	02	5	32	6	38	13	42	10	18	+15
18		06 16	6	13 24	5 5	17 03	6	23 10	13 12	17 54	10	43 06	+15 +14
November	0	10	0	24	0	00	0	10	12	04	11	00	714
7	. 5	26	6	35	4	52	6	00	12	34	11	26	+12
17	5	36	6	46	4	43	5	53	12	17	11	43	+10
27	5	46	6	58	4	37	5	49	12	03	11	57	+ 8
December	5	55	7	08	4	35	5	48	11	53	12	07	+ 6
7		02	7	16	4	36	5	50	11	48	12	12	+ 3
27		07	7	21	4	41	5	55	11	48	12	12	+ 1

LATITUDE 45° NORTH

Date		yligh t m	Su h	nrise m	Su h	inset m	1	kness m	0	ours of light m	(ours of oness on	Correction for south latitude m
January 1	6	16	7	38	4	29	5	51	11	35	12	25	- 1
11	6	16	7	37	4	39	6	00	11	44	12	16	- 4
21 31	6	12 05	7	31 22	5	52 06	6	11 23	11 12	59 18	12 11	01 42	- 6 - 9
February		00				00		20	12	10	11	3.24	- 8
10		55	7	09	5	20	6	36	12	41	11	19	-11
20	5	42	6	54	5	34	6	48	13	06	10	54	-12
2	5	26	6	37	5	48	7	02	13	36	10	24	-14
12	5	07	6	19	6	01	7	15	14	08	9	52	-15
22	4	47	6	01	6	14	7	30	14	43	9	17	-15
April		25	per	40	0	084	100	4 ==	4 10	00		40	1
11		03	5	42 24	6	27 40	8	45 01	15 15	20 58	8	40 02	$-15 \\ -15$
21	_	41	5	06	6	52	8	19	16	38	7	22	-13 -14
May													
1		18	4	50	7	05	8	38	17	20	6	40	-13
11	2 2	57 37	4	36 25	7 7	17 28	8 9	58 18	18 18	01 41	5 5	59 19	$-11 \\ -9$
21 31		20	4	17	7	38	9	37	20	17	3	43	- 7
lune												20	
10	2	07	4	13	7	45	9	52	19	45	4	15	- 5
20	2	03 08	4	13 16	7 7	50 50	9	59	19	52	4	08	- 2
30 July	4	00	.2	10	1	90	9	58	19	50	4	10	0
10	2	20	4	22	7	47	9	49	19	29	4	31	+ 3
20	2	38	4	31	7	40	9	33	18	55	5	05	+ 5
30	2	57	4	42	7	30	9	14	18	17	5	43	+ 8
August 9	3	16	4	54	7	16	8	58	17	42	6	18	+10
19	3	36	5	06	7	01	8	29	16	53	7	07	+12
29		53	5	17	6	44	8	07	16	14	7	46	+13
September		10	-	00		05	-	4.4	4 11	0.4		00	
8	4	10 25	5	29 41	6	25 06	7	44 22	15 14	34 57	8 9	26 03	+14 +15
18 28		39	5	53	5	47	7	01	14	22	9	38	+16
October		-											
8	4	52	6	06	5	29	6	42	13	50	10	10	+15
18		04 17	6	19 32	5 4	11 55	6	25 10	13 12	21 53	10	39 07	+15
November	0	14	0	02	7.	00	0	10	14	00	11	07	+14
7	5	29	6	46	4	41	5	57	12	28	11	32	+12
17	5	41	6	58	4	30	5	48	12	07	11	53	+10
27	5	52	7	13	4	22	5	42	11	50	12	10	+ 8
December 7	6	02	7	24	4	19	5	40	11	38	12	22	+ 6
17	0	09	7	33	4	20	5	42	11	33	12	27	+ 3
27	6	15	7	38	4	24	5	47	11	32	12	28	+ 1

LATITUDE 50° NORTH

Date	Day h	ylight m	Su h	nrise m	Su h	nset m	Dar.	kness m	(nurs of light m	(urs f eness m	Correction for south latitude m
January	0	24	ing	50		00	P	40	11	10	10	41	1
11		23	7	59 56	4	08 20	5 5	43 53	11	19 30	12	41 30	-1
21		18	7	48	4	35	6	06	111	48	12	12	- 6
31	6	09	7	36	4	52	6	20	12	11	11	49	- 9
February	-	~~	_	-								0.1	
10		56	7	21	5	09	6	35	12	39	11	21	-11
20 March	o	39	7	03	5	26	6	50	13	11	10	59	-12
2	5	20	6	43	5	43	7	06	13	46	10	14	-14
12	4	59	6	22	5	59	7	23	14	24	9	36	-15
22	4	35	6	00	6	15	7	42	15	07	8	53	-15
April													
1		10	5	38	6	31	8	01	15	51	8	09	-15
11		43 14	5	17 56	6	46 02	8	22 46	16 17	39 32	6	21 28	$-15 \\ -14$
21 May	3	14	*	90	1	04	0	40	1.6	34	0	40	-13
1	2	44	4	38	7	18	9	13	18	29	5	31	-13
11	2	12	4	21	7	33	9	44	19	32	4	28	-11
21	1	37	4	07	7	46	10	20	20	43	3	17	- 9
31	12	47	3	57	7	58	11	18	22	31	1	29	- 7
June			- 3	6.4	0	07			24	00	0	0	
20			3	51 50	8	07 12			24	00	0	0	$-5 \\ -2$
30			3	54	8	13			24	00	0	0	0
July		0000000000		0.2		20				00			
10			4	01	8	08			24	00	0	0	+ 3
20		28	4	12	7	59	10	40	21	12	2	48	+ 5
30	2	05	4	25	7	46	10	02	19	57	4	03	+8
August	2	39	4	40	7	30	9	29	18	50	5	10	+10
9		06	4	54	7	12	8	59	17	53	6	07	+12
29	3	30	5	09	6	52	8	29	16	59	7	01	+13
September													
8		52	5	24	6	.30	8	02	16	10	7	50	+14
18		11	5	39	6	08	7	36	15	25	8	35	+15
28	4	29	5	54	5	46	7	11	14	42	9	18	+16
October 8	4	46	6	10	5	25	6	48	- 14	02	9	58	+15
18		01	6	26	5	04	6	27	13	26	10	34	+15
28	-	17	6	42	4	45	6	10	12	53	11	07	+14
November						0.5		au pu		0.		0.0	
7		31	6	59	4	28	5	55	12	24	11	36	+12
17	5	45 58	7	14 30	4	14 04	5	43 36	11	58 38	12	02 22	$+10 \\ + 8$
27	3	වර්	-	30	4	04	. 0	00	11	90	14	44	TO
December 7	6	09	7	44	3	59	5	33	11	24	12	36	+ 6
17		17	7	53	3	59	5	34	11	.17	12	43	+ 3
27		23	7	58	. 4	04	5	39	11	16	12	44	+1

.

LATITUDE 52° NORTH

							1			_		-	11
Date		ylight m	Su h	nrise m	Su h	inset m	Dar h	kness m	0	urs f light m	0	nirs of mess	Correction ror south latitude m
January								4.0		-10		4	
11	6	27 26	8	08 05	3 4	59	5	40	11	13	12	47	- 1
21		20	7	56	4	12 27	5	50 04	11 11	24 44	12 12	36 16	- 4 - 6
31		10	7	43	4	45	6	18	12	08	11	52	_ 9
February													
10		56	7	26	5	04	6	34	12	38	11	22	-11
20 March	5	38	7	06	5	22	6	51	13	13	10	47	-12
2	5	18	6	45	5	41	7	09	13	51	10	09	-14
12	4	55	6	23	5	58	7	27	14	32	9	28	-15
22	4	29	6	0	6	16	7	47	15	18	8	32	-15
April 1		00		0.0		00		00	10	~	_	***	
11	4 3	02 32	5	36 14	6	33 50	8 8	09 33	16 17	07 01	7 6	53 59	-15
21		00	4	52	7	07	9	01	18	01	5	59	$-15 \\ -14$
May						0.		02	10	01		00	
1		25	4	31	7	24	9	33	19	11	4	49	-13
11		44	4	13	7	40	10	13	20	29	3	31	-11
21 31		26	3	58 47	8	55 08			23 24	34 00	0	26	$-9 \\ -7$
June	-00000000		9	24	0	VO		*********	24	00	0	.0	- 1
10		**********	3	40	8	18			24	00	0	0	- 5
20,			3	39	8	23		**********	24	00	0	0	- 2
30		*******	3	43	8	24	********		24	00	0	0	0
July 10			3	51	8	18			24	00	0	0	1 2
20		**********	4	03	8	08			24	00	0	0	+ 3 + 5
30		31	4	17	7	54	10	36	21	05	2	55	+ 8
August													
9		17	4	33	7	37	9	51	19	34	4	26	+10
19		50 18	4 5	49 06	7	17 55	9 8	14 41	18 17	24 23	5 6	36 37	+12
29September	· O	10	9	00	0	99	0	37	14	20	0	91	+13
8	3	43	5	22	6	33	8	10	16	27	7	33	+14
18	4	04	5	38	6	09	7	43	15	39	8	21	+15
28	4	25	5	55	5	46	7	15	14	50	9	10	+16
October 8	4	42	6	12	5	23	6	51	14	09	0	21	1.15
18		00	6	29	5	01	6	29	13	29	9	51 31	+15 +15
28	5	16	6	47	4	40	6	10	12	54	11	06	+14
November													
7	5	32	7	05	4	22	5	54	12	22	11	38	+12
17	5	47	7	21 39	3	07 56	5 5	42 33	11 11	55 32	12	05 28	+10
27 December	0	OI.	,	00	0	00	0	00	11	04	12	40	+ 8
7	6	12	7	53	3	50	5	30	11	18	12	42	+ 6
17	6	21	8	03	3	49	5	31	11	10	12	50	+ 3
27	6	26	8	08	3	54	5	36	- 11	10	12	50	+1

LATITUDE 54° NORTH

Date		ylight m	Su:	nrise m	Su h	inset m	Dar h	kness m	(nurs of light m		nurs of iness m	Correction for south latitude m
anuary	6	31	8	19	9	48	-	36	11	OF	10	FF	-1
11		29	8	15	3 4	02	5 5	48	11	05 19	12 12	55 41	$-\frac{1}{4}$
21	6	22	8	05	4	19	6	01	11	39	12	21	- 6
31	6	11	7	50	4	38	6	17	12	06	11	54	- 9
ebruary	5	56	7	32	4	58	6	34	12	38	11	22	11
1020		37	7	11	5	18	6	53	13	16	10	44	$-11 \\ -12$
I arch		0,		**		10	"	00	10	10	10	11	-12
2	5	15	6	48	5	38	7	12	13	57	10	03	_14
12	4	50	6	24	5	57	7	32	14	42	9	18	-15
22 pril	4	23	5	59	6	16	7	54	15	31	8	29	-15
1	3	53	5	34	6	35	8	18	16	25	7	35	-15
11		20	5	10	6	53	8	46	17	26	6	34	-15
21	2	44	4	47	7	12	9	18	18	34	5	26	-14
Iay	2	00	4	95	per .	20	10	MO	10	ro.		00	10
11		00 54	4	25 05	7	30 48	9	58 13	19 22	58 19	4	02 41	-13 -11
21			3	49	8	05	1.1	10	24	00	0	0	-11
31			3	36	8	19			24	00	0	0	- 7
une													
10			3	29	8	30			24	00	0	0	- 5
30			3	27 54	8	36 13			24 24	00	0	0	$-\frac{2}{0}$
ulv			0	OX	0	10		*********	45	00	0	U	
10			3	40	8	30		*********	24	00	0	0	+ 3
20			3	53	8	18			24	00	0	0	+ 5
30			-4	09	8	03		**********	24	00	. 0	0	+ 8
ugust 9	1	44	4	26	7	44	10	21	20	37	3	23	+10
19		31	4	44	7	23	9	33	19	02	4	58	+12
29		04	5	01	6	59	8	55	17	51	6	09	+13
eptember		00	_	10				00					
8	3	32 57	5 5	19 37	6	35	8 7	23	16	51	7	09	+14
18		19	5	55	5	45	7	49 21	15 15	52 02	8 8	08 58	+15 + 16
28		10		90		30		21	10	02	0	90	710
8	4	39	6	14	5	21	6	55	14	16	9	44	+15
18	4	58	6	32	4	57	6	31	13	33	10	27	+15
28	5	16	6	52	4	35	6	11	12	55	, 11	05	+14
ovember 7	5	33	7	11	4	16	5	53	12	20	. 11	40	+12
17		49	7	28	3	59	5	40	11	51	12	09	+10
27	6	03	7	48	3	46	5	31	11	28	12	32	+8
ecember		4.84		00		00		07	4.4	10	10	40	
7	6	15 25	8	03 14	3	39 38	5	27 27	11 11	12 02	12	48	+ 6
17 27		30	8	19	3	43	5 5	32	11	02	12 12	58 58	+ 3 + 1

LATITUDE 56° NORTH

Date	Da h	ylight m	Su h	nrise m	Su h	inset m	Dar h	kness m	(nurs of light m	(ours of oness m	Correction for south latitude m
January	0	24	0	20	0	0.0	-	00	10	*0	10	01	
11		34 32	8	32 26	3	36 50	5 5	33 44	10	59 12	13	01 48	$-1 \\ -4$
21	6	27	8	26	3	58	5	57	11	34	12	26	- 6
31		13	7	58	4	30	6	16	12	03	11	57	- 9
February					-								
10	5	56	7	38	4	52	6	35	12	39	11	21	-11
20	5	36	7	15	5	14	6	54	13	18	10	42	-12
March	_	**			_		-			0.0		~~	
2	5	12	6	51	5	35	7	15	14	03	9	57	-14
12 22		45 15	6	25 59	6	56 17	8	37	14 15	52	9 8	08	-15
April	4	10	0	99	0	14	0	02	19	47	0	13	-15
1	3	42	5	32	6	37	8	29	16	47	7	13	-15
11		06	5	06	6	57	9	01	17	55	6	05	-15
21	2	23	4	41	7	18	9	40	19	17	4	43	-14
May													
1		24	4	17	7	38	10	39	21	15	2	45	13
11		30	3	56	7	58			23	30	0	30	-11
21		****	3	38	8	16			24	00	0	0	-9
31 June			3	24	8	32			24	00	0	0	- 7
10			3	15	8	44	-		24	00	0	0	- 5
20			3	12	8	50		***********	24	00	0	0	- 3 - 2
30			3	17	8	50	1	**********	24	00	Ö	ő	ō
July													
10			3	27	8	43		0000000000	24	00	0	0	+ 3
20			3	41	8	30			24	00	0	0	+ 5
30			3	58	8	13			24	00	0	0	+ 8
August			4	10	-	50			0.4	00		0	1.10
9		04	4	18 37	7	52 29	9	58	24 19	00 54	0	0	+10 + 12 + 12 + 12 + 12 + 12 + 12 + 12
19 29		47	4	57	7	04	9	11	18	24	5	36	+13
September		21	- 3	01	'	0.3	0	11	10	27%	0	30	710
8	3	20	5	16	6	38	8	32	17	12	6	48	+14
18		48	5	36	6	11	7	58	16	10	7	50	+15
28	4	12	5	56	5	45	7	27	15	15	8	45	+16
October		0.1		4.0		4.0		W.O.		2"		0.7	
8		34	6	16	5	19	6	59	14	25	9	35	+15
18		55 15	6	36 57	4	53 30	6	33 11	13 12	38 56	10	22 04	+15
28 November	0	10	U	57	**	90	0	11	14	90	11	04	+14
7	5	33	7	18	4	08	5	53	12	20	11	40	+12
17	5	50	7	37	3	50	5	38	11	48	12	12	+10
27	6	06	7	59	3	36	5	28	11	22	12	38	+ 8
December													
7		19	8	15	3	27	5	23	11	04	12	56	+ 6
17		29	8	27	3	25	5	23	10	54	13	06	+ 3
27	6	34	8	32	3	30	5	28	10	54	13	06	+1

LATITUDE 58° NORTH

Date		ylight m	Su:	nrise m	Su h	inset m	Dar h	kness m	0	urs of light m		ours of cness m	Correction for south latitude m
anuary 1	6	38	8	46	3	21	5	29	10	51	13	09	- 1
11	6	35	8	39	3	37	5	41	11	06	12	54	_ 4
21	6	27	8	26	3	58	5	57	11	30	12	30	- 6
31	6	14	8	07	4	21	6	15	12	01	11	59	- 9
10	5	56	7	45	4	45	6	35	12	39	11	21	-11
20		34	7	20	5	08	6	56	13	22	10	38	-12
March	-	00	0	F 4	_	00	-	10	14	4.4		40	
2 12		08 39	6	54 26	5 5	32 55	7	19 44	14 15	11 07	9 8	49 53	$-14 \\ -15$
22		07	5	58	6	17	8	11	16	04	7	56	-15 -15
pril				00						0.		00	
1		30	5	30	6	40	8	42	17	12	6	48	-15
11	. 2	48	5	02	7	02	9	19	18	31	5	29	-15
21	1	54	4	35	7	24	10	10	20	16	3	44	-14
1			4	09	7	46			24	00	0	0	-13
11			3	45	8	08	***************************************		24	00	0	0	-11
21			3	25	8	29	*********		24	00	0	0	- 9
31			3	09	8	47	*********		24	00	0	0	- 7
une 10			2	59	9	00			24	00	0	0	- 5
20			2	56	9	07	000000000		24	00	Ö	ő	- 2
30			3	00	9	06	********		24	00	0	0	0
uly			0	10		PO.			0.4	00			
10 20			3	12 28	8	58 43	********		24 24	00	0	0	+ 3 + 5
30			3	47	8	24			24	00	0	0	+ 8
ugust	-						**********			00			
9			4	09	8	01	********	*********	24	00	0	0	+10
19	. 1	20	4	30	7	36	10	37	21	17	2	43	+12
29eptember	2	26	4	52	7	09	9	32	19	06	4	54	+13
8	3	05	5	13	6	41	8	47	17	42	6	18	+14
18	. 3	37	5	35	6	13	8	08	16	31	7	29	+15
28	4	05	5	56	5	44	7	34	15	29	8	31	+16
ctober	1	20	0	10	-	10	17	02	1.4	99		OPT	1.15
8 18	4	30 52	6	18 40	5 4	16 49	6	03 36	14 13	33 44	9	27 16	$+15 \\ +15$
28		14	7	03	4	23	6	12	12	58	11	02	+14
lovember													
7		34	7	27	4	00	5	52	12	18	11	42	+12
17		52	7	47	3	39	5	36	11	16	12	16	+10
27 December	6	09	8	11	3	23	9	25	11	16	12	44	+ 8
7	. 6	22	8	29	3	13	5	19	10	57	13	03	+ 6
17	6	33	8	42	3	10	5	19	10	46	13	14	+ 3
27	6	38	8	47	3	16	5	24	10	46	13	14	+1

LATITUDE 60° NORTH

Date	Da h	ylight m	Su h	nrise m	Su h	inset m	Dar h	kness m	(nurs of light m		nurs of cness m	Correction for south latitude m
January 1	. 6	42	9	03	3	05	5	25	10	43	13	17	1
11 21 31	6 6	39 30 15	8 8 8	54 39 18	3 4	22 45 10	5 6	38 54 14	10 11 11	59 24 59	13 12 12	01 36 01	- 4 - 6 - 9
ebruary													
1020		56 32	7	53 26	5	37 03	6	35 59	12 13	39 27	11 10	21 33	—11 —12
March 2 12 22	. 4	04 32 57	6 6 5	58 28 58	5 5 6	28 53 18	7 7 8	24 51 22	14 15 16	20 29 25	9 8 7	40 31 35	-14 -15 -15
pril 1 11 21	3 2	15 25 04	5 4 4	27 57 28	6 7 7	42 07 31	8 9 11	57 43 13	17 19 22	42 18	6 4	18 42 51	-15 -15 -14
112131	12		3 3 2	59 33 10 51	7 8 8 9	56 21 44 04	**********	######################################	23 24 24 24	36 00 00 00	0 0 0	24 0 0 0	-13 -11 - 9 - 7
une 10 20 30			2 2 2	39 35 40	9 9	20 27 26	***********		24 24 24	00 00	0 0 0	0 0 0	$-5 \\ -2 \\ 0$
10 20 30			2 3 3	53 12 34	9 8 8	16 59 37	*******	0	24 24 24	00 00 00	0 0 0	0 0	+ 3 + 5 + 8
ugust 9 19 29		55	3 4 4	58 22 46	8 7 7	11 44 14	10	00	24 24 20	00 00 05	0 0 3	0 0 55	+10 +12 +13
eptember 8 18 28	3	47 24 56	5 5 5	10 33 57	6 6 5	44 14 44	9 8 7	04 20 42	18 16 15	17 56 46	5 7 8	43 04 14	+14 +15 +16
8 18 28	. 4	24 49 12	6 6 7	20 45 10	5 4 4	14 44 16	7 6 6	09 39 13	14 13 13	45 50 01	9 10 10	15 10 59	+15 +15 +14
717	5 5	34 54 12	7 7 8	36 59 25	3 3 3	50 27 09	5 5 5	51 34 22	12 11 11	17 40 10	11 12 12	43 20 50	+12 +10 + 8
Pecember 7	6	26 37 42	8 8 9	45 59 04	2 2 2	57 53 58	5 5 5	16 15 20	10 10 10	50 38 38	13 13 13	10 22 22	+ 6 + 3 + 1


■ 268. Moon's Phases:

1				-		Pr	1 0	
1	2	3	4	5	6	7	8	9
		19	1			19.	42	,
Month	New moon	First quarter	Full moon	Last quarter	New moon	First quarter	Full moon	Last quarter
January	27	5	13	20	16	24	2	10
February	25	4	11	18	15	22	1	8
March	27	6	13	19	16	24	2	9
April	26	4	11	18	15	23	30	7
May	26	4	11	17	15	23	30	7
June	24	2	9	16	13	21	28	5
July	24	31	8	16	13	21	27	5
August	22	29	7	14	11	19	25	3
September	20	27	5	13	10	17	24	2
October	20	27	5	13	9	16	23	2
November	18	25	3	11	8	15	22	1 30
December	18	25	3	11	7	14	22	30

Moon's Phases (continued):

1	2	3	4	5	6	7	8	9
		18	943			19	144	-1
Month	New moon	First quarter	Full moon	Last quarter	New moon	First quarter	Full moon	Last quarter
January	6	13	21	29	25	2	10	18
February	4	11	20	27	23	1	9	17
March	6	13	21	28	24	1 31	9	17
April	4	12	20	27	22	30	8	15
May	4	12	19	26	22	29	8	15
June	2	10	18	24	20	28	6	13
July	2 31	10	17	23	20	28	5	12
August	30	8	15	22	18	26	4	10
September	29	7	13	21	17	25	2	9
October	28	6	13	20	17	24	1 31	8
November	27	4	11	19	15	23	29	7
December	26	4	111	19	15	22	29	7







NATIONAL LIBRARY OF MEDICINE

NLM 04361774 9